

LIBRARY  
UNIVERSITY OF CALIFORNIA  
DAVIS











STATE OF CALIFORNIA

The Resources Agency

Department of Water Resources

BULLETIN No. 130-68

# HYDROLOGIC DATA: 1968

Volume IV: SAN JOAQUIN VALLEY

UNIVERSITY OF CALIFORNIA  
DAVIS

APR 14 1970

LIBRARY

OCTOBER 1969

NORMAN B. LIVERMORE, JR.  
*Secretary for Resources*  
The Resources Agency

RONALD REAGAN  
*Governor*  
State of California

*William R. Gianelli*  
WILLIAM R. GIANELLI  
*Director*  
Department of Water Resources

LIBRARY  
UNIVERSITY OF CALIFORNIA





STATE OF CALIFORNIA  
The Resources Agency  
Department of Water Resources

BULLETIN No. 130-68

HYDROLOGIC DATA: 1968

Volume IV: SAN JOAQUIN VALLEY

Copies of this bulletin at \$4.00 each may be ordered from:

Office of Procurement  
DOCUMENTS SECTION  
P.O. Box 20191  
Sacramento, California 95820

Make checks payable to STATE OF CALIFORNIA.  
California residents add 5 percent sales tax.

OCTOBER 1969

NORMAN B. LIVERMORE, JR.  
*Secretary for Resources*  
The Resources Agency

RONALD REAGAN  
*Governor*  
State of California

WILLIAM R. GIANELLI  
*Director*  
Department of Water Resources

## METRIC CONVERSION TABLE

ENGLISH UNIT	EQUIVALENT METRIC UNIT	
Inch (in)	2.54	Centimeters
Foot (ft)	0.3048	Meter
Mile (mi)	1.609	Kilometers
Acre	0.405	Hectare
Square mile (sq. mi.)	2.590	Square kilometer
U. S. gallon (gal)	3.785	Liters
Acre-foot (acre-ft)	1,233.5	Cubic meters
U. S. gallon per minute (gpm)	0.0631	Liters per second
Cubic feet per second (cfs)	1.699	Cubic meters per minute
1 part per million (ppm)		Milligram per liter (mg/l)
1 part per billion (ppb)		Microgram per liter (ug/l)
1 part per trillion (ppt)		Nanogram per liter (ng/l)
1 equivalent per million (epm)		Milliequivalent per liter (me/l)
Degrees Fahrenheit (°F)		Degrees Centigrade = (°F-32°)5/9

TABLE OF CONTENTS

	<u>Page</u>
AREAL COVERAGE OF VOLUMES . . . . .	ii
FOREWORD . . . . .	iii
METRIC CONVERSION TABLE . . . . .	iv
ORGANIZATION, DEPARTMENT OF WATER RESOURCES . . . . .	vii
ACKNOWLEDGMENTS . . . . .	ix
ABSTRACT . . . . .	x
APPENDIXES	
Appendix A: CLIMATOLOGICAL DATA . . . . .	1
Introduction . . . . .	3
FIGURES	
<u>Figure</u> <u>Number</u>	
A-1 Climatological Observation Stations . . . . .	4
TABLES	
<u>Table</u> <u>Number</u>	
A-1 Index of Climatological Stations . . . . .	11
A-2 Precipitation Data . . . . .	18
A-3 Storage Gage Precipitation Data . . . . .	23
A-4 Temperature Data . . . . .	25
A-5 Evaporation Data . . . . .	30
A-6 Climatological Station Changes and Relocations . . . . .	32
Appendix B: SURFACE WATER MEASUREMENT . . . . .	33
Introduction . . . . .	35
Alphabetical Index to Tables . . . . .	36
Hydrographic Area and Stream Basin Index to Surface Water Measurement Stations . . . . .	37
FIGURES	
<u>Figure</u> <u>Number</u>	
B-1 Location of Surface Water Measurement Stations . . . . .	38
TABLES	
<u>Table</u> <u>Number</u>	
B-1 Annual Unimpaired Runoff . . . . .	44
B-2 Monthly Unimpaired Runoff . . . . .	46
B-3 Gaging Station Additions and Discontinuations . . . . .	47
B-4 Daily Mean Discharge . . . . .	48
B-5 Diversions . . . . .	101
B-6 Diversions and Acreage Irrigated--Eastside Canals and Irrigation Districts . . . . .	111
B-7 Deliveries from Central Valley Project Canals . . . . .	112
B-8 Deliveries from California Aqueduct . . . . .	114
B-9 Imports and Exports . . . . .	115
B-10 Daily Mean Gage Height . . . . .	116
B-11 Corrections and Revisions to Previously Published Reports . . . . .	135



#### ACKNOWLEDGMENTS

In the collection of data for this bulletin, the Department has been aided by various public and private agencies and by many private citizens. This cooperation is gratefully acknowledged, and it is especially fitting to commend the following agencies:

U. S. Weather Bureau  
U. S. Bureau of Reclamation  
U. S. Army Corps of Engineers  
U. S. Geological Survey  
State Department of Public Health  
City and County of San Francisco  
City of Modesto  
Kern County Water Agency  
Kern County Land Company  
Buena Vista Water Storage District  
Modesto Irrigation District  
Turlock Irrigation District  
Oakdale Irrigation District  
Merced Irrigation District  
Fresno Irrigation District  
Kings River Water Association  
Central California Irrigation District  
Tule River Association  
Fresno County Health Department  
Kern County Health Department  
Tulare County Health Department  
Kern County Parks and Recreation

ABSTRACT

Report contains tables showing data on climate, surface water flow, ground water levels, and surface and ground water quality in the San Joaquin Valley for the 1967-68 water year. Figures show location of climatological, surface water, and surface water quality measurement stations; fluctuation of water levels in selected wells and areas; and electrical conductance at selected stations. Plates show lines of equal elevation of water in wells, spring 1968; profile of ground water levels; cooperative study areas; ground water level changes; and well locations.

APPENDIX A  
CLIMATOLOGICAL DATA





## INTRODUCTION

This appendix summarizes monthly precipitation, temperature, wind movement, and evaporation data for the San Joaquin Valley from July 1, 1967 to September 30, 1968. Storage gage precipitation data are annual values. Thirty-two cooperating agencies and 93 local observers supplied the data for the 352 stations reported. Detailed daily and hourly data for some stations, not published here, are available in the files of the Department of Water Resources.

To insure accuracy, stations are inspected annually or semiannually to see that the equipment is properly maintained and that observations generally are taken in accordance with U. S. Weather Bureau standards.

Each station in this appendix has been assigned an identification number. The first two digits denote the drainage basin as shown below. The remaining digits denote the alphabetical sequence of the station.

### HYDROGRAPHIC AREA B


#### SAN JOAQUIN RIVER BASIN


B0 - San Joaquin Valley Floor  
B3 - Stanislaus River  
B4 - Tuolumne River  
B5 - Merced River  
B6 - Fresno-Chowchilla Rivers  
B7 - San Joaquin River  
B8 - San Joaquin Valley on West Side

### HYDROGRAPHIC AREA C

#### TULARE LAKE DRAINAGE BASIN

C0 - Tulare Lake Valley Floor  
C1 - Kings River  
C2 - Kaweah River  
C3 - Tule River  
C4 - Greenhorn Mountains  
C5 - Kern River  
C6 - Tehachapi Mountains  
C7 - Tulare Lake Basin on West Side


















TABLE A-1

## INDEX OF CLIMATOLOGICAL STATIONS

An explanation of the column headings and code symbols used in connection with this table follows:

40-Acre Tract. This denotes the location of the station within the section in which it is located. The letter code is derived from the following diagram:

D	C	B	A
E	F	G	H
M	L	K	J
N	P	Q	R

Base and Meridian. The code for this column is as follows:

M - Mount Diablo Base and Meridian

S - San Bernardino Base and Meridian

Cooperators' Numbers. These numbers are assigned from the following list:

- 000 - Private Cooperators
- 001 - 399 Private Agencies
  - 001 Kern County Land Company
  - 002 Boswell Company
  - 003 P. G. and E. Company
  - 004 Southern California Edison Company
  - 005 California Electric Power Company
  - 010 Amateur Radio Weather Network KTRB
  - 011 Southern Pacific Company
  - 012 Miller and Lux, Inc.
  - 013 Central California Irrigation District
- 400 - 799 Counties and municipalities
  - 401 Hetch Hetchy Water Supply
  - 404 Oakdale Irrigation District
  - 405 City of Los Angeles, Department of Water & Power
  - 420 Stanislaus County
- 800 - 899 State
  - 801 Pomology Department, University of California, Davis
  - 804 Division of Beaches and Parks
  - 805 State Department of Fish and Game
  - 806 Department of Water Resources
  - 808 Division of Forestry
  - 809 Division of Highways

TABLE A-1 (Continued)

814	University of California, Davis, Westside Field Station
815	University of California, School of Forestry
900 - 999	Federal
900	U. S. Weather Bureau
902	U. S. Air Force, Air Weather Service
903	U. S. Army Corps of Engineers
904	U. S. Bureau of Reclamation
905	U. S. Forest Service
906	U. S. Department of Agriculture, Agricultural Research Service
907	U. S. Weather Bureau (State Climatologist)
916	U. S. Geological Survey

Cooperators' (Coop) Index Numbers. These are the numbers assigned to the stations by the agency responsible for handling the station records. With few exceptions, the alpha order numbers assigned to U. S. Weather Bureau stations are the same as those used by the Weather Bureau. The U. S. Weather Bureau station number is shown in this column only when it differs from the alpha order number.

Record Began. This is shown to year only.

Record Ended. If record continues this column is left blank.

Years Missing. This denotes missing record to the nearest full year.

County Code. Numbers used to designate specific counties are listed below:

Alpine	02
Calaveras	05
Fresno	10
Inyo	14
Kern	15
Kings	16
Madera	20
Mariposa	22
Merced	24
San Benito	35
San Joaquin	39
San Luis Obispo	40
Stanislaus	50
Tulare	54
Tuolumne	55
Ventura	56



TABLE A-1 (Cont.)

## INDEX OF CLIMATOLOGICAL STATIONS

## SAN JOAQUIN VALLEY

Station		Elevation (in Feet)	Section	Township	Range	40-Acre Tract Base & Meridian	Longitude			Cooperator Number	Cooperator's Index Number	Record Began	Record Ended	Years Missing	County Code
Number	Name						O	I	II						
C5 2114	CRABTREE MEADOW	10700	SEC 01	T16S	R33E	M 36 34 00	118 21 00	900			1948			54	
B7 2122	CRANE VALLEY PB	3440	SEC 25	T07S	R22E	M M 37 17 26	119 31 35	003			1903			20	
C6 2222-80	CUMMINGS VALLEY 2	3825	SEC 30	T32S	R32E	G M 35 07	118 35	806			1961			15	
B6 2288	DAULTON	410	SEC 26	T09S	R18E	E M 37 07 18	119 59 00	000			1946			20	
C3 2335-10	DEER CREEK RCH	950	SEC 05	T23S	R29E	R M 35 57 15	118 51 28	000			1968			54	
C0 2346	DELANO	323	SEC 11	T25S	R25E	A M 35 46 23	119 14 37	900			1876			15	
C0 2346-01	DELANO GOV'T CAMP	394	SEC 28	T25S	R26E	E M 35 48 35	119 11 00	904			1952			15	
B8 2369	DEL PUERTO ROAD CAMP	1125	SEC 12	T06S	R05E	Q M 37 25 24	121 22 42	900			1958			50	
B0 2375	DELTA RANCH	90	SEC 26	T09S	R11E	M 37 07 00	120 44 00	013			1949	01	24		
B0 2389-05	DENAIR 3 NNE	137	SEC 20	T04S	R11E	M 37 34	120 47	900			1964			50	
B0 2389-20	DENAIR CHANCE	165	SEC 20	T05S	R12E	E M 37 29 18	120 40 47	000			1965			24	
B0 2389	DENAIR DAVISON RCH	250	SEC 12	T05S	R12E	D M 37 30 55	120 36 40	000			1965	1967	24		
C0 2408	DEVILS DEN SLF	500	SEC 07	T25S	R19E	M M 35 45 55	119 58 22	000			1959			15	
C0 2436	DIGIORGIO	483	SEC 10	T31S	R29E	B M 35 15 08	118 51 00	000			1937			15	
C0 2440-01	DINUBA ALTA I D	334	SEC 17	T16S	R24E	D M 36 32 32	119 23 30	000			1944			54	
C7 2464	DOMENGINE RCH	1000	SEC 29	T18S	R15E	A M 36 20 24	120 21 30	000			1959			10	
C7 2464-01	DOMENGINE SPRING	1700	SEC 25	T18S	R14E	K M 36 19 53	120 24 04	000			1958			10	
B4 2473	DON PEDRO RESERVOIR	700	SEC 35	T02S	R14E	E M 37 43 00	120 24 18	904			1940			55	
C3 2492	DOUBLEBUNK MEADOW	6200	SEC 11	T23S	R31E	M 35 57 00	118 36 00	900			1955			54	
B5 2539	DUDLEYS	3000	SEC 21	T02S	R17E	D M 37 45 14	120 06 30	900			1909			22	
C1 2577	DUSY BENCH	9470		T10S	R31E	M 37 06	118 35	901			1964			10	
C3 2591	EAGLE CREEK	6650		T22S	R31E	M 35 59	118 39	903			1964			54	
B4 2609	EARLY INTAKE PH	2356	SEC 11	T01S	R18E	C M 37 52 30	119 57 25	401			1925			55	
C0 2752-80	EIGHTH STAND RCH	338	SEC 36	T32S	R27E	M 35 06 05	119 01 45	001			1963			15	
B0 2820	EL SOLYO RCH	50	SEC 06	T04S	R07E	B M 37 37 24	121 14 09	000			1953			50	
B0 2860	ESCALON SWANSON	125	SEC 03	T02S	R09E	L M 37 47 20	121 58 15	000			1944			39	
B5 2920	EXCHEQUER RESERVOIR	484	SEC 13	T04S	R15E	L M 37 35 06	120 16 11	900			1935			22	
C0 2922	EXETER FAUVER RCH	439	SEC 20	T18S	R27E	D M 36 21 28	119 04 45	900			1938			54	
B0 2968	FANCHER RCH CAMP 3	225	SEC 16	T07S	R15E	N M 37 19 04	120 20 04	000			1959			24	
C7 3005	FELLOWS	1340	SEC 06	T32S	R23E	C M 35 10 44	119 32 39	000			1956			15	
B0 3063	FIREBAUGH 9 W	185	SEC 26	T12S	R12E	R M 36 51 04	120 37 03	000			1934			10	
C0 3083	FIVE POINTS 5 SSW	276	SEC 17	T18S	R17E	M M 36 21 48	120 09 22	900			1942			10	
C0 3084	FIVE POINTS DIENER	263	SEC 10	T18S	R17E	R M 36 22 20	120 06 12	000			1933			10	
B7 3093	FLORENCE LAKE	7345	SEC 36	T07S	R27E	N M 37 16 27	118 58 27	900			1940			10	
C0 3207	FOUNTAIN SPRINGS R S	800	SEC 26	T23S	R28E	Q M 35 53 31	118 55 58	808			1965			54	
C0 3257	FRESNO WB AP	331	SEC 30	T13S	R21E	J M 36 46 10	119 43 02	900			1899			10	
C0 3258-80	FRESNO CO WESTSIDE FD	600	SEC 31	T20S	R16E	Q M 36 08 27	120 16 22	806			1963			10	
B7 3261	FRIANT GOVERNMENT CP	410	SEC 07	T11S	R21E	A M 36 59 00	119 43 00	900			1896			10	
H7 3261-05	FRIANT STILLWELL	1009	SEC 23	T10S	R21E	B M 37 03 07	119 38 48	000			1965			20	
C2 3397	GIANT FOREST	6412	SEC 06	T16S	R30E	E M 36 34 05	118 46 01	900			1921			54	
C0 3428-01	GIN YARD	295	SEC 12	T32S	R25E	R M 35 09 12	119 14 10	002			1960			15	
C4 3463	GLENNVILLE	3140	SEC 25	T25S	R30E	F M 35 43 28	118 42 07	900			1951			15	
C4 3465	GLENNVILLE FULTON RS	3500	SEC 29	T25S	R31E	H M 35 44 00	118 40 00	900			1940			15	
B4 3529	GRACE MEADOW	8900	SEC 31	T04N	R22E	M 38 09 00	119 36 00	900			1947			55	
C1 3551	GRANT GROVE	6580	SEC 32	T13S	R28E	N M 36 44 29	118 57 40	900			1924			54	
B5 3586-05	GREELEY HILL 1 N	3060	SEC 17	T02S	R17E	F M 37 45 55	120 07 40	000			1965			22	
B4 3669	GROVELAND 2	2825	SEC 21	T01S	R16E	E M 37 50 00	120 14 00	900			1940			55	
B4 3672	GROVELAND R S	3135	SEC 27	T01S	R17E	L M 37 49 00	120 06 00	900			1940	PN9065		55	
B0 3690-02	GUSTINE 5 SW	145	SEC 24	T08S	R08E	F M 37 13 26	121 02 37	000			1927			24	
B0 3690-04	GUSTINE SNYDER	150	SEC 35	T08S	R08E	B M 37 12 00	121 03 00	000			1930			24	
B0 3694	GUSTINE FOREMOST	98	SEC 08	T08S	R09E	B M 37 15 28	120 59 53	000			1928			24	
B0 3698	GUSTINE 7 SSW	156	SEC 01	T09S	R08E	R M 37 10 25	121 01 54	000			1958			24	
C0 3747	HANFORD	242	SEC 26	T18S	R21E	P M 36 19 43	119 39 55	900			1899			16	
C0 3749	HANFORD WELL #21	240	SEC 26	T18S	R21E	Q M 36 20	119 40	000			1964			16	
C1 3811-11	HASLETT BASIN	2400	SEC 14	T11S	R25E	K M 36 58 18	119 12 54	905			1960			10	
B4 3939	HETCH HETCHY	3870	SEC 16	T01N	R20E	G M 37 56 42	119 46 54	900			1910			55	
B6 3948	HIDDEN VALLEY	1750	SEC 01	T06S	R18E	J M 37 26 00	119 56 24	000			1949			22	
B3 3952	HIGHLAND LAKES	8700	SEC 32	T08N	R20E	Q M 38 29 48	119 47 48	900			1960	003954		02	
B0 3981	HILMAR	90	SEC 14	T06S	R10E	M M 37 24 34	120 50 54	000			1948			24	
C2 4012	BOCKETT MEADOWS	8500	SEC 07	T18S	R31E	L M 36 22 00	118 39 00	900			1959			54	
B4 4015	HOGDON MEADOW	4640	SEC 03	T02S	R19E	M 37 48	119 52	907			1967			55	
C0 4061-01	HOMELAND DIST SEC 9	190	SEC 09	T23S	R22E	A M 35 56 53	119 35 30	002			1952			16	
C0 4061-03	HOMELAND DIST SEC 34	196	SEC 34	T23S	R22E	R M 35 53 43	119 34 24	002			1951			16	
B5 4102-01	HORNITOS ERICKSON RCH	1150	SEC 18	T05S	R17E	Q M 37 29 40	120 08 55	000			1955			22	
B5 4103	HORNITOS GILES RCH	1050	SEC 29	T05S	R16E	H M 37 28 10	120 14 00	000			1939			22	
B5 4104-80	BORNITOS USCE	850	SEC 17	T05S	R16E	G M 37 30 10	120 14 08	901			1960			22	
C3 4120	BOSSACK (RADIO)	7100	SEC 16	T20S	R31E	L M 36 11 00	118 37 00	900			1959			54	
B4 4148	HUCKLEBERRY LAKE	7800	SEC 23	T03N	R20E	M 38 06 00	119 45 00	900			1948			55	
B3 4170	HUNTERS DAM	3220	SEC 18	T04N	R15E	K M 38 12 00	120 21 36	900			1950			05	
B7 4176	HUNTINGTON LAKE	7020	SEC 15	T08S	R25E	R M 37 13 45	119 13 10	900			1915			10	







TABLE A-2

PRECIPITATION DATA

The definition of terms and abbreviations used in this table follows:

- No record or record incomplete.
- \* Amount included in the following measurement. Time distribution unknown.
- E Wholly or partially estimated.
- T Trace, an amount too small to measure.
- V Includes total from previous month.
- RB Record begins.
- RE Record ends.

Precipitation values are shown to the nearest hundredth (.01) of an inch, except where Fischer & Porter recording rain gages are used, these values are shown to the nearest tenth (.1) of an inch.









TABLE A-2 (Cont.)  
PRECIPITATION DATA

PRECIPITATION IN INCHES

STATION NAME	TOTAL JULY 1 TO JUNE 30	1967						1968									TOTAL OCT 1 TO SEPT 30
		JULY	AUG	SEPT	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUNE	JULY	AUG	SEP	
GREENHORN MTN																	
GLENVILLE	13.90	0.00	0.00	1.30	0.00	2.08	2.70	2.09	1.79	2.34	1.50	0.10	0.00	0.10	0.00	0.00E	12.70E
GLENVILLE FULTON R S	-	0.00	0.00	1.37	0.00	2.46	-	-	-	-	-	0.10	0.00	0.05	0.00	0.00	-
POSEY 3 E	21.56	0.00	0.12	1.86	0.00	2.78	4.51	3.06	2.35	3.75	2.63	0.50	0.00	0.00	0.00	0.00	19.58
WOODY	10.70	0.00	0.00	0.59	0.00	3.10	1.58	1.33	1.81	1.27	0.94	0.06	0.02	T	0.00	0.00	10.11
KERN RIVER																	
ISABELLA DAM	9.47	0.30	0.23	1.63	0.00	1.41	1.85	0.82	0.85	1.60	0.77	0.01	0.00	0.01	0.11	0.00	7.43
JOHNSDALE	19.64E	0.12	0.37	2.01E	0.00	3.67	3.72	2.69E	1.87E	3.80	1.29	0.10	0.00	0.20	0.01	0.00	17.35E
KERN CANYON	8.30	0.00	*	11.00	0.00	2.41	1.30	0.81	0.81	1.13	0.78	0.06	0.00	0.11	0.00	0.00	7.41
KERN R 3 INTAKE SCE	15.30	0.00	0.16	2.10	0.05	3.21	2.99	1.72	1.16	2.71	1.20	0.00	0.00	0.41	0.05	0.00	13.50
KERN RIVER P8 NO 1	8.85	0.02	0.00	0.25	0.00	2.60	1.68	1.06	0.99	1.21	0.99	0.05	0.00	0.11	0.00	0.00	8.69
KERN RIVER PH NO 3	11.35	0.80	0.13	1.21	0.00	2.43	2.27	1.23	0.80	1.78	0.69	0.01	0.00	0.26	T	0.00	9.47
ONYX	9.62	0.73	0.32	0.92	0.00	2.10	1.85	0.62	0.65	1.66	0.77	0.00	0.00	0.08	0.00	0.00	7.73
TEN BIGH MINE	-	-	-	-	-	-	-	-	-	-	-	-	-	RB	0.00	0.00	-
WELDON 1 MSW	6.96	0.10	0.00	0.91	0.00	1.68	1.34	0.54	0.57	1.17	0.65	0.00	0.00	0.18	0.10	0.00	6.23
WOPFORD HEIGHTS	9.50	0.12	0.13	1.20	0.00	2.01	1.93	0.99	0.92	1.57	0.61	0.02	0.00	0.14	T	0.00	8.19
TEHACHAPI MOUNTAINS																	
CHICHAPATE R S	8.73	0.18	0.03	0.73	0.00	3.60	0.79	0.5	0.7	1.4	0.6	0.2	0.00	0.00	0.1	0.00	7.89
CUMINGS VALLEY 2	8.75	0.00	0.00	1.01	0.00	1.98	1.86	0.54	1.28	1.16	0.81	0.11	0.00	0.00	0.00	0.00	7.74
KEENE	10.38	0.01	T	0.20	0.00	2.37	2.42	1.30	1.13	1.44	0.88	0.63	0.00	0.03	0.00	0.00E	10.20E
LEBEC	9.74	0.05	0.00	0.77	0.00	4.17	0.71	0.44	0.55	1.77	0.98	0.30	0.00	0.01	0.16	0.00	9.09
LORAIN	10.52	1.01	0.00	0.39	0.00	2.20	2.40	1.57	0.60	1.22	1.01	0.12	0.00	0.08	0.00	0.00	9.20
MIL POTRERO	8.95	0.12	2.32	0.10	0.00	3.15	0.31	0.48	1.19	0.59	0.59	0.10	T	0.07	0.21	0.00	6.69
PATIMAY	5.93	0.00	0.01	0.03	0.00	2.72	0.71	0.38	0.50	0.84	0.68	0.06	T	T	T	0.00	5.89
TEHACHAPI	9.89E	T	0.06	2.13	0.00	2.73	1.89	0.59	0.63	1.36	0.40	0.10E	0.00E	0.17E	0.00	0.00	7.87E
TEHACHAPI AP	9.52E	0.00	0.00	1.97	0.00	2.70	1.81E	0.46	0.78	1.14	0.51	0.15	0.00	0.20E	0.00	0.00E	7.75E
WALKER BASIN	-	-	-	-	-	-	-	-	-	-	-	-	-	RB	0.00	0.00	-
TULARE L BASIN WESTSIDE																	
ANNETTE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
AVENAL 8 SW	7.33	0.00	0.00	0.71	0.15	1.79	0.82	0.97	0.71	1.38	0.80	0.00	0.00	0.00	T	0.00	6.62
AVENAL 6 SSW	8.04	0.00	0.00	1.01	0.08	2.09	0.82	0.91	0.84	1.31	0.98	0.00	0.00	0.00	0.00	0.00	7.03
CHOLAME TWISSELMAN	8.76E	0.00E	0.00E	0.68	0.00	2.16	1.73	0.58	1.04	1.92	0.65	0.00	0.00	0.00	0.00	0.00	8.08
COALINGA ROBERTS RCH	7.02	0.00	0.00	0.36	0.13	1.62	0.50	0.60	0.78	1.43	1.42	0.18	0.00	0.00	0.00	0.00	6.66
COALINGA 14 WNW	7.78	0.00	0.00	0.22	0.00	2.20	1.20	1.06	1.20	1.03	0.82	0.05	0.00	0.00	0.00	0.00	7.56
DOMENGINE RCH	6.08	0.00	0.00	0.24	T	1.31	0.70	0.63	1.05	1.26	0.58	0.31	0.00	T	T	0.00	5.84
DOMENGINE SPRINGS	-	-	-	-	0.00E	2.45	0.90	0.46	1.25	1.55	1.27	0.05	0.00	0.00	0.00E	0.00E	7.93
FELLOWS	4.47	0.00	0.00	0.00	0.00	2.08	0.29	0.15	0.44	1.05	0.39	0.02	0.05	0.00E	0.00E	0.00E	4.47E
MARICOPA P S	5.11	0.00	0.00	0.20	0.00	2.61	0.17	0.20	0.82	0.76	0.34	0.01	0.00	0.00	0.00	0.00	4.91
MARTINEZ SPRING	-	-	-	-	0.00E	1.99	0.83	0.49	1.52	1.13	0.88	0.05	0.00	0.00	0.00E	0.00E	6.99
MC KITTRICK F S	3.45	0.00	0.00	0.10	0.00	1.28	0.25	0.07	0.55	0.82	0.35	0.03	0.00	0.00	0.00	0.00	3.35
TAFT	3.90	0.00	0.00	0.18	0.00	1.86	0.25	0.12	0.52	0.74	0.23	0.00	0.00	0.00	0.00	0.00	3.72
TAFT KTKR	4.27	0.00	T	0.34	0.00	1.89	0.27	0.13	0.54	0.85	0.23	T	0.02	T	T	0.00	3.93
THIRTY-TWO CORRAL	-	-	-	-	0.00	1.70	0.77	0.98	1.08	1.29	0.70	0.08	0.00	0.00	0.00E	0.00E	6.60E
UPPER SALINAS RIVER																	
PARKFIELD 7 NNW	7.19E	0.00	0.00	1.05	0.16	1.60	0.71	0.55	0.82	1.57E	0.50	0.23	0.00	0.00	0.06	0.00	6.20

TABLE A-3

## STORAGE GAGE PRECIPITATION DATA

## SAN JOAQUIN VALLEY

Station	Agency	1967-68 Season		
		Measurement Period		Precipitation In Inches
SAN JOAQUIN RIVER BASIN				
STANISLAUS RIVER				
HIGHLAND LAKES	DEPT OF WATER RESOURCES	7-19-67	7-10-68	29.2
LAKE ALPINE	DEPT OF WATER RESOURCES	7-19-67	7-10-68	43.8
TUOLUMNE RIVER				
BEEHIVE MEADOW	HETCH HETCHY WATER SUPPLY	9- 6-67	9-27-68	34.90
GRACE MEADOW	HETCH HETCHY WATER SUPPLY	9- 5-67	10- 6-68	27.71
HUCKLEBERRY LAKE	HETCH HETCHY WATER SUPPLY	8-31-67	10- 8-68	38.84
LOWER KIBBEY RIDGE	HETCH HETCHY WATER SUPPLY	8-25-67	10-11-68	42.90
PARADISE MEADOW	HETCH HETCHY WATER SUPPLY	9- 6-67	10- 4-68	39.30
SACHES SPRINGS	HETCH HETCHY WATER SUPPLY	8-25-67	10-11-68	41.89
TUOLUMNE MEADOWS	DEPT OF WATER RESOURCES	7-18-67	7- 9-68	25.0
MERCED RIVER				
BADGER PASS	U S WEATHER BUREAU	-	-	-
OSTRANDER LAKE	NATIONAL PARK SERVICE	10- 8-67	8-18-68	17.85
SNOW FLATS	DEPT OF WATER RESOURCES	7-18-67	7- 9-68	38.9
SAN JOAQUIN RIVER				
CHIQUITO CREEK	DEPT OF WATER RESOURCES	7-17-67	7- 8-68	30.1
CLOVER MEADOWS	DEPT OF WATER RESOURCES	7-17-67	7- 8-68	31.6
KAISER MEADOWS	SO CALIF EDISON COMPANY	8- 3-67	9-19-68	30.5
MAMMOTH POOL	SO CALIF EDISON COMPANY	8- 8-67	9-24-68	19.9
ROSE MARIE MEADOW	SO CALIF EDISON COMPANY	10-12-67	9-27-68	23.6
VERMILION VALLEY	SO CALIF EDISON COMPANY	8- 3-67	9-20-68	17.2
TULARE LAKE BASIN				
KINGS RIVER				
BARTON FLAT	U S CORPS OF ENGINEERS	9-21-67	7- 8-68	11.87
DUSY BENCH	U S CORPS OF ENGINEERS	9-12-67	9- 9-68	20.93
MITCHELL MEADOW	U S CORPS OF ENGINEERS	9-20-67	7-11-68	19.33
MORAIN CREEK	U S CORPS OF ENGINEERS	9-20-67	10- 9-68	17.44
RATTLESNAKE CREEK	U S CORPS OF ENGINEERS	9-19-67	10- 8-68	26.81
STATE LAKES	U S CORPS OF ENGINEERS	9-20-67	10- 8-68	20.32
SUMMIT MEADOW	U S CORPS OF ENGINEERS	7-26-67	9-30-68	28.33
VIDETTE MEADOW	U S CORPS OF ENGINEERS	9-20-67	10- 9-68	21.70
UPPER WOODCHUCK	FRESNO STATE COLLEGE	7-27-67	-	-
KAWEAH RIVER				
ATWELL	U S CORPS OF ENGINEERS	10-20-67	10- 8-68	24.45
BEARTRAP MEADOW	U S CORPS OF ENGINEERS	9-20-67	7-10-68	27.19
HOCKETT MEADOW	U S CORPS OF ENGINEERS	10-17-67	10- 7-68	23.51
MINERAL KING	U S CORPS OF ENGINEERS	10-20-67	10- 8-68	18.89
PEAR LAKE	U S CORPS OF ENGINEERS	7-25-67	7- 9-68	26.75
TULE RIVER				
EAGLE CREEK	U S CORPS OF ENGINEERS	10-19-67	10- 9-68	21.45
HOSSACK (RADIO)	U S CORPS OF ENGINEERS	7-13-67	7-12-68	30.67
MOUNTAIN HOME 2	U S CORPS OF ENGINEERS	7-13-67	7-13-68	24.61
ROGERS CAMP	U S CORPS OF ENGINEERS	7-12-67	7-13-68	25.13

- Record missing for this period.

TABLE A-3 (Cont.)

STORAGE GAGE PRECIPITATION DATA

SAN JOAQUIN VALLEY

Station	Agency	1967 - 68 Season		
		Measurement Period		Precipitation In Inches
KERN RIVER				
CHAGOOPA	U S CORPS OF ENGINEERS	10-17-67	10- 8-68	17.99
CRABTREE MEADOW	U S CORPS OF ENGINEERS	9-14-67	9- 6-68	18.11
DOUBLEBUNK MEADOW	U S CORPS OF ENGINEERS	7-11-67	6-11-68	28.95
MONACHE MEADOW	U S CORPS OF ENGINEERS	9-14-67	9-14-68	11.40
PORTUGUESE MEADOW	U S CORPS OF ENGINEERS	7-10-67	7-10-68	34.05
QUAKING ASPEN	U S CORPS OF ENGINEERS	7-11-67	7-11-68	29.06
ROUND MEADOW	U S CORPS OF ENGINEERS	7-11-67	7-11-68	30.73
TUNNEL R S	DEPT OF WATER RESOURCES	9-14-67	9-14-68	16.62
WET MEADOW	U S CORPS OF ENGINEERS	10-18-67	10- 7-68	23.88
TULARE LAKE BASIN WESTSIDE				
OILFIELD JOAQUIN RDG	DEPT OF WATER RESOURCES	7-25-67	7-29-68	6.98

TABLE A-4  
TEMPERATURE DATA

The definition of terms and abbreviations used in this table follows:

Max	The highest temperature of record for the month.
Min	The lowest temperature of record for the month.
Av Max	The arithmetical average of daily maximum temperatures for the month.
Av Min	The arithmetical average of daily minimum temperatures for the month.
Avg	The arithmetical average of daily maximum and minimum temperatures for the month.
M	One or more days of record missing; if average value is entered, less than ten days of record is missing.
RB	Record begins.
RE	Record ends.





TABLE A-4 (Cont.)  
TEMPERATURE DATA

TEMPERATURE IN DEGREES FAHRENHEIT

STATION NAME	1967							1968								
	JULY	AUG	SEPT	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUNE	JULY	AUG	SEPT	
FRESNO - CHOWCHILLA R																
AHWAHNEE 2 NNW	MAX 98 MIN 64 AV MAX 93.7 AV MIN 69.6 AVG 81.6	100 64 95.9 70.8 83.3	92 54 86.0 62.8 74.4	86 48 77 M 53 M 65 M	80 34 68 M 48 M 58 M	68 24 51.2 33.0 42.1	70 22 62.9 36.6 49.7	76 32 60.6 43.6 52.1	62 32 58 M 40 M 49 M	82 34 68 M 45 M 57 M	90 40 73.4 51.5 62.4	98 34 86.1 61.1 73.6	100 62 92.2 67.7 79.9	98 48 85.4 61.5 73.4	94 44 84.6 59.9 72.2	
CATHEYS VAL BULL RUN R.	MAX 104 MIN 53 AV MAX 98.3 AV MIN 61.4 AVG 79.8	105 70 99.9 62.7 81.3	101 52 90.9 57.3 74.1	87 40 79.9 45.5 62.7	81 32 68.2 43.1 53.8	66 14 52.4 29.6 41.0	70 18 54.9 31.8 43.4	71 32 62.6 42.6 52.6	78 31 61.4 40.0 52.0	88 30 79.9 40.7 55.5	94 34 81.6 47.8 64.7	103 41 91.4 56.0 73.7	105 55 97.0 62.4 79.7	103 46 90.0 57.3 73.7	99 42 88.9 54.4 71.6	
CATHEYS VAL SAWYER RCH	MAX 106 MIN 52 AV MAX 99.5 AV MIN 64.9 AVG 82.2	105 55 101.0 64.6 82.8	97 52 90.3 58.5 74.4	88 41 79.5 47.0 63.2	81 32 66.0 43.3 54.6	52 15 51.8 29.3 40.5	68 20 52.6 31.8 42.2	72 32 61.3 42.3 51.8	78 30 62.8 39.5 51.1	86 30 70.3 40.7 55.5	92 33 76.7 45.6 61.1	101 39 89.6 55.7 72.6	104 53 95.0 61.6 78.3	102 45 87.3 56.1 71.7	95 40 84.9 53.3 69.1	
CATHEYS VAL STONHOUSE	MAX 103 MIN 51 AV MAX M AV MIN M AVG M	103 51 98 M 59 M 78 M	95 50 88 M 56 M 72 M	85 36 79.1 41.9 60.5	80 29 M M M	65 11 51.7 25.8 38.7	65 16 55.0 27.9 41.4	71 27 61.5 39.4 50.4	76 28 62.9 36.0 49.4	86 26 70.1 36.5 53.3	92 31 M M M	101 39 87.9 46.2 67.0	103 50 96 M 58 M 77 M	100 43 86 M 51 M 68 M	94 36 86.4 48.9 67.6	
HIDDEN VALLEY	MAX 105 MIN 58 AV MAX 99.0 AV MIN 66.8 AVG 82.9	105 60 101.0 68.0 84.5	100 56 91.9 61.2 76.5	90 43 83 M 51 M 67 M	86 34 70.5 44.0 57.2	74 16 57.1 31.1 44.1	78 24 59.9 33.2 46.6	76 32 65 M 42 M 53 M	83 32 67.2 40.4 53.8	85 34 73.9 43.6 58.7	94 37 81.2 47.1 64.2	105 43 93.6 57.6 75.6	105 58 99 M 61 M 80 M	106 48 93.3 58.3 75.8	101 43 92.5 55.8 74.2	
MARIPOSA S ESE	MAX 96 MIN 52 AV MAX 92 M AV MIN 59 M AVG 76 M	98 54 93.4 M 61.8 M 77.6 M	M M M M M	M M 65.5 40.4 52.9	M 12 51.1 26.5 38.8	78 27 51.1 26.5 38.8	67 12 51.1 26.5 38.8	70 14 54.0 30.3 42.1	68 26 59.9 38.6 49.2	74 30 60.6 35.3 47.9	80 32 73.5 43.6 58.5	100 37 85.5 51.6 68.5	101 54 96 M 60 M 78 M	94 40 86 M 53 M 70 M	M M M M M	
OAKHURST	MAX 100 MIN 42 AV MAX 96.5 AV MIN 51.8 AVG 74.2	101 42 96.2 50.8 73.5	98 41 89 M 47 M 68 M	88 28 81 M 35 M 58 M	83 24 73 M 34 M 54 M	68 06 50.9 21.8 36.3	71 10 52.3 23.4 37.8	76 21 63.5 33.7 48.6	75 21 62.7 30.7 46.7	82 21 96.9 33.5 65.2	90 28 75.9 37.2 56.5	100 34 87 M 48 M 68 M	M M M M M	M M M M M	96 29 88 M 41 M 64 M	
TRIANGLE - YORK	MAX 98 MIN 47 AV MAX 92 M AV MIN 56 M AVG 74 M	99 50 98 M 60 M 79 M	94 40 M M M	83 34 75.8 40.1 57.9	78 25 65.7 36.5 51.1	62 10 47 M 23 M 35 M	69 13 54.3 27.3 40.8	69 25 59 M 35 M 47 M	74 24 59 M 32 M 46 M	80 26 65 M 35 M 50 M	84 32 70 M 41 M 56 M	92 34 82 M 50 M 66 M	97 50 M M M	92 38 80.5 48.2 64.3	94 34 94 M 44 M 64 M	
SAN JOAQUIN RIVER																
CRANE VALLEY P H	MAX 98 MIN 60 AV MAX 92.3 AV MIN 64.6 AVG 78.4	102 62 98.3 68.1 83.2	96 52 85.9 58.9 72.4	87 40 77.6 48.8 63.2	77 32 66.9 43.2 55.0	66 18 50.3 30.1 40.2	70 20 54.8 30.8 42.8	74 29 60.4 38.3 49.3	74 30 60.2 37.9 49.0	78 32 67.0 41.5 54.2	90 32 72.7 48.5 60.6	98 48 85 M 61 M 73 M	100 60 92.4 67.1 79.8	95 48 85.1 60 M 62 M	93 42 85.1 57.1 71.1	
MEADOW LAKE	MAX 95 MIN 60 AV MAX 89.9 AV MIN 68.3 AVG 79.1	93 64 89.5 68.7 79.1	90 48 78.7 59.2 68.9	79 44 70.9 51.3 61.1	75 28 62.0 45.5 53.7	65 14 45.6 30.4 38.0	67 14 50 M 33 M 42 M	70 26 54.2 40.0 47.1	68 20 53.1 37.9 45.5	78 30 59.2 41.7 50.4	80 29 64.8 47.9 56.3	90 40 77.3 58.7 68.0	92 56 84.7 64.2 74.4	90 42 78.6 58.0 68.4		
SAN JOAQ VAL WESTSIDE																
CASTLE ROCK RAD LAB	MAX 109 MIN 58 AV MAX 102.1 AV MIN 67.5 AVG 84.8	115 55 104.4 66.5 85.4	102 57 94.4 62.9 78.6	93 41 85.3 48.7 67.0	90 27 73.6 43.2 58.4	78 22 62.2 32.2 47.2	80 15 61.2 29.2 45.2	79 31 67.8 43.4 55.6	88 30 71.6 41.8 56.7	95 41 82.7 46.2 62.7	101 41 95.1 52.5 67.1	110 52 85.1 61.4 78.2	113 55 99.6 62.7 81.1	109 47 92.0 59.9 75.9	103 48 92.5 58.9 75.7	
DEL PUERTO ROAD CAMP	MAX 106 MIN 50 AV MAX 100.3 AV MIN 60.1 AVG 80.2	M M M M M	M M M M M	M M 81 M 46 M 63 M	M M M M M	M M 54 M 34 M 44 M	72 20 54.7 33.9 44.3	M M M M M	M M M M M	M M M M M	M M M M M	M M M M M	M M M M M	M M M M M	M M M M M	
TULARE LAKE BASIN																
TULARE LAKE VAL FL																
ARVIN	MAX 105 MIN 62 AV MAX 100.3 AV MIN 68.2 AVG 84.2	107 62 100.8 69.2 85.0	98 59 90.8 63.5 77.1	91 41 81.7 50.2 65.9	82 35 70.8 47.4 59.1	67 26 55.3 33.8 44.5	78 28 59.3 35.3 47.3	78 33 69.3 47.5 58.4	86 36 71.8 45.1 58.4	94 38 79.3 47.4 63.4	96 44 82.8 53.2 68.0	103 53 93.5 61.1 77.3	103 61 98.4 66.6 82.5	102 51 91.8 61.2 76.5	97 43 90 M 57 M 73 M	
AVENAL WALDEN	MAX 111 MIN 64 AV MAX 105.2 AV MIN 69.9 AVG 87.5	109 67 104.3 71.4 87.8	100 61 93.0 65.9 79.4	89 47 84.8 56.3 70.5	82 35 68 M 49.9 59 M	64 25 54.2 35.2 44.7	70 29 56 M 36 M 46 M	RE 25 RE RE RE	RE 34 RE RE RE	94 38 80.4 42.8 59.3	100 49 93.0 48.1 64.2	105 43 96 M 55 M 76 M	103 52 98 M 60 M 79 M	104 48 88 M 55 M 74 M	102 37 87 M 48 M 68 M	
CORCORAN EL RICO 1	MAX 109 MIN 56 AV MAX 101.5 AV MIN 63.4 AVG 82.4	108 61 102.0 64.2 83.1	98 55 91.7 60.6 76.1	90 39 82.0 46.6 64.3	85 32 45.0 68.5 56.7	66 22 31.4 52.2 41.8	67 23 53.9 33.9 43.9	76 34 63.8 45.9 54.8	83 34 68 M 42 M 55 M	92 34 75.8 42.8 59.3	97 49 80.4 48.1 64.2	104 38 93.0 56.5 79.7	107 54 99.6 61.7 80.6	104 50 93.2 57.9 75.5	101 41 91.0 54.3 72.6	
COALINGA FEED YARDS	MAX 107 MIN 60 AV MAX 103.5 AV MIN 67.5 AVG 85.5	110 64 104 M 69 M 86 M	100 60 89 M 64 M 76 M	90 44 84 M 48 M 66 M	82 34 66 M 44 M 55 M	64 18 53 M 32 M 48 M	74 24 56 M 32 M 44 M	M M M M M	M M M M M	RE RE RE RE RE	RE RE RE RE RE	RE RE RE RE RE	RE RE RE RE RE	RE RE RE RE RE	RE RE RE RE RE	RE RE RE RE RE





## TABLE A-5

## EVAPORATION DATA

The definition of terms and the abbreviations used in this table follows:

Evap	The total amount of water evaporated from the pan for the month.
Wind	The amount of movement of air over the pan in miles for the month.
Av Max	Arithmetical average of daily maximum water temperature for the month.
Av Min	Arithmetical average of daily minimum water temperature for the month.
-	No record.
M	One or more days of record missing; if average value is entered, less than ten days of record is missing.
RB	Record begins.
RE	Record ends.

Wind and water temperature data are not available at all evaporation stations.

EVAPORATION IN INCHES  
WIND MOVEMENT IN MILES  
WATER TEMPERATURE IN DEGREES FAHRENHEIT

TABLE A-5  
EVAPORATION DATA

STATION NAME	TOTAL JULY 1 TO JUNE 30	1967						1968							TOTAL OCT 1 TO SEPT 30			
		JULY	AUG	SEPT	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUNE	JULY		AUG	SEP	
SAN JOAQUIN BASIN																		
SAN JOAQUIN VAL FLOOR																		
LOST BANOS FIELD STA	EVAP WIND	92.32 27720	15.97 2860	13.04 2162	8.37 1645	5.84 1693	2.35 1028	1.54 1616	1.30 1477	1.58 1154	4.54 2169	10.59 3681	12.30 4346	14.82 3889	17.06 3907	11.72 3241	10.83 2964	94.55 31165
MERCED 5 SE	EVAP WIND	70.89E 16015	11.21E 1026	9.28 600	6.02 665	4.60 949	2.24 722	1.24 1269	1.44 1312	1.95 954	4.19 1676	6.77 1770	9.21 2481	12.74 2569	11.90 1528	RE RE	RE	76.03E
WESTLEY	EVAP	75.38E	10.29	9.46	6.29	4.95	1.96	1.37	1.22	1.47	4.60	9.61E	10.03	14.13	11.12	8.04	7.53	76.03E
TUOLUMNE RIVER																		
DON PEDRO RESERVOIR	EVAP	90.39E	15.17	13.89	9.85	7.38E	2.36	1.69	1.35	2.11	4.07	7.68	10.75	14.09	15.84	12.03	10.52	89.87E
FRESNO-CHOWCHILLA R																		
CATHEYS VLY BULL RUN R	EVAP WIND	74.97 -	12.71 801	11.67 703	8.17 637	5.59 -	2.08 -	1.01 796	1.39 953	1.69 625	3.65 1120	5.67 627	9.85 1237	12.09 1213	13.51 1155	11.06 1264	9.48 1052	76.27 -
TULARE LAKE BASIN																		
TULARE LAKE VAL FLOOR																		
CORCORAN EL RICO 1	EVAP WIND	85.73 16365	14.63 1685	13.30 1475	8.79 1335	6.47 1305	2.21 820	0.72 1065	0.66 970	1.26 855	4.24 1460	8.97 2025	11.97 2625	13.53 1845	14.15 1550	11.65 1665	9.91 1380	86.74 16265
DELAHO GOV'T CAMP	EVAP	-	-	-	-	-	-	-	-	-	-	RB	12.70	11.82	9.87	8.21	-	
OLD RIVER 3 W	EVAP WIND AV MAX AV MIN	- 1687 91.8 69.0	10.28 1687 91.8 69.0	9.39 788 82.4 72.8	6.65 874 84.9 64.1	5.01 658 75.8 54.5	2.43 834 64.0 51.9	NR NR NR NR	NR NR NR NR	NR NR NR NR	NR NR NR NR	NR NR NR NR	NR NR NR NR	NR NR NR NR	NR NR NR NR	NR NR NR NR	NR NR NR NR	NR NR NR NR
U S COTTON FIELD STA	EVAP WIND	- 15554	12.89 1197	10.41 642	8.20 922	6.69 904	2.72 883	- 1225	1.58 1310	2.08 860	4.75 1487	8.22 1902	11.00 2204	13.47 2018	13.01 1431	10.54 1292	9.08 928	- 16444
KINGS RIVER																		
PINE FLAT DAM	EVAP WIND AV MAX AV MIN	67.89 - - -	11.52 718 95.8 68.9	10.95 801 88.9 68.2	7.49 661 90.6 62.9	5.11 667 79.4 54.2	2.17 618 65.2 47.8	0.87 642 48.0 35.7	1.05 - 51.4 37.3	1.58 659 63.6 47.5	3.34 759 71.3 46.2	5.73 562 82.1 50.3	7.93 704 87.4 55.3	10.15 644 96.1 62.5	11.36 675 97.8 66.2	10.20 768 92.8 62.1	8.48 682 90.1 59.2	67.97 - - -
KAMEAH RIVER	EVAP	86.35	14.07	14.05	9.22	6.84	3.18	1.22	1.54	2.09	4.26	7.35	9.70	12.80	14.73	12.51	11.01	87.25
TERMINUS DAM	EVAP WIND AV MAX AV MIN	17193 - - -	155.2 95.3 68.4	163.2 95.4 68.4	142.1 86.6 63.6	172.7 77.9 53.9	149.4 65.0 49.3	166.3 52.6 37.1	1806 53.6 39.1	1380 65.9 48.5	1461 72.8 47.5	1456 80.9 51.4	1441 86.1 56.3	1600 93.0 62.5	1698 94.4 66.2	1807 91.4 61.8	1924 87.9 59.2	87.25 18017
WHITAKER FOREST	EVAP WIND	- -	7.78 2043	8.14 946	4.44 744	3.53 868	- -	- -	- -	- -	- -	- -	4.61 974	6.76 890	8.35 840	6.97 761	6.35 777	- -
TULE RIVER																		
SUCCESS DAM	EVAP WIND AV MAX AV MIN	85.15 14049 - -	13.92 1247 97.2 69.2	13.14 894 96.6 70.1	8.81 1178 88.2 65.5	6.70 1399 79.3 55.4	3.01 1046 66.9 50.9	1.37 1077 52.1 37.8	1.49 1058 53.7 38.9	2.06 764 65.7 49.0	4.44 1067 71.9 49.3	7.61 1288 80.7 51.8	9.92 1264 84.9 55.5	12.68 1271 92.2 63.7	14.04 1244 93.7 67.5	11.90 1365 90.2 62.6	9.64 1206 87.0 60.4	84.16 13353
KERN RIVER																		
ISABELLA DAM	EVAP WIND AV MAX AV MIN	80.01 18770 - -	12.77 1681 89.5 62.7	11.73 1385 89.1 62.8	7.68 1244 81.2 58.2	6.40 1492 72.7 47.5	3.04 1111 61.4M 44.3M	1.44 1650 47.8M 33.1M	1.82 1118 49.4 35.4	2.39 1445 59.0 41.7	3.66 1522 62.2 40.9	6.41 1838 70.3 44.0	10.09 2202 73.6 48.8	12.73 2282 81.5 56.0	12.70 1967 83.5 59.6	11.06 2048 80.4 56.1	9.31 1510 77.8 52.1	81.10 19985
TEHACHAPI MTN																		
CUMMINGS VALLEY 2	EVAP WIND	86.55 27086	12.51 1590	11.60 1639	9.28 1860	7.80 2310	4.18 2447	3.56 4394	4.64 3451	3.88 2501	4.19 2275	6.83 2095	7.95 1394	10.13 1130	10.94 1091	9.88 1708	9.39 1361	83.27 26177
TULARE L BAS WESTSIDE																		
TAPT KTRB RADIO	EVAP WIND	10.252 16430	16.46 1210	16.03 1180	10.59 1340	7.86 1430	3.38 910	1.84 1360	1.89 1060	2.34 830	5.86 1720	9.53 2080	11.70 1580	15.04 1730	15.30 1350	13.03 1540	11.41 1460	99.18 17050

TABLE A-6  
 CLIMATOLOGICAL STATION CHANGES  
 AND  
 RELOCATIONS

Changes in Station Names

<u>New Name</u>	<u>Former Name</u>	
Upper Woodchuck	Woodchuck Meadow	10-27-67
Old River 3W	Old River 3S	6- 1-68

Equipment Relocation

Copperopolis	Equipment moved 600' North	Oct 1967
Tehachapi	Equipment moved 3 miles ENE	Jul 1968
Tejon Rancho	Temperature equipment moved 500' West	Jun 1967
Turlock 8 WSW	Equipment moved 1.0 mile North	Nov 1967
Old River 3 S	Equipment moved 4.5 miles NW	May 1968

APPENDIX B  
SURFACE WATER MEASUREMENT





#### INTRODUCTION

This appendix presents surface water data for the 1968 water year, which is from October 1, 1967 to September 30, 1968. The data presented consist of daily mean discharge, daily mean gage height, gaging station location, diversion quantities, imported water to report area, exported water from report area, summary tables of monthly and annual unimpaired runoff from major streams, additions and discontinuations, and corrections and revisions to previously published reports.

Each station in this appendix has been assigned an identification number. The first two digits denote the drainage basin as shown below. The remaining digits further identify each station.

HYDROGRAPHIC AREA B	HYDROGRAPHIC AREA C
SAN JOAQUIN RIVER BASIN	TULARE LAKE DRAINAGE BASIN
B0 - San Joaquin Valley Floor	C0 - Tulare Lake Valley Floor
B3 - Stanislaus River	C1 - Kings River
B4 - Tuolumne River	C2 - Kaweah River
B5 - Merced River	C3 - Tule River
B6 - Fresno-Chowchilla Rivers	C4 - Greenhorn Mountains
B7 - San Joaquin River	C5 - Kern River
B8 - San Joaquin Valley on West Side	C6 - Tehachapi Mountains
	C7 - Tulare Lake Basin on West Side

DAILY MEAN DISCHARGE, DAILY MEAN GAGE HEIGHT

	Page	
	Daily Mean Discharge	Daily Mean Gage Height
Bean Creek near Coulterville . . . . .	72	
Bear Creek below Bear Reservoir . . . . .	65	
near Catheys Valley . . . . .	64	
Big Creek Diversion near Fish Camp . . . . .	54	
Buena Vista Creek near Taft . . . . .	100	
Burns Creek below Burns Reservoir . . . . .	67	
at Hornitos . . . . .	66	
Campbell-Moreland Ditch above Porterville . . . . .	91	
Chowchilla River near Raymond . . . . .	59	
East Fork near Ahwahnee . . . . .	47	
Middle Fork near Nipinnawasee . . . . .	47	
West Fork near Mariposa . . . . .	58	
Cross Creek below Lakeland Canal #2 . . . . .	87	
Delta-Mendota Canal near Tracy . . . . .	50	
to Mendota Pool . . . . .	51	
Dry Creek near Modesto . . . . .	80	127
Eastside Bypass near El Nido . . . . .	60	
Fresno River Eight Miles West of Madera . . . . .	57	
Lewis Fork near Oakhurst . . . . .	55	
Friant-Kern Canal Delivery to Porter Slough . . . . .	88	
to Tule River . . . . .	89	
Hubbs-Miner Ditch at Porterville . . . . .	96	
Kern River near Bakersfield . . . . .	99	
Kings River, South Fork, below Empire Weir #2 . . . . .	86	
Mariposa Bypass near Crane Ranch . . . . .	47	
Mariposa Creek near Catheys Valley . . . . .	61	
below Mariposa Reservoir . . . . .	62	
Maxwell Creek at Coulterville . . . . .	73	
Merced River at Cressey . . . . .	75	122
below Snelling . . . . .	74	121
North Fork near Coulterville . . . . .	71	
Miami Creek near Oakhurst . . . . .	56	
Orestimba Creek near Crows Landing . . . . .	76	
Owens Creek below Owens Reservoir . . . . .	63	
Panoche Drain near Dos Palos . . . . .	69	
Poplar Ditch near Porterville . . . . .	95	
Porter Slough at Porterville . . . . .	92	
Porter Slough Ditch at Porterville . . . . .	93	
Rhodes-Fine Ditch near Porterville . . . . .	97	
Salt Slough near Stevinson . . . . .	70	
San Joaquin River at Crows Landing Bridge . . . . .	77	124
near Dos Palos . . . . .	53	
at Fremont Ford Bridge . . . . .		120
below Friant . . . . .	49	117
at Maze Road Bridge . . . . .	82	130
near Mendota . . . . .		
near Newman . . . . .		123
above Sand Slough . . . . .		118
near Stevinson . . . . .	68	119
near Vernalis . . . . .	85	134
Stanislaus River at Koetitz Ranch . . . . .	84	133
at Orange Blossom Bridge . . . . .	83	131
at Ripon . . . . .		132
at Riverbank . . . . .	47	
Striped Rock Creek near Raymond . . . . .	47	
Tulare Lake . . . . .		116
Tule River below Porterville . . . . .	90	
North Fork at Springville . . . . .	47	
Tuolumne River at Hickman Bridge . . . . .	79	126
at La Grange Bridge . . . . .	78	125
at Modesto . . . . .		128
at Tuolumne City . . . . .	81	129
Vandalia Ditch near Porterville . . . . .	94	
Woods-Central Ditch near Porterville . . . . .	98	
DIVERSIONS		
Deliveries from California Aqueduct . . . . .		114
Deliveries from Central Valley Project Canals . . . . .		112
Dry Creek . . . . .		108
East Side Canals and Irrigation Districts . . . . .		111
Merced River . . . . .		109
San Joaquin River		
Vernalis to Fremont Ford Bridge . . . . .		102
Fremont Ford Bridge to Gravelly Ford . . . . .		104
Gravelly Ford to Friant Dam . . . . .		105
Stanislaus River . . . . .		106
Tule River . . . . .		110
Tuolumne River . . . . .		107
GAGING STATION ADDITIONS AND DISCONTINUATIONS . . . . .		47
IMPORTS AND EXPORTS . . . . .		115
CORRECTIONS AND REVISIONS TO PREVIOUSLY PUBLISHED REPORTS . . . . .		135
UNIMPAIRED RUNOFF		
Annual . . . . .		44
Monthly . . . . .		46


HYDROGRAPHIC AREA AND STREAM BASIN INDEX TO SURFACE WATER MEASUREMENT STATIONS

Page





Station  
Number

	Daily Mean Discharge	Daily Mean Gage Height
<u>HYDROGRAPHIC AREA B</u>		
SAN JOAQUIN VALLEY FLOOR		
B00420	47	
0435	60	
0470	70	
0770	51	
0975	69	
3115	84	133
3125		132
3145		
3175	47	
	83	131
4105	81	129
4120		128
4130	80	127
4150	79	126
4175	78	125
5155	75	122
5170	74	121
5570	65	
6170	63	
6725	57	
7020	85	134
7040	82	130
7250	77	124
7300		123
7375		120
7400	68	119
7575		118
7610		
7710	53	
7885	52	
8720	49	117
	76	
MERCED RIVER		
B51250	73	
2580	72	
2600	71	
5400	64	
6100	67	
6400	66	
FRESNO - CHOWCHILLA RIVERS		
B62100	62	
2400	61	
4200	59	
4260	47	
4300	58	
4360	47	
4400	47	
7300	56	
7325	55	
7920	54	
SACRAMENTO - SAN JOAQUIN DELTA		
B95925	50	
<u>HYDROGRAPHIC AREA C</u>		
TULARE LAKE VALLEY FLOOR		
C01120	86	
2602	87	
3110		116
3169	90	
3182	92	
3913	88	
3923	89	
3925	96	
3940	97	
3948	98	
3960	95	
3965	94	
3970	91	
3984	93	
5150	99	
7120	100	
TULE RIVER		
C32100	47	





**LEGEND**

-  SURFACE WATER MEASUREMENT STATIONS
-  DISTRICT BOUNDARY
-  HYDROGRAPHIC UNIT BOUNDARY
-  MAJOR DRAINAGE BOUNDARY

**NOTE:**

Index to Surface Water Measurement Stations located on page 37.



KEY TO SHEETS

STATE OF CALIFORNIA  
 THE RESOURCES AGENCY  
 DEPARTMENT OF WATER RESOURCES  
 SAN JOAQUIN DISTRICT

HYDROLOGIC DATA 1968

**LOCATION OF SURFACE WATER MEASUREMENT STATIONS**

SCALE OF MILES














TABLE B-1

ANNUAL UNIMPAIRED RUNOFF

Unimpaired runoff is defined as the flow that occurs naturally at a point in a stream if there were: (1) no upstream controls such as dams or reservoirs; (2) no artificial diversions or accretions; and, (3) no change in ground water storage resulting from development. The computed natural or unimpaired runoff values are considered to be the flows that would occur if no impairments were upstream from the measurement points.

The average unimpaired runoff is in thousands of acre-feet and was computed from the 50-year period October 1915 through September 1965.

TABLE B-1  
ANNUAL UNIMPAIRED RUNOFF

In percent of average

Water Year	Stanislaus River below Melones P. H.	Tuolumne River near La Grange	Merced River at Exchequer	San Joaquin River below Friant	San Joaquin River near Vernalis (b)	Kings River Inflow to Pine Flat	Kaweah River Inflow to Terminus	Tule River Inflow to Success	Kern River Inflow to Isabella
Average Annual Runoff (a)	1057	1741	897	1617	5312	1530	383	124	604
1926-27	129	118	121	124	122	130	126		
1927-28	90	88	82	71	82	63	53		
1928-29	49	56	54	53	54	56	58		
1929-30	69	66	57	53	61	56	57		55
1930-31	30	35	29	30	31	30	30	20	31
1931-32	128	121	124	127	125	136	136	112	115
1932-33	58	64	57	69	63	77	74	65	71
1933-34	40	47	40	43	43	43	34	16	38
1934-35	115	121	131	119	121	106	93	72	76
1935-36	125	125	128	115	122	123	127	138	124
1936-37	105	115	135	137	123	153	177	247	183
1937-38	193	197	232	228	212	214	227	287	213
1938-39	50	57	53	57	55	64	65	67	75
1939-40	133	128	122	116	124	117	134	170	115
1940-41	127	144	162	164	150	166	167	191	206
1941-42	141	136	143	139	139	131	128	110	124
1942-43	148	136	144	127	137	132	175	295	166
1943-44	64	75	76	78	74	76	82	83	96
1944-45	121	121	122	132	124	135	144	164	134
1945-46	111	108	105	107	108	105	93	76	107
1946-47	60	63	63	70	64	72	69	42	70
1947-48	85	81	77	75	79	65	68	52	55
1948-49	71	72	71	72	72	63	57	39	49
1949-50	102	89	80	81	88	84	79	50	72
1950-51	160	143	137	115	137	105	110	125	88
1951-52	182	172	174	176	175	187	215	259	231
1952-53	92	88	70	76	82	76	80	80	90
1953-54	84	83	74	81	81	85	80	72	83
1954-55	64	65	60	72	66	72	72	52	59
1955-56	178	182	187	183	182	166	189	169	144
1956-57	85	82	72	82	81	81	77	53	72
1957-58	159	152	157	163	157	161	167	180	174
1958-59	55	57	51	59	56	53	40	26	45
1959-60	56	61	54	51	56	47	47	39	46
1960-61	38	42	35	40	40	37	30	16	29
1961-62	94	102	103	119	106	120	104	70	108
1962-63	120	118	110	120	118	122	130	96	122
1963-64	62	65	50	57	60	56	61	49	52
1964-65	168	159	149	141	153	126	127	110	114
1965-66	67	76	75	80	75	79	64	38	66
1966-67	183	179	191	200	188	212	267	302	261
1967-68 (c)	61	59	47	53	55	52	56	52	76

(a) Average unimpaired runoff in thousands of acre-feet computed from the 50-year period October 1915 through September 1965.

(b) Figures were computed from summations of unimpaired runoff at foothill stations on major tributaries only and do not include runoff from minor tributaries and from valley floor.

(c) Percent figures are preliminary figures and subject to revision.

TABLE B-2  
MONTHLY UNIMPAIRED RUNOFF  
In percent of average (a)

Month		Stanislaus River below Melones P. H.	Tuolumne River near La Grange	Merced River at Exchequer	San Joaquin River below Friant	San Joaquin River near Vernalis (b)	Kings River Inflow to Pine Flat	Kaweah River Inflow to Terminus	Tule River Inflow to Success	Kern River Inflow to Isabella
October	Percent	106	77	66	148	107	67	80	175	124
	Average	8	15	7	18	49	18	4	1	14
November	Percent	45	35	45	81	51	92	99	115	191
	Average	23	39	18	28	107	26	8	4	17
December	Percent	31	37	34	60	41	74	77	85	142
	Average	48	84	43	57	233	48	17	8	23
January	Percent	46	50	36	62	49	63	71	64	128
	Average	54	90	48	60	251	52	18	12	24
February	Percent	114	97	60	82	90	66	68	58	118
	Average	82	137	79	92	390	79	28	18	32
March	Percent	77	73	53	65	68	65	65	51	101
	Average	113	171	92	128	503	106	38	24	45
April	Percent	74	66	63	61	66	64	60	44	72
	Average	199	283	148	237	867	215	64	24	86
May	Percent	56	66	51	55	58	58	58	35	59
	Average	287	440	239	420	1386	421	101	21	142
June	Percent	39	42	30	36	37	34	39	31	49
	Average	177	352	168	368	1064	368	74	9	123
July	Percent	22	22	23	30	25	28	27	38	46
	Average	48	104	44	148	344	138	23	2	59
August	Percent	46	60	30	51	50	40	43	0	73
	Average	12	18	9	43	83	40	6	1	24
September	Percent	115	73	76	47	68	31	53	25	76
	Average	6	8	4	18	36	17	3	0	14
1967-68	Percent	61	59	47	53	55	52	56	52	76
Water Year	Average	1057	1741	897	1617	5312	1530	383	124	604

(a) Percent figures are preliminary values and subject to revision. Average unimpaired runoff in thousands of acre-feet computed from the 50-year period October 1915 through September 1965.

(b) Figures were computed from summations of unimpaired runoff at foothill stations on major tributaries only and do not include runoff from minor tributaries and from the valley floor.

TABLE B-3

GAGING STATION  
 ADDITIONS AND DISCONTINUATIONS

ADDITIONAL STATIONS		<u>Date</u>
B00470	Salt Slough near Stevinson	2-28-68
*B06725	Fresno River Eight Miles West of Madera	10- 1-67
DISCONTINUED STATIONS		
B00420	Mariposa Bypass near Crane Ranch	9-30-67
B03145	Stanislaus River at Riverbank	3- 7-67
C32100	North Fork Tule River at Springville	12- 6-66
B64260	Striped Rock Creek near Raymond	9-30-67
B64360	Middle Fork Chowchilla River near Nipinnawasee	9-30-67
B64400	East Fork Chowchilla River near Ahwahnee	9-30-67

\* Publication of data only. Station previously installed.

## TABLE B-4

## DAILY MEAN DISCHARGE

The streamflow table is arranged, for each stream or stream system, in downstream order. Stations on a tributary entering between two main stem stations are listed between those stations, and in downstream order on that tributary. A stream gaging station is named after the stream and the nearest post office (Merced River at Cressey) or well-known landmark (San Joaquin River at Fremont Ford Bridge).

The discharges estimated for periods of no record or invalid record, are shown with the letter "E". Also, qualified by the letter "E" are discharges obtained from extended ratings which exceed 140 percent of highest measured flow-rate on which the rating curve was based.

The discharge figures in this table have been rounded off as follows:

## 1. Daily flows - second-feet

0.0	- 9.9	nearest	Tenth
10	- 999	"	Unit
1,000	- 9,999	"	Ten
10,000	- 99,999	"	Hundred
100,000	- 999,999	"	Thousand

## 2. Monthly means - second-feet

0.0	- 99.9	nearest	Tenth
100	- 9,999	"	Unit
10,000	- 99,999	"	Ten
100,000	- 999,999	"	Hundred

## 3. Yearly totals - acre-feet

0.0	- 9,999	nearest	Unit
10,000	- 99,999	"	Ten
100,000	- 999,999	"	Hundred
1,000,000	- 9,999,999	"	Thousand

Those streamflow data received from cooperating agencies are published as received and do not necessarily adhere to the above criteria.

NOTE

A comprehensive alphabetical list of historical, as well as current, streamflow gaging stations is published in the Department of Water Resources pentannual report, "INDEX OF STREAM GAGING STATIONS IN AND ADJACENT TO CALIFORNIA", last published in September 1966.

The index contains the period of record - with number of years missing - and more information for 781 stations in the San Joaquin Valley area. The index also identifies the agency from which a particular record may be obtained.

TABLE B-4

DAILY MEAN DISCHARGE  
(IN CUBIC FEET PER SECOND)

WATER YEAR	STATION NO.	STATION NAME
1968	B07885	SAN JOAQUIN RIVER BELOW FRIANT

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1	91	58	56	35	37	33	33	121	92	129	151	139	1
2	91	55	56	35	37	33	33	92	99	141	145	139	2
3	93	48	55	35	37	33	34	92	115	151 *	141	139 *	3
4	84	48	55	35	38	33	34	79	147	151	141	135	4
5	78	49	48	37	40	32	32	65	149	151	141	129	5
6	78	49	32	37	42	32	33	65	149	151	141	121	6
7	78	49	31	38	42	32	33	62	149	151	141	111	7
8	78	49	30	38	42	34	32	50	149	151	143	111	8
9	71	49 *	30	38	44	33	32	50	135	149	143	111	9
10	66	51	30	38	44	33	32	60	127	149	149	111	10
11	66	49	30	38	44	32	33	74	127	147	155	111	11
12	66	49	30	38	42	32	32	74	127	147	155	111	12
13	66	49	30	38	44	34	33	74	125	147	155	111	13
14	66	52	30	40	45	33	32	81	125	147	155	111	14
15	66	51	31	40	44	33	32	97	121	147	147	111	15
16	66	51	31	38	45	34	30	95	119	147	143	111	16
17	66	52 *	31	40	47	35	30	95	119	135	141	111	17
18	66	52	32	41	45	35	32	93	119	131	141	111	18
19	66	53	32	42	44	33	47	93	113	129	143	111	19
20	66	52	32	42	42	32	66	90	110	129	143	111	20
21	66	52	32	41	44	32	68	83	110	129	143	111	21
22	66	52	33	40	44	32	68	83	110	145	143	111	22
23	66	52	33	42	44	33	99	83	110	151	141	113	23
24	66	52	34	44	42	33	121	81	110	155	141	111	24
25	61	52	34	42	41	33	151	81	110	162	141	111	25
26	56	52	34	40	40	33	188	81	110	162	141	111	26
27	56	52	34	38	38	33	214	81	121	162	141	108 *	27
28	56	53	34 *	37	38	33	217	81	131	162	141	102	28
29	58	55 *	33	35 *	35 *	34 *	214 *	81 *	131	155 *	141	102	29
30	58	56	34	35	34	34	190	77	131	151	139	104	30
31	58		34	37		32		77		151	139		31
MEAN	68.9	51.4	35.5	38.5	41.8	33.0	74.2	80.4	123	147	144	115	MEAN
MAX.	93	58	56	44	47	35	217	121	149	162	155	139	MAX.
MIN.	56	48	30	35	35	32	30	50	92	129	139	102	MIN.
AC. FT.	4230	3060	2180	2370	2400	2030	4410	4940	7320	9050	8860	6820	AC. FT.

E - ESTIMATED  
 NR - NO RECORD  
 \* - DISCHARGE MEASUREMENT OR  
 OBSERVATION OF NO FLOW  
 # - END \*

MEAN DISCHARGE	MAXIMUM					MINIMUM					TOTAL ACRE FEET
79.5	DISCHARGE	GAGE HT.	MO.	DAY	TIME	DISCHARGE	GAGE HT.	MO.	DAY	TIME	57690
	220	2.74	4	28	1300	30	1.64	12	8		

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD		DATUM OF GAGE			
LATITUDE	LONGITUDE	1/4 SEC. T. & R. N.O.B.&M.	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		ZERO ON GAGE	REF. DATUM
			CFS	GAGE HT.	DATE			FROM	TO		
36 59 04	119 43 24	SW 7 11S 21E	77,200	23.8	12-11-37	OCT 07-DATE		1938	--	294.00	USGS

Station located 2 miles downstream from Friant Dam and 1.5 miles downstream from Cottonwood Creek. Flow regulated by Millerton Lake beginning in 1944, and by other upstream reservoirs. Records furnished by U. S. Geological Survey. Drainage area is 1,675 square miles.

TABLE B-4 (Cont.)

**DAILY MEAN DISCHARGE**  
(IN CUBIC FEET PER SECOND)

WATER YEAR	STATION NO.	STATION NAME
1968	895925	DELTA-MENDOTA CANAL NEAR TRACY

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	D.
1	2887	864	321	0	1338	1662	3264	4433	3653	4903	4466	4934	
2	2885	867	284	0	1467	2045	3448	4438	3650	4703	4469	4932	
3	2747	1066	284	0	1355	3382	3439	4446	3701	4700	4485	3728	
4	2595	870	575	0	1894	1757	3424	4433	3860	4799	4395	868	
5	2132	869	576	0	1040	2661	3427	4902	3886	4678	4396	866	
6	1991	867	573	0	1214	3172	3429	4405	3866	4702	4394	1172	
7	2200	867	464	0	1502	2525	4887	4406	3846	4709	4296	4044	
8	2202	755	428	0	1503	3151	3228	4420	4133	4713	4273	4039	
9	2135	861	212	0	1504	3184	3418	4429	4144	4715	4312	4681	
10	2066	1058	140	0	1504	4916	3419	4395	4144	4653	4314	1188	
11	2199	3218	320	0	2446	3271	3410	4420	4214	4802	4311	4528	
12	1798	3225	609	0	1497	2915	3429	4876	4434	4822	4305	1183	
13	2273	1068	608	0	1499	3224	3931	4417	4423	4910	3845	1524	
14	1953	321	642	0	1874	3348	4901	4364	4424	4895	2714	3815	
15	1724	1094	997	0	2048	3227	3935	4132	4127	4730	2542	4913	
16	1718	962	1500	0	2227	3250	3947	4129	3868	4696	3520	4435	
17	1169	997	1715	0	1547	4825	3942	3969	3873	4506	3530	4411	
18	1093	964	209	70	2078	3058	3930	4188	3939	4384	3783	3952	
19	1094	965	568	931	1868	3147	3864	4766	3881	4331	3682	3949	
20	1095	900	468	1471	1978	3149	3489	4105	4141	4370	3951	3948	
21	1096	759	533	863	2044	3097	3486	3933	4194	4755	3951	3929	
22	1065	754	534	2233	2960	3147	3527	3932	4271	4906	3905	4890	
23	997	717	213	1723	929	3440	4103	4181	4311	4906	4572	3914	
24	865	642	0	1790	1243	4904	4384	4389	4387	4904	4905	3918	
25	717	571	0	1920	2632	3245	4394	4243	4457	4901	4895	3922	
26	716	572	102	2195	1143	3428	4244	4884	4529	4904	4890	3927	
27	716	572	104	1737	2602	3395	3548	2649	4934	4906	4886	3933	
28	717	573	176	1515	1868	3419	3362 b	1727	4926	4900	4890	3949	
29	723 a	573	107	938	1100	3422	3491	1975	4910	4890	2029	4455	
30	716	574	0	1152		3432	4432	4906	4898	4670	857	3957	
31	864		0	1249		4921		4206		4503	1184		
MEAN	1585	964	428	638	1721	3281	3771	4164	4201	4738	3902	3597	
MAX.	2887	3225	1715	2233	2960	4921	4901	4906	4934	4910	4905	4934	
MIN.	716	321	0	0	929	1662	3228	1727	3650	4331	857	866	
AC. FT.	97543	57332	26305	39247	98983	201757	224116	256062	249965	291304	239895	214024	

E - ESTIMATED  
 NR - NO RECORD  
 \* - DISCHARGE MEASUREMENT OR OBSERVATION OF NO FLOW  
 H - END \*  
 a - 25-HOUR DAY  
 b - 23-HOUR DAY

MEAN		MAXIMUM				MINIMUM				TOTAL		
DISCHARGE		DISCHARGE	GAGE HT.	MO.	DAY	TIME	DISCHARGE	GAGE HT.	MO.	DAY	TIME	ACRE FEET
2751												1996533

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD		DATUM OF GAGE			
LATITUDE	LONGITUDE	1/4 SEC. T. & R. M.D.B.&M.	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		ZERO ON GAGE	REF. DATUM
			CFS	GAGE HT.	DATE			FROM	TO		
37 47 45	121 35 05	SW 31 1S 4E				JUN 51-DATE		1951		0.00	USGS

Station located at Tracy Pumping Plant at intake to canal, 6 miles southeast of Byron, 10 miles northwest of Tracy. Discharge computed from records of operation of pumps. Water is diverted from Sacramento-San Joaquin Delta by way of Old River and a dredged channel to the Tracy Pumping Plant where it is lifted about 200 feet into canal. Records furnished by U. S. Bureau of Reclamation.



TABLE B-4 (Cont.)

**DAILY MEAN DISCHARGE**  
(IN CUBIC FEET PER SECOND)

WATER YEAR	STATION NO.	STATION NAME
1968	B00770	DELTA-MENDOTA CANAL TO MENDOTA POOL

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1	1971	634	150	0	817	995	1868	1828	2199	3065	2717	1905	1
2	2067	643	150	0	801	1375	1780	1859	2199	2785	2715	1905	2
3	1959	672	150	0	825	1375	1739	1963	2259	2879	2715	1906	3
4	1651	622	150	0	640	1289	1602	1963	2324	2879	2715	1619	4
5	1489	623	150	0	688	1336	1490	2001	2359	2874	2705	1574	5
6	1488	620	150	0	818	1344	1223	1943	2396	2839	2711	1579	6
7	1488	608	133	0	916	1378	1223	1989	2384	2779	2683	1579	7
8	1489	596	100	0	939	1371	1394	1954	2435	2708	2676	1581	8
9	1539	600	96	0	928	1325	1594	1963	2435	2796	2710	1533	9
10	1516	693	0	0	961	1325	1705	1968	2528	2720	2712	1410	10
11	1503	693	0	0	962	1362	1679	1968	2503	2710	2712	1408	11
12	948	693	0	0	944	1376	1815	1970	2361	2727	2732	1324	12
13	1548	664	0	0	970	1352	1819	1992	2416	2848	2659	1301	13
14	1212	652	0	0	998	1352	1851	1950	2413	2848	2480	1335	14
15	1212	733	0	0	1089	1018	2046	1761	2344	2802	2461	1402	15
16	1167	742	0	0	1023	978	2015	1625	2318	2777	2377	1416	16
17	882	810	0	0	1078	960	2049	1663	2346	2652	2350	1380	17
18	697	758	0	0	926	876	2033	1662	2340	2563	2349	1247	18
19	664	758	0	0	863	741	2070	1663	2412	2487	2373	1316	19
20	668	744	0	0	834	799	2069	1660	2463	2522	2396	1322	20
21	721	502	0	809	875	831	2069	1666	2535	2678	2433	1321	21
22	722	426	0	754	875	821	1834	1719	2614	2754	2447	1321	22
23	713	374	0	100	840	1277	1790	1822	2636	2849	2393	1399	23
24	686	425	0	133	754	1251	1838	1930	2626	2916	2229	1569	24
25	618	425	0	216	753	1311	1937	1930	2727	3057	2233	1702	25
26	602	425	0	688	663	1515	1913	1930	2740	3170	2189	1729	26
27	577	416	0	688	587	1583	1867 <sup>b</sup>	1921	2737	3154	2063	1835	27
28	577 <sup>a</sup>	403	0	687	584	1705	1741	1938	2913	3122	2017	1837	28
29	577	365	0	700	727	1735	1704	1945	2913	3021	2012	1837	29
30	554	395	0	685	741	1883	1713	2158	2914	2930	1904	1866	30
31	598	0	0	673	1884	1884	1884	2152	2796	2796	1905	1905	31
MEAN	1100	590	39.6	198	851	1281	1782	1886	2493	2829	2444	1549	MEAN
MAX.	2067	810	150	809	1089	1884	2070	2158	2914	3170	2732	1906	MAX.
MIN.	554	365	0	0	584	741	1223	1625	2199	2487	1904	1247	MIN.
AC. FT.	67690	35135	2438	12165	48948	78789	105902	115946	148342	173964	150294	92148	AC. FT.

E - ESTIMATED  
 NR - NO RECORD  
 \* - DISCHARGE MEASUREMENT OR OBSERVATION OF NO FLOW  
 H - E AND \*  
 a - 25-HOUR DAY  
 b - 23-HOUR DAY

MEAN	MAXIMUM				MINIMUM				TOTAL		
DISCHARGE	DISCHARGE	GAGE HT.	MO.	DAY	TIME	DISCHARGE	GAGE HT.	MO.	DAY	TIME	ACRE FEET
1421											1031761

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD			DATUM OF GAGE		
LATITUDE	LONGITUDE	1/4 SEC. T. & R. M.O.B.&M.	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		ZERO ON GAGE	REF. DATUM
			CFS	GAGE HT.	DATE			FROM	TO		
36 47 11	120 23 05	NW 19 13S 15E									

Station located approximately 2 miles north of Mendota, where Delta-Mendota Canal crosses the Outside Canal, which is 0.8 mile northwest of Bass Avenue crossing (check No. 21). Flow measured by three Sparling meters located at siphon outlet. Records furnished by U. S. Bureau of Reclamation.

TABLE B-4 (Cont.)

**DAILY MEAN DISCHARGE**  
(IN CUBIC FEET PER SECOND)

WATER YEAR	STATION NO.	STATION NAME
1968	B07710	SAN JOAQUIN RIVER NEAR MENDOTA

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.
1	339	39	45	5	62	152	193	279	374	445	411	320
2	279	40	45	3	54	161	221	284	376	436	438	320
3	216	40	44	2	51	174	224	302	378	427	462	322
4	209	40	44	2	46	179	238	304	378	427	462	332
5	208	43	44	0	44	180	244	288	365	438	462	318
6	160	43	44	0	62	180	226	290	367	450	457	302
7	128	44	45	0	78	188	222	292	407	447	447	300
8	130	46	45	0	72	191	228	294	396	445	457	296
9	132	45	44	36	67	185	258	300	383	445	474	298
10	134	45	44	44	68	188	300	314	387	438	476	308
11	137	45	43	24	67	188	320	304	392	425	476	334
12	125	45	41	16	65	189	322	294	392	433	471	332
13	114	43	40	13	66	184	334	286	392	433	450	322
14	95	40	38	10	66	165	334	278	394	436	440	302
15	80	40	37	8	72	159	334	280	396	466	454	292
16	89	40	172	6	73	147	326	282	396	471	464	298
17	101	40	290	7	60	140	318	280	396	459	464	308
18	101	41	284	39	56	144	320	278	405	466	459	320
19	98	43	250	32	57	129	302	278	440	486	459	320
20	95	45	170	46	56	133	286	278	447	490	454	320
21	92	49	95	37	68	158	290	276	427	481	457	330
22	89	51	68	40	75	174	310	274	425	481	452	328
23	89	50	42	50	90	174	343	270	427	483	431	326
24	89	50	36	47	119	176	337	268	429	474	414	332
25	70	49	35	44	137	184	314	268	425	478	400	332
26	46	49	22	43	126	200	304	270	427	490	365	328
27	45	49	16	43	113	199	290	290	433	495	341	318
28	63	49	14	44	125	222	290	320	433	493	354	290
29	76	48	11	63	138	234	288	330	438	493	354	272
30	56	47	10	77	77	218	282	341	445	457	343	256
31	41		7	72	72	218	218	356		422	330	
MEAN	120	45	70	28	77	178	287	292	406	458	432	313
MAX.	339	51	290	77	138	234	343	356	447	495	476	334
MIN.	41	39	7	0	44	129	193	268	365	422	330	256
AC. FT.	7390	2650	4290	1690	4430	10930	17050	17950	24140	28190	26530	18600

E - ESTIMATED  
 NR - NO RECORD  
 \* - DISCHARGE MEASUREMENT OR OBSERVATION OF NO FLOW  
 H - E AND \*

MEAN DISCHARGE	MAXIMUM					MINIMUM					TOTAL
	DISCHARGE	GAGE HT.	MO.	DAY	TIME	DISCHARGE	GAGE HT.	MO.	DAY	TIME	ACRE FEET
226	507	4.86	7	29	1000	0					163850

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD		DATUM OF GAGE			
LATITUDE	LONGITUDE	1/4 SEC. T. & R. M.D.B.&M.	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		ZERO ON GAGE	REF. DATUM
			CFS	GAGE HT.	DATE			FRDM	TD		
36 48 37	120 22 35	SW 7 13S 15E	11740a 8840	13.75	6-20-41 6- 1-52	OCT 39-DATE		1939 1954	1953	142.53 140.53	USBR USBR

Station located 2.5 miles downstream from Mendota Dam, 4 miles north of Mendota. Records furnished by U. S. Bureau of Reclamation. Drainage area is 3,943 square miles. This station is equipped with DWR radio telemeter.

a Maximum discharge of record prior to the construction of Friant Dam in 1944.

TABLE B-4 (Cont.)

DAILY MEAN DISCHARGE

(IN CUBIC FEET PER SECOND)

WATER YEAR	STATION NO.	STATION NAME
1968	B07610	SAN JOAQUIN RIVER NEAR DOS PALOS

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1	0		0	4	0	12	3	3	0	0	12	0	1
2	0		0	2	0	12	12	0	0	0	7	0	2
3	0		0	0	0	12	12	0	0	0	9	0	3
4	0		0	0	0	12	3	0	8	0	12	0	4
5	0		0	0	0	4	0	0	3	0	12	0	5
6	0		0	0	9	9	0	0	0	8	12	9	6
7	0		0	0	12	12	0	0	0	12	12	7	7
8	0		0	0	12	7	0	5	0	12	7	0	8
9	9		0	0	12	0	9	12	0	12	0	0	9
10	4		0	0	12	0	12	12	0	12	0	0	10
11	0		0	14	12	0	12	3	9	4	0	0	11
12	0	N	0	11	7	0	5	0	12	0	9	0	12
13	0	O	0	2	0	0	0	0	4	0	12	0	13
14	0		0	0	0	0	0	0	0	0	5	0	14
15	0		0	0	0	0	9	0	0	0	0	0	15
16	0	F	0	0	0	0	7	0	0	0	9	9	16
17	0	L	147	0	0	0	0	0	8	9	4	12	17
18	0	O	255	0	0	0	0	0	12	12	0	12	18
19	0	W	260	0	9	0	0	0	12	12	0	4	19
20	0		220	7	12	0	9	9	12	12	0	0	20
21	0		162	8	12	0	3	12	5	12	5	8	21
22	0		120	17	8	0	0	12	0	7	12	4	22
23	0		86	12	0	0	0	3	0	0	12	0	23
24	0		59	24	0	0	0	0	0	5	7	0	24
25	0		49	12	0	5	0	0	9	12	0	0	25
26	0		45	6	0	12	0	0	12	12	0	0	26
27	0		37	18	0	8	0	0	7	12	9	0	27
28	0		28	22	5	0	4	9	0	7	3	0	28
29	0		20	9	12	0	12	12	0	9	0	0	29
30	0		14	0	0	0	12	12	0	9	5	0	30
31	0		8	0	0	0	0	4	0	12	3	0	31
MEAN	0.4		48.7	5.4	4.6	3.4	4.1	3.5	3.8	6.5	5.7	2.2	MEAN
MAX.	9		260	24	12	12	12	12	12	12	12	12	MAX.
MIN.	0		0	0	0	0	0	0	0	0	0	0	MIN.
AC. FT.	26		3000	333	266	208	246	214	224	401	353	129	AC. FT.

E - ESTIMATED  
 NR - NO RECORD  
 \* - DISCHARGE MEASUREMENT OR OBSERVATION OF NO FLOW  
 # - E AND \*

MEAN DISCHARGE	MAXIMUM				MINIMUM				TOTAL		
DISCHARGE	DISCHARGE	GAGE HT.	MO.	DAY	TIME	DISCHARGE	GAGE HT.	MO.	DAY	TIME	ACRE FEET
7.4	265	2.79	12	18	1100	0		10	1	0000	5400

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD			DATUM OF GAGE		
LATITUDE	LONGITUDE	1/4 SEC. T. & R. M.O.B.&M.	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD			REF. DATUM
			CFS	GAGE HT.	DATE			FROM	TO	ZERO ON GAGE	
36 59 38	120 30 02	N 12 11 S 13 E	8920a 8200	10.52b	6-24-41 6- 5-52	OCT 40-DATE		1940		116.5	USED

Station located 800 feet downstream from the head of Temple Slough, 6.5 miles east of Dos Palos. Records furnished by U. S. Bureau of Reclamation. Drainage area is approximately 4,672 square miles.

a Maximum discharge of record prior to the construction of Friant Dam in 1944.  
 b Gage height at site and datum then in use.

TABLE B-4 (Cont.)

**DAILY MEAN DISCHARGE**  
(IN CUBIC FEET PER SECOND)

WATER YEAR	STATION NO.	STATION NAME
1968	B67920	BIG CREEK DIVERSION NEAR FISH CAMP

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	D.
1	3.6	2.6	22	0.0	17	15	18	30	9.5	3.8	2.8	2.3	
2	3.6	4.7	12	0.0	19	16	17	30	9.5	1.8	2.4	2.2	
3	3.6	4.7	12	0.0	19	16	17	30	9.0	3.5	2.4	2.2	
4	3.6	4.7	11	0.0	18	15	13	29	9.0	3.5	2.4	2.2	
5	3.6	4.7	15	0.0	4.3	15	13	28	9.0	3.5	2.4	2.1	
6	3.6	4.7	15	0.0	3.2	15	13	26	8.1	3.6	2.3	2.1	
7	3.6	4.7	15	0.0	3.2	15	13	24	9.5	3.8	1.5	2.1	
8	3.4	5.5	14	0.0	3.2	15	13	23	9.5	3.5	2.6	2.1	
9	3.4	6.4	13	0.0	3.5	15	13	22	8.8	2.8	2.6	2.1	
10	3.4	6.4	11	0.0	4.6	16	13	22	8.1	2.8	2.4	2.1	
11	3.4	6.4	7.7	0.0	4.6	15	13	19	7.6	2.8	2.4	2.2	
12	3.4	6.1	0.6	0.0	4.6	15	13	19	7.2	2.4	2.4	2.2	
13	3.4	6.1	0.0	0.0	4.6	14	13	20	7.0	2.3	2.9	2.2	
14	3.4	7.4	0.0	0.0	4.5	16	13	25	7.0	1.3	2.8	2.2	
15	3.2	7.0	8.0	0.0	4.5	15	13	28	6.6	1.3	2.8	2.2	
16	3.2	6.7	13	0.0	4.6	13	13	26	6.3	1.3	2.8	2.3	
17	3.2	6.4	8.4	0.0	7.6	15	13	24	6.3	1.5	2.8	2.2	
18	3.0	7.0	6.4	0.0	11	16	17	20	6.1	1.5	2.8	2.2	
19	2.6	8.0	4.9	0.0	9.8	14	20	19	6.1	1.3	3.0	2.2	
20	2.6	8.0	3.4	0.0	11	13	20	18	5.9	1.3	3.4	2.3	
21	2.6	8.0	2.0	0.0	11	14	20	18	5.7	1.3	3.5	2.3	
22	2.6	8.0	0.7	0.0	10	14	20	16	5.5	1.3	3.2	2.3	
23	2.6	8.0	0.0	0.0	10	14	20	15	5.2	1.2	2.9	2.3	
24	2.6	8.0	0.0	0.0	11	14	20	13	5.2	1.3	2.8	2.6	
25	2.6	8.0	0.0	5.5	11	14	20	12	5.2	2.9	2.6	2.6	
26	2.6	8.0	0.0	4.3	11	15	20	11	5.0	2.9	2.4	2.6	
27	2.6	7.7	0.0	3.8	12	15	20	11	5.0	2.8	2.4	2.4	
28	2.6	7.7	0.0	3.8	13	16	21	11	4.8	2.9	2.4	2.4	
29	2.6	6.4	0.0	9.3	14	16	30	10	4.8	2.8	2.3	2.6	
30	2.6	23	0.0	12	17	17	31	9.8	4.8	2.8	2.3	2.6	
31	2.6		0.0	12	16	16		9.8		2.8	2.3		
MEAN	3.1	7.0	6.3	1.6	9.1	15.0	17.1	20.0	6.9	2.4	2.6	2.3	
MAX.	3.6	23	22	12	19	17	31	30	9.5	3.8	3.5	2.6	
MIN.	2.6	2.6	0.0	0.0	3.2	13	13	9.8	4.8	1.2	1.5	2.1	
AC. FT.	189	419	387	101	525	920	1018	1227	411	148	161	136	

E - ESTIMATED  
 NR - NO RECORD  
 \* - DISCHARGE MEASUREMENT OR OBSERVATION OF NO FLOW  
 # - E AND °

MEAN DISCHARGE	MAXIMUM					MINIMUM					TOTAL ACRE FEET
7.8	DISCHARGE	GAUGE HT.	MO.	DAY	TIME	DISCHARGE	GAUGE HT.	MO.	DAY	TIME	5642
	33	2.15	4	29	1130						

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD		DATUM OF GAGE			
LATITUDE	LONGITUDE	1/4 SEC. T. & R. M.D.B.&M.	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		ZERO ON GAGE	REF. DATUM
			CFS	GAGE HT.	DATE			FROM	TO		
37 28 10	119 36 52	NE25 5S 21E		3.58	1-30-63	DEC 58-DATE		1958		0.00	LOCAL

Station located 195 feet upstream from road culvert, 1.4 miles southeast of Fish Camp. This is regulated diversion from Big Creek to Lewis Fork, Fresno River. Stage-discharge relationship at time affected by ice and extreme high flows affected by 36-inch culvert pipe below station. Altitude of gage is approximately 5,400 feet (from topographic map). Records furnished by Madera Irrigation District for 1968 water year.

TABLE B-4 (Cont.)

**DAILY MEAN DISCHARGE**  
(IN CUBIC FEET PER SECOND)

WATER YEAR	STATION NO.	STATION NAME
1968	B67325	LEWIS FORK FRESNO RIVER NEAR OAKHURST

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1	12	8.8	21	18	27	54	69	71	30	12	4.7	2.8	1
2	13 *	8.8	22	17	28	52	65	71 *	29	9.6*	4.2	3.1	2
3	17	8.8	23	16 *	29	52	60 *	69	28	8.2	3.7	2.2	3
4	16	8.6	23	17	29	51 *	55	69	27	9.1	3.6	1.6*	4
5	15	9.2	50 *	17	29 *	50	56	68	27 *	8.7	3.6*	1.4	5
6	15	9.2*	30	17	29	50	55	63	27	8.2	3.4	1.4	6
7	14	9.1	27	17	29	51	52	61	33	9.0	3.5	1.5	7
8	13	8.8	25	17	30	68	52	58	34	9.2	3.4	1.8	6
9	12	10	22	17	37	60	53	56	29	9.1	3.5	1.9	9
10	12	11	22	23	38	54	55	54	27	7.6	3.5	1.8	10
11	12	9.8	22	23	33	52	57	53	25	7.0	3.6	2.0	11
12	12	10	22	20	32	50	58	54	23	6.6	3.6	2.3	12
13	12	10	15	19	31	56	57	56	22	6.4	3.4	2.4	13
14	12	13	17	19	34	51	56	64	20	6.5	3.6	2.2	14
15	12	14	21	45	32	51	57	64	20	6.9	3.3	2.6	15
16	12	13	24	36	35	57	56	61	19	5.9	3.1	2.6	16
17	12	12	22	27	82	59	54	55	19	5.6	3.1	2.5	17
18	12	13	23	24	68	53	52	52	18	5.1	2.9	2.2	18
19	11	29	21	22	57	51	56	51	18	4.7	3.2	2.7	19
20	10	25	22 *	22	115	52	56	51	17	4.1	4.1	3.1	20
21	9.8	19	23	22	86	52	53	50	17	3.9	4.2	3.7	21
22	10	17	25	23	71	50	51	48	16	3.6	4.4	4.3	22
23	10	17	25	23	65	49	53	47	16	3.4	3.6	3.8	23
24	11	17	24	23	63	49	53	44	15	3.1	2.9	3.2	24
25	10	17	23	23	60	51	55	41	15	3.3	2.8	2.7	25
26	10	17	22	27	57	50	57	40	14	4.3	2.7	3.1	26
27	10	17	23	26	56	47	59	38	13	4.2	2.3	3.0	27
28	10	18	23	21	56	49	59	36	13	4.0	2.0	2.9	28
29	10	19	22	25	55	52	63	35	12	4.3	2.0	3.2	29
30	10	22	21	26	26	54	72	33	13	4.5	1.9	3.1	30
31	9.5		18	28		55		32		5.0	1.4		31
MEAN	11.8	14.0	23.3	22.6	48.0	52.7	56.9	53.1	21.2	6.2	3.3	2.6	MEAN
MAX.	17	29	50	45	115	68	72	71	34	12	4.7	4.3	MAX.
MIN.	9.5	8.6	15	16	27	47	51	32	12	3.1	1.4	1.4	MIN.
AC. FT.	727	835	1434	1388	2763	3237	3384	3263	1261	381	201	153	AC. FT.

E - ESTIMATED  
 NR - NO RECORD  
 \* - DISCHARGE MEASUREMENT OR OBSERVATION OF NO FLOW  
 # - E AND \*

MEAN	MAXIMUM					MINIMUM					TOTAL
DISCHARGE	DISCHARGE	GAGE HT.	MO.	DAY	TIME	DISCHARGE	GAGE HT.	MO.	DAY	TIME	ACRE FEET
26.3	164	1.77	2	20	0730	0.4	0.85	8	31	1150	19030

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD			DATUM OF GAGE		
LATITUDE	LONGITUDE	1/4 SEC. T. & R. M.D.B.&M.	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		ZERO ON GAGE	REF. DATUM
			CFS	GAGE HT.	DATE			FROM	TO		
37 20 44	119 38 20	SE 2 7S 21E	2000	5.00	2-1-63	SEP 61-DATE		1961	DATE	0.00	LOCAL

Station located 1.6 miles north of Oakhurst on Highway 41, 500 feet downstream from White Oaks Guest Home. Station located on left bank above concrete weir. Drainage area is 32.5 square miles. Altitude of gage is approximately 2,520 feet (from topographic map). Flow recorded at this station includes water diverterred from South Fork Merced River drainage via Big Creek Diversion shown on preceding table.

TABLE B-4 (Cont.)

DAILY MEAN DISCHARGE  
(IN CUBIC FEET PER SECOND)

WATER YEAR	STATION NO.	STATION NAME
1968	B67300	MIAMI CREEK NEAR OAKHURST

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.
1	3.4	2.4	4.1	6.2E	5.6	9.5	9.2	3.9	3.0	1.3	0.5	0.4
2	3.6*	2.4	3.9	6.3E	5.5	8.8	9.5	3.8*	2.9	1.2*	0.6	0.4
3	3.8	2.6	3.9	6.4#	5.7	8.6	9.5*	3.7	2.8	1.2	0.7	0.4
4	3.8	2.3	4.0	6.5E	5.8	8.1*	9.0	3.6	2.7	1.2	0.7	0.4*
5	3.6	2.4	12 *	6.6	6.1*	7.7	9.0	3.6	2.8*	1.1	0.7*	0.4
6	3.6	2.3	6.3	5.9	6.4	7.4	8.7	3.5	2.8	1.1	0.7	0.4
7	3.6	2.4	5.9	6.0	6.4	7.6	8.0	3.5	3.9	1.1	0.6	0.3
8	3.4	2.4	5.4	5.0	6.5	12	7.5	3.7	3.8	1.2	0.7	0.3
9	3.4	2.4	4.7	3.9	8.5	10	7.0	3.6	3.6	1.3	0.6	0.3
10	3.3	2.4	4.5	5.3	8.5	9.2	6.8	3.5	3.3	1.1	0.6	0.4
11	3.0	2.4	4.4	5.5	7.6	8.5	6.6	3.4	3.1	1.0	0.6	0.4
12	2.8	2.3	4.2	4.9	7.0	8.3	6.4	3.5	2.9	1.0	0.6	0.4
13	3.0	2.4	5.7	4.7	6.8	8.9	6.2	4.1	2.7	1.0	0.8	0.4
14	3.0	2.3	4.8	4.7	7.7	8.7	6.0	5.9	2.6	1.0	1.0	0.4
15	3.0	2.3	4.1	8.6	7.3	8.6	5.8	6.0	2.4	1.1	0.9	0.4
16	3.0	2.6	3.9	7.9	7.8	9.6	5.8	5.2	2.2	1.1	0.8	0.5
17	2.8	2.6	3.9	6.8	21	9.9	5.9	4.3	2.1	1.0	0.8	0.4
18	2.7	3.1	3.6	6.0	17	9.5	5.4	3.9	1.9	1.0	0.8	0.4
19	2.7	5.2	4.4	5.4	13	9.2	5.2	3.9	0.9	0.9	0.8	0.4
20	2.8	5.3	4.8	5.2	30	9.0	5.2	3.9	1.8	0.9	1.0	0.5
21	2.7	4.1	4.9E	5.2	21	8.9	5.0	3.9	1.7	0.8	1.0	0.6
22	2.7	3.9	5.0E	5.4	16	8.7	4.9	3.9	1.7	0.8	0.9	0.8
23	2.8	3.7	5.1E	5.5	14	8.4	4.8	3.9	1.6	0.8	0.8	0.5
24	2.7	3.5	5.2E	5.7	13	8.6	4.7	3.9	1.6	0.8	1.7	0.4
25	2.7	3.4	5.4E	5.6	12	8.9	4.6	3.7	0.9	0.8	1.0	0.4
26	2.6	3.3	5.5E	5.5	11	8.7	4.6	3.6	1.4	0.8	0.6	0.4
27	2.6	3.2	5.6E	5.6	11	8.2	4.4	3.5	1.3	0.8	0.6	0.4
28	2.7	3.3	5.7E	5.8	10	8.3	4.1	3.3	1.3	0.7	0.6	0.5
29	2.7	3.3	5.9E	6.2	9.8	8.4	4.0	3.1	1.3	0.7	0.6	0.4
30	2.6	4.3	6.0E	5.0		8.2	4.0	3.0	1.3	0.8	0.5	0.4
31	2.6*		6.1E	5.5		7.9		3.0		0.7	0.4	
MEAN	3.0	3.0	5.1E	5.8	10.6	8.8	6.3	3.9	2.3	1.0	0.8	0.4
MAX.	3.8	5.3	12	8.6	30	12	9.5	6.0	3.9	1.3	1.7	0.8
MIN.	2.6	2.3	3.6	3.9	5.5	7.4	4.0	3.0	0.9	0.7	0.4	0.3
AC. FT.	186	180	315E	355	611	540	372	237	135	60	46	25

E - ESTIMATED  
 NR - NO RECORD  
 \* - DISCHARGE MEASUREMENT OR OBSERVATION OF NO FLOW  
 # - E AND \*

MEAN DISCHARGE
4.2

MAXIMUM				
DISCHARGE	GAGE HT.	MO.	DAY	TIME
42	3.78	2	20	0815

MINIMUM				
DISCHARGE	GAGE HT.	MO.	DAY	TIME
0.2	2.41	9	4	1745

TOTAL ACRE FEET
3062

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD		DATUM OF GAGE			
LATITUDE	LONGITUDE	1/4 SEC. T. & R. M.O.B.&M.	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		ZERO ON GAGE	REF. DATUM
			CFS	GAGE HT.	DATE			FROM	TO		
37 23 38	119 39 10	SE22 6S 21E	804	9.08	2-1-63	DEC 59-DATE		1959	DATE	0.00	

Station located 150 feet downstream from bridge, 4.5 miles north of Oakhurst. Tributary to Fresno River. Stage-discharge relationship at times affected by ice. Drainage area is 10.6 square miles. Recorder installed December 15, 1959. Altitude of gage is approximately 3,500 feet (from topographic map).

TABLE B-4 (Cont.)

DAILY MEAN DISCHARGE  
(IN CUBIC FEET PER SECOND)

WATER YEAR	STATION NO.	STATION NAME
1968	B06725	FRESNO RIVER EIGHT MILES WEST OF MADERA

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1				0.0	2.0	165 a							1
2				0.0	1.5	12							2
3				0.0	0.0	4.0							3
4				0.0	0.0	0.0							4
5				0.0	0.0	0.0							5
6				0.0	0.0	0.0							6
7				0.0	0.0	0.0							7
8				0.0	0.0	0.0							8
9				0.0	0.0	0.0							9
10				0.0	0.0	0.0							10
11				0.0	0.0	2.0							11
12	N	N	N	0.0	0.0	5.0	N	N	N	N	N	N	12
13	O	O	O	0.0	0.0	3.0	O	O	O	O	O	O	13
14				0.0	0.0	2.5							14
15				0.0	0.0	2.0							15
16	F	F	F	2.0	0.0	7.5	F	F	F	F	F	F	16
17	L	L	L	19	0.0	6.0	L	L	L	L	L	L	17
18	O	O	O	25	0.0	8.5	O	O	O	O	O	O	18
19	W	W	W	13	0.0	9.0	W	W	W	W	W	W	19
20				10	5.0	8.0							20
21				8.0	13	5.5							21
22				4.0	55	2.8							22
23				3.0	39	0.5							23
24				2.0	6.0	0.0							24
25				3.0	2.0	0.0							25
26				4.0	0.0	0.0							26
27				4.0	0.0	0.0							27
28				8.0	13 a	0.0							28
29				4.0	410 a	0.0							29
30				3.0		0.0							30
31				3.0		0.0							31
MEAN				3.7	18.8	7.8							MEAN
MAX.				25	410	165							MAX.
MIN.				0.0	0.0	0.0							MIN.
AC. FT.				228	1084	483							AC. FT.

E - ESTIMATED  
 NR - NO RECORD  
 \* - DISCHARGE MEASUREMENT OR OBSERVATION OF NO FLOW  
 # - E AND \*  
 a - INFLUENCED BY CVP DISCHARGE INTO FRESNO RIVER

MEAN		MAXIMUM					MINIMUM				TOTAL	
DISCHARGE	2.5	DISCHARGE	GAGE HT.	MO.	DAY	TIME	DISCHARGE	GAGE HT.	MO.	DAY	TIME	ACRE FEET
		500	3.35	3	1	1000						1795

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD		DATUM OF GAGE				
LATITUDE	LONGITUDE	1/4 SEC. T. & R. M.D.B.&M.	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		ZERO ON GAGE	REF. DATUM	
			CFS	GAGE HT.	DATE			FROM	TO			
36 58 30	120 12 12	NE 15 11S 16E				36-SEP 40 OCT 41-SEP 42 JUL 44-DATE			1936		0.00	LOCAL

Station located left bank 100 feet downstream from County Road 19 bridge. Equipped with Stevens Type F recorder. Station records natural runoff as well as Central Valley Project water. Records furnished by Madera Irrigation District.

TABLE B-4 (Cont.)

DAILY MEAN DISCHARGE  
(IN CUBIC FEET PER SECOND)

WATER YEAR	STATION NO.	STATION NAME
1968	B64300	WEST FORK CHOWCHILLA RIVER NEAR MARIPOSA

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1		0.0	4.6	2.1	8.0*	6.6	9.3	1.8	0.4				1
2		0.0*	2.3	2.0	5.5	6.1	13 *	1.7	0.4				2
3	*	0.0	1.8	2.0	5.3	5.7	5.3	1.7	0.3	*			3
4		0.0	1.5*	1.8*	4.6	5.5	4.8	1.6	0.3				4
5		0.0	13	1.8	4.1	5.1*	4.6	1.7	0.3				5
6		0.0	5.3	1.8	3.8	4.8	4.2	1.6*	0.4*		*	*	6
7		0.1	3.2	1.8	3.5	4.6	3.8	1.5	0.7				7
8		0.1	2.7	1.8	3.2	25	3.6	1.4	0.9				8
9		0.1	2.1	1.7	6.3	14	3.3	1.3	1.0				9
10		0.1	1.8	4.6	10	7.5	3.1	1.3	0.7				10
11		0.1	1.7	7.8	5.9	5.7	3.1	1.3	0.4				11
12	N	0.1	1.6	3.8	4.6	4.9	3.1	2.0	0.3	N	N	N	12
13	O	0.1	1.4	2.8	4.2	15	2.9	4.1	0.2	O	O	O	13
14		0.1	1.3	2.6	7.3	10	2.8	12	0.2				14
15		0.2	1.3	8.0	5.5	6.6	2.8	4.1	0.1				15
16	F	0.2	1.3	5.9	5.9	8.5	2.7	2.8	0.1	F	F	F	16
17	L	0.2	1.3	3.6	63	21	2.9	2.1	0.1	L	L	L	17
18	O	0.2	2.5	3.1	38	13 *	2.7	1.8	0.0	O	O	O	18
19	W	0.7	3.1	2.7	17	9.1	2.5	1.8	0.0*	W	W	W	19
20		0.8	2.7	2.6	49	7.3	2.6	1.7	0.0				20
21		1.1	2.1	2.2	38	6.3	2.5	1.4	0.0				21
22		0.8	1.9	2.1	23	5.7	2.2	1.2	0.0				22
23		0.8	2.0	1.9	16	5.1	2.2	1.2	0.0				23
24		0.8	2.2	1.9	12	4.8	2.2	1.2	0.0				24
25		0.8	2.6	1.9	11	4.6	2.3	1.1	0.0				25
26		0.8	2.3	1.9	9.4	4.2	2.2	1.0	0.0				26
27		0.8	2.9	2.6	8.3	3.9	2.2	0.9	0.0				27
28		0.7	2.9	2.9	7.5	3.8	2.1	0.7	0.0				28
29		1.0	2.7	2.2	6.8	3.5	1.9	0.5	0.0				29
30		5.3	2.5	3.1		3.3	1.9	0.3	0.0				30
31			2.3	17		3.2		0.4					31
MEAN		0.5	2.7	3.4	13.3	7.6	3.5	1.9	0.2				MEAN
MAX.		5.3	13	17	63	25	13	12	1.0				MAX.
MIN.		0.0	1.3	1.7	3.2	3.2	1.9	0.3	0.0				MIN.
AC. FT.		32	164	206	767	465	208	117	13				AC. FT.

E - ESTIMATED  
 NR - NO RECORD  
 \* - DISCHARGE MEASUREMENT OR OBSERVATION OF NO FLOW  
 # - E AND \*

MEAN		MAXIMUM				MINIMUM				TOTAL		
DISCHARGE		DISCHARGE	GAGE HT.	MO.	DAY	TIME	DISCHARGE	GAGE HT.	MO.	DAY	TIME	ACRE FEET
2.7		113	4.16	2	17	1630	0.0		10	1	0000	1973

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD			DATUM OF GAGE			
LATITUDE	LONGITUDE	1/4 SEC. T. & R. M.D.B.&M.	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		ZERO ON GAGE	REF. DATUM	
			CFS	GAGE HT.	DATE			FRDM	TO			
37 25 14	119 52 25	SE10 6S 19E	3590	8.67	4-3-58	NOV 57-DATE			1957		0.00	LOCAL

Station located 15 feet downstream from Indian Peak Road Bridge, 6.7 miles southeast of Mariposa. Drainage area is 33.6 square miles. Altitude of gage is 1,680 feet (from topographic map).



TABLE B-4 (Cont.)

**DAILY MEAN DISCHARGE**  
(IN CUBIC FEET PER SECOND)

WATER YEAR	STATION NO.	STATION NAME
1968	B64200	CHOWCHILLA RIVER NEAR RAYMOND

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1	3.1	4.6	41	21	51	40	38	16	5.3E				1
2	3.4*	4.7	29	20	39	38	77	16 *	4.9E	*			2
3	3.5	4.6*	21	20 *	37	36	63	14	4.5E				3
4	4.0	4.6	18	19	38	34 *	48 *	14	4.1E			*	4
5	4.9	4.6	32 *	18	35 *	33 *	43 *	13	3.7#		*		5
6	5.5	4.7	64	18	32	32	42	13	3.7E				6
7	5.3	5.0	35	18	31	32	40	13	3.7E				7
8	5.2	5.0	30	17	29	61	38	13	4.7E				8
9	4.7	5.2	26	17	34	117	36	13	7.2E				9
10	4.3	5.0	21	20	55	64	33	12	7.3E				10
11	4.2	5.2	19	42	46	52	31	12	6.0E				11
12	3.8	5.3	18	37	36	47	30	13	4.7E				12
13	3.8	5.5	18	29	32	59	29	16	4.2E	N	N	N	13
14	3.7	5.5	16	25	33	80	28	29	3.6E	O	O	O	14
15	3.7	5.5	15	30	37	64	27	37 E	3.1E				15
16	3.8	6.0	14	48	34	61	26	22 E	2.7E	F *	F	F	16
17	3.8	6.4	14	37	82	92	27	18 E	2.2E	L	L	L	17
18	3.6	6.6	17	31	191	95	26	16 E	1.8E	O	O	O *	18
19	3.6	12	33	27	84	76 *	25	14 E	1.5E	W	W	W	19
20	3.6	28	34	26	114	66	25	13 E	1.2E		*		20
21	3.7	18	24	27	157	59	24	12 E	1.0E				21
22	3.7	13	20	28	113	55	23	11 E	0.8E				22
23	3.8	11	19	29	80	52	22	11 E	0.7E				23
24	4.2	11	20	30	68	50	21	10 E	0.5E				24
25	4.6	10	23	30	61	47	21	9.5E	0.4E				25
26	4.9	10	26	30	55	46	20	8.7E	0.2E				26
27	4.7	9.1	28	30	51	43	20	8.1E	0.1E				27
28	4.6	9.5	28	26	47	41	18	7.5E	0.0E				28
29	4.7	9.8	26	26	44	39	18	7.0E	0.0E				29
30	4.7	20	25	28	37	37	17	6.4E	0.0E				30
31	4.7		23	40		35		6.0E					31
MEAN	4.2	8.5	25.1	27.2	60.2	54.3	31.2	13.7E	2.8E				MEAN
MAX.	5.5	28.0	64.0	48.0	191	117	77.0	37.0E	7.3E				MAX.
MIN.	3.1	4.6	14.0	17.0	29.0	32.0	17.0	6.0E	0.0E				MIN.
AC.FT.	257	507	1541	1674	3463	3338	1857	841E	166E				AC.FT.

E - ESTIMATED  
 NR - NO RECORD  
 \* - DISCHARGE MEASUREMENT OR OBSERVATION OF NO FLOW  
 # - E AND \*

MEAN	
DISCHARGE	18.8

MAXIMUM				
DISCHARGE	284	GAGE HT.	571.53	MO. DAY TIME
				2 18 0215

MINIMUM				
DISCHARGE	0.0	GAGE HT.	6	MO. DAY TIME
				6 28

TOTAL
ACRE FEET
13640

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD		DATUM OF GAGE			
LATITUDE	LONGITUDE	1/4 SEC. T. & R. M.D.B.&M.	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		ZERO ON GAGE	REF. DATUM
			CFS	GAGE HT.	DATE			FROM	TO		
37 15 36	119 56 42	SE 1 8S 18E	8500E	583.9	2-1-63	NOV 59-DATE		1959		0.00	USCGS

Station located 6.0 miles northwest of Raymond on Raymond Road. Elevation of station is approximately 600 feet. U. S. Coast and Geodetic Survey datum. This station was installed in cooperation with Madera County and Chowchilla Water District. Prior to 1962, high flow records were insufficient for publication. Discharge measurements and partial flow records are available in DWR files. Drainage area is 201.7 square miles.

TABLE B-4 (Cont.)

**DAILY MEAN DISCHARGE**  
(IN CUBIC FEET PER SECOND)

WATER YEAR	STATION NO.	STATION NAME
1968	B00435	EASTSIDE BYPASS NEAR EL NIDO

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DA
1	2.3		0.0	17	7.4	114 *		*		*			
2	2.1		0.0	14 *	30 *	160	*				*		
3	2.2*		0.0	11	30	11							
4	0.3		0.0	9.1	21	0.0						*	
5	0.0		0.0*	7.6	16	0.0			*				
6	0.0		0.0	6.3	11	0.0							
7	0.0	*	0.0	5.6	0.2	0.0							
8	0.0		0.0	4.4	0.0	0.0							
9	0.0		0.0	2.6	0.0	0.0							
10	0.0		0.0	1.1	0.0	0.0							
11	0.0		0.0	1.4	0.0	0.0							
12	0.0		0.0	13	0.0	0.0	N	N	N	N	N	N	
13	0.0	O	0.0	25	0.0	0.0	O	O	O	O	O	O	
14	0.0		0.0	20	0.0	0.0							
15	0.0		0.0	18 *	0.0*	0.0							
16	0.0	F	0.0	15	0.0	0.0	F	F *	F	F	F	F	
17	0.0	L	0.0	11	0.0	0.0	L *	L	L *	L	L	L	
18	0.0	O	45	7.7	0.0	0.0*	O	O	O	O *	O	O *	
19	0.0	W	245	4.8	0.0	0.0	W	W	W	W	W *	W	
20	0.0*	*	245	3.3	0.0	0.0							
21	0.0		205 *	13	0.0	0.0							
22	0.0		156	20	0.0	0.0							
23	0.9		121	22	0.0	0.0							
24	1.8		93	20	7.0	0.0							
25	5.5*		68	26	36	0.0							
26	15		56	22	7.6	0.0							
27	5.8		49	16	0.0	0.0							
28	0.1		41	22	0.0	0.0							
29	0.0		34	23	0.0	0.0							
30	0.0		26	18	0.0	0.0							
31	0.0		21	13	0.0	0.0							
MEAN	1.2		45.3	13.3	5.7	9.2							ME
MAX.	15		245	26	36	160							MA
MIN.	0.0		0.0	1.1	0.0	0.0							MI
AC. FT.	71		2787	819	330	565							AC.

E - ESTIMATED  
 NR - NO RECORD  
 \* - DISCHARGE MEASUREMENT OR OBSERVATION OF NO FLOW  
 # - E AND \*

MEAN DISCHARGE		MAXIMUM				MINIMUM				TOTAL ACRE FEET	
6.3	271	8.47	3	2	0045	0.0		10	4	1200	4572

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD			DATUM OF GAGE			
LATITUDE	LONGITUDE	1/4 SEC. T. & R. M.D.B.&M.	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		ZERO ON GAGE	REF. DATUM	
			CFS	GAGE HT.	DATE			FROM	TO			
37 08 52	120 36 17	SE13 9S 12E	11250	16.14	4-26-67	DEC 64-DATE		1964	DATE	90.00	USGS	

Station located on left bank 2.8 miles downstream from San Joaquin River and 6.4 miles west of El Nido. This station is equipped with a radio telemeter. Recorder installed 12-23-64.

TABLE B-4 (Cont.)

DAILY MEAN DISCHARGE  
(IN CUBIC FEET PER SECOND)

WATER YEAR	STATION NO.	STATION NAME
1968	B62400	MARIPOSA CREEK NEAR CATHEYS VALLEY

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1		0.0	17	4.2	23 *	12	13	2.8	0.4				1
2		0.0*	7.1	4.0	15	13	23 *	2.5	0.3				2
3	*	0.0	4.9	3.8	12	12	13	2.2	0.3	*			3
4		0.0	4.0*	3.7	10	11	10	2.1	0.3				4
5		0.0	15	3.7*	9.2	10 *	9.5	2.1	0.2				5
6		0.0	12	3.7	8.4	8.4	8.9	2.1*	0.2*		*	*	6
7		0.0	8.1	3.5	7.6	8.9	8.1	2.0	0.2				7
8		0.0	8.4	3.5	7.1	50	7.8	1.9	0.2				8
9		0.0	6.6	3.5	13	35	7.3	1.8	0.3				9
10		0.0	5.3	7.8	19	19	6.8	1.6	0.3				10
11		0.0	4.7	16	13	15	6.4	1.6	0.3				11
12	N	0.0	4.4	9.5	11	13	6.2	2.4	0.2	N	N	N	12
13	O	0.4	4.0	7.3	10	43	5.7	3.7	0.2	O	O	O	13
14		1.4	3.7	6.6	9.8	48	5.7	8.1	0.2				14
15		1.7	3.5	14	8.9	30	5.5	4.7	0.2				15
16	F	1.8	3.5	13	10	28	5.3	3.5	0.2	F	F	F	16
17	L	1.9	3.4	9.8	165	50	5.3	2.8	0.2	L	L	L	17
18	O	2.1	6.2	8.1	93	41 *	5.1	2.4	0.1	O	O	O	18
19	W	12	12	7.1	38	30	4.7	2.0	0.0*	W	W	W	19
20	*	7.3	10	6.4	102	24	4.4	1.8	0.0				20
21		3.7	7.1	5.9	111	20	4.4	1.7	0.0				21
22		2.6	6.4	5.7	61	18	4.2	1.3	0.0				22
23		2.2	5.9	5.3	38	16	4.0	1.2	0.0				23
24		2.0	5.9	5.3	28	14	4.0	1.2	0.0				24
25		2.0	6.2	5.3	23	13	3.8	1.2	0.0				25
26		2.0	6.2	5.1	19	13	3.8	1.0	0.0				26
27		1.9	6.2	6.2	17	12	3.7	0.9	0.0				27
28		1.9	5.5	8.4	15	11	3.4	0.8	0.0				28
29		2.1	5.1	6.4	13	10	3.0	0.7	0.0				29
30		13	4.7	6.8		9.5	2.9	0.5	0.0				30
31			4.5	45		8.9		0.5					31
MEAN		2.1	6.7	7.9	31.4	20.9	6.6	2.1	0.1				MEAN
MAX.		13	17	45	165	51	23	8.1	0.4				MAX.
MIN.		0.0	3.4	3.5	7.1	8.4	2.9	0.5	0.0				MIN.
AC. FT.		123	412	485	1805	1283	395	129	9				AC. FT.

E - ESTIMATED  
 NR - NO RECORD  
 \* - DISCHARGE MEASUREMENT OR  
 OBSERVATION OF NO FLOW  
 # - E AND \*

MEAN		MAXIMUM				MINIMUM				TOTAL		
DISCHARGE		DISCHARGE	GAGE HT.	MO.	DAY	TIME	DISCHARGE	GAGE HT.	MO.	DAY	TIME	ACRE FEET
6.4		377	5.76	2	17	1700	0.0		10	1	0000	4640

LOCATIDN			MAXIMUM DISCHARGE			PERIOD OF RECORD			DATUM OF GAGE			
LATITUDE	LONGITUDE	1/4 SEC. T. & R. M.O.B.&M.	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		ZERO ON GAGE	REF. DATUM	
			CFS	GAGE HT.	DATE			FROM	TO			
37 23 55	120 00 10	NE 21 6S 18E	7180E	11.62	4-3-58	NOV 57-DATE			1957		0.00	LOCAL

Station located at county road bridge, 5.6 miles east of Catheys Valley School. Tributary to San Joaquin River via Eastside Bypass. Drainage area is 65.7 square miles (revised). Maximum discharge of record from rating curve extended above 4,705 cfs. Altitude of gage is 1,230 feet (from topographic map).

TABLE B-4 (Cont.)

DAILY MEAN DISCHARGE  
(IN CUBIC FEET PER SECOND)

WATER YEAR	STATION NO.	STATION NAME
1968	B62100	MARIPOSA CREEK BELOW MARIPOSA RESERVOIR

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.
1			0	6.1	28	15	13	2.0	0.5			
2			0	5.8	23	15	20	1.9	0.4			
3			0	5.5	20	14	25	1.8	0.4			
4			0	5.2	16	13	18	1.7	0.3			
5			0	5.2	14	12	14	1.6	0.3			
6			0	4.9	13	11	13	1.5	0.3			
7			0	4.9	13	11	11	1.4	0.2			
8			0	4.9	12	15	11	1.0	0.1			
9			0	4.9	12	56	9.0	0.9	0			
10			0	5.2	12	33	8.6	0.9	0			
11			0	6.1	20	24	7.8	0.9	0			
12	N	N	0	11	18	19	7.0	0.9	0	N	N	N
13	O	O	0	11	16	21	6.1	0.9	0	O	O	O
14			0	8.6	14	48	5.8	0.9	0			
15			2.0	8.6	14	52	5.5	0.9	0			
16	F	F	5.5	11	14	34	4.9	2.0	0	F	F	F
17	L	L	4.9	13	16	34	4.6	3.4	0	L	L	L
18	O	O	6.4	11	202	53	4.3	2.8	0	O	O	O
19	W	W	7.4	9.8	93	44	4.0	2.2	0	W	W	W
20			11	9.0	53	32	4.0	1.8	0			
21			12	8.6	135	25	3.8	1.5	0			
22			9.8	8.2	141	20	3.6	1.3	0			
23			7.8	8.2	70	20	3.4	1.2	0			
24			7.0	8.6	38	18	3.2	1.0	0			
25			6.7	8.6	28	16	3.0	0.9	0			
26			6.7	8.2	23	15	3.0	0.9	0			
27			6.7	8.6	20	14	2.8	0.8	0			
28			7.0	11	18	13	2.8	0.7	0			
29			7.0	12	17	12	2.6	0.7	0			
30			6.7	12	11	11	2.4	0.6	0			
31			6.4	13	11	11		0.6				
MEAN			3.9	8.3	38	24	7.6	1.3	0.1			
MAX.			12	13	202	56	25	3.4	0.5			
MIN.			0	4.9	12	11	2.4	0.6	0			
AC. FT.			240	513	2208	1450	451	82	5			

E - ESTIMATED  
 NR - NO RECORD  
 \* - DISCHARGE MEASUREMENT OR OBSERVATION OF NO FLOW  
 # - E AND °

MEAN		MAXIMUM					MINIMUM					TOTAL
DISCHARGE		DISCHARGE	GAGE HT.	MO.	DAY	TIME	DISCHARGE	GAGE HT.	MO.	DAY	TIME	ACRE FEET
6.8		245		2	18	0900	0.0		10	1	0000	4949

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD		DATUM OF GAGE				
LATITUDE	LONGITUDE	1/4 SEC. T. & R. M.D.B.&M.	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		ZERO ON GAGE	REF. DATUM	
			CFS	GAGE HT.	DATE			FROM	TO			
37 16 52	120 09 45	NE 36 7S 16E	6020		12-24-55	NOV 52-DATE			1952		337.63	USCGS

Station located 1.5 miles downstream from Mariposa Dam. Tributary to San Joaquin River via Eastside Bypass. Flow regulated by Mariposa Reservoir. Records furnished by U. S. Corps of Engineers. Drainage area is 110 square miles.

TABLE B-4 (Cont.)

**DAILY MEAN DISCHARGE**  
(IN CUBIC FEET PER SECOND)

WATER YEAR	STATION NO.	STATION NAME
1968	B06170	OWENS CREEK BELOW OWENS RESERVOIR

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1	0.5	0.5	1.2	1.3	2.6	1.7	1.4	0.3					1
2	0.5	0.5	0.8	1.3	2.0	1.6	3.4	0.3					2
3	0.5	0.5	0.8	1.3	1.7	1.5	2.3	0.3					3
4	0.5	0.5	0.7	1.2	1.5	1.5	1.7	0.3					4
5	0.5	0.5	0.8	1.2	1.5	1.4	1.5	0.2					5
6	0.5	0.5	0.8	1.2	1.4	1.3	1.2	0.2					6
7	0.5	0.5	0.8	1.3	1.3	1.4	1.1	0.2					7
8	0.5	0.5	0.8	1.3	1.3	2.9	1.0	0.2					8
9	0.5	0.5	0.8	1.3	1.4	4.0	1.0	0.2					9
10	0.5	0.5	0.8	1.7	1.5	2.3	0.8	0.2					10
11	0.5	0.5	0.9	2.0	1.5	1.8	0.8	0.2					11
12	0.5	0.5	0.9	1.8	1.4	1.6	0.7	0.2	N	N	N	N	12
13	0.5	0.5	0.9	1.5	1.3	4.2	0.6	0.3	O	O	O	O	13
14	0.5	0.5	0.9	1.3	1.2	6.2	0.5	0.3					14
15	0.5	0.5	0.9	1.9	1.1	3.2	0.5	0.3					15
16	0.5	0.5	0.9	1.8	1.3	2.8	0.5	0.3	F	F	F	F	16
17	0.5	0.5	1.0	1.6	6.6	2.9	0.5	0.3	L	L	L	L	17
18	0.5	0.6	1.5	1.4	8.0	2.6	0.5	0.3	O	O	O	O	18
19	0.5	1.6	2.5	1.3	3.0	2.3	0.5	0.2	W	W	W	W	19
20	0.5	0.9	2.5	1.2	2.9	2.0	0.5	0.2					20
21	0.5	0.8	1.9	1.2	8.2	1.8	0.5	0.2					21
22	0.5	0.7	1.6	1.2	6.2	1.7	0.5	0.2					22
23	0.5	0.6	1.5	1.1	3.0	1.7	0.5	0.2					23
24	0.5	0.6	1.4	1.1	2.6	1.5	0.5	0.2					24
25	0.5	0.6	1.3	1.1	2.3	1.5	0.5	0.2					25
26	0.5	0.6	1.3	1.1	2.1	1.5	0.4	0.2					26
27	0.5	0.6	1.3	1.4	2.0	1.4	0.4	0.1					27
28	0.5	0.6	1.3	1.9	1.9	1.2	0.4	0					28
29	0.5	0.6	1.3	1.8	1.8	1.0	0.3	0					29
30	0.5	1.3	1.3	1.5	1.0	1.0	0.3	0					30
31	0.5		1.3	2.4		1.0		0					31
MEAN	0.5	0.6	1.2	1.4	2.6	2.1	0.8	0.2					MEAN
MAX.	0.5	1.6	2.5	2.4	8.2	6.2	3.4	0.3					MAX.
MIN.	0.5	0.5	0.7	1.1	1.1	1.0	0.3	0					MIN.
AC.FT.	31	37	73	89	148	128	50	12					AC.FT.

E - ESTIMATED  
 NR - NO RECORD  
 \* - DISCHARGE MEASUREMENT OR OBSERVATION OF NO FLOW  
 # - E AND °

MEAN		MAXIMUM				MINIMUM				TOTAL		
DISCHARGE		DISCHARGE	GAGE HT.	MO.	DAY	TIME	DISCHARGE	GAGE HT.	MO.	DAY	TIME	ACRE FEET
0.8		23		2	21	1900	0.0		5	28		568

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD			DATUM OF GAGE		
LATITUDE	LONGITUDE	1/4 SEC. T. & R. M.O.B.&M.	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		ZERO ON GAGE	REF. DATUM
			CFS	GAGE HT.	DATE			FROM	TO		
37 18 28	120 11 35	SW 23 7S 16E	590		12-24-55	FEB 50-DATE		1950		338.22	USCGS

Station located 0.25 mile downstream from Owens Dam. Tributary to San Joaquin River via Eastside Bypass. Flow regulated by Owens Reservoir. Records furnished by U. S. Corps of Engineers. Drainage area is 25.6 square miles.

TABLE B-4 (Cont.)

**DAILY MEAN DISCHARGE**  
(IN CUBIC FEET PER SECOND)

WATER YEAR	STATION NO.	STATION NAME
1968	B55400	BEAR CREEK NEAR CATHEYS VALLEY

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.
1			0.0	0.8	11 #	2.9	3.0	0.3	0.1			
2		*	0.0	0.8	6.3	2.7	8.1*	0.3	0.1			
3			0.0	0.6	4.3	2.3	4.6	0.3	0.1	*		
4			0.0*	0.6	3.4	2.1	3.4	0.3	0.0			
5			0.0	0.6*	2.7	1.9*	2.9	0.2	0.0			
6			0.0	0.5	2.3	1.7	2.6	0.2#	0.0*		*	
7			0.0	0.5	2.1	1.4	2.2	0.2E	0.0			*
8			0.0	0.5	1.8	8.7	1.9	0.2E	0.0			
9			0.0	0.5	2.1	10	1.8	0.2E	0.0			
10			0.0	0.9	2.4	5.5	1.6	0.2E	0.0			
11			0.0	3.2	2.1	4.1	1.5	0.2E	0.0			
12	N	N	0.0	3.7	1.8	3.4	1.3	0.2E	0.0	N	N	N
13	O	O	0.0	2.6	1.7	32	1.2	0.2E	0.0	O	O	O
14			0.0	2.1	1.5	36	1.1	0.3E	0.0			
15			0.0	3.9	1.4	13	1.0	0.2	0.0			
16	F	F	0.0	6.3	1.6	13	0.9	0.3	0.0	F	F	F
17	L	L	0.0	3.7	102	40	0.8	0.3	0.0	L	L	L
18	O	O	0.0	2.7E	63	23 *	0.8	0.3	0.0	O	O	O
19	W	W	0.0*	2.4E	16	12	0.7	0.3	0.0*	W	W	W
20			0.0	2.2E	86	8.8	0.6	0.2	0.0			
21			0.4	2.1E	111	6.5	0.6	0.2	0.0			
22			0.5	2.1E	40	5.5	0.5	0.2	0.0			
23			0.5	1.9E	18	4.6	0.5	0.2	0.0			
24			0.5	1.9E	11	3.7	0.5	0.2	0.0			
25			0.6	1.8E	7.4	3.4	0.4	0.2	0.0			
26			1.2	1.7E	6.0	3.0	0.4	0.2	0.0			
27			1.3	1.9E	5.0	2.7	0.4	0.1	0.0			
28			1.3	2.2E	4.1	2.4	0.4	0.1	0.0			
29			1.2	2.7E	3.6	2.3	0.4	0.1	0.0			
30			1.0	2.1E		2.2	0.4	0.1	0.0			
31			0.9	12 E		2.1		0.1				
MEAN			0.3	2.3E	18.0	8.5	1.6	0.2E	0.0			
MAX.			1.3	12	111	40	8.1	0.3	0.1			
MIN.			0.0	0.5	1.4	1.4	0.4	0.1	0.0			
AC. FT.			19	142E	1035	521	92	13E	1			

E - ESTIMATED  
 NR - NO RECORD  
 \* - DISCHARGE MEASUREMENT OR OBSERVATION OF NO FLOW  
 # - E AND \*

MEAN DISCHARGE
2.5

MAXIMUM				
DISCHARGE	GAGE HT.	MO.	DAY	TIME
269	5.22	2	17	1705

MINIMUM				
DISCHARGE	GAGE HT.	MO.	DAY	TIME
0.0		10	1	0000

TOTAL ACRE FEET
1822

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD		DATUM OF GAGE			
LATITUDE	LONGITUDE	1/4 SEC. T. & R. M.D.B.&M.	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		ZERO ON GAGE	REF. DATUM
			CFS	GAGE HT.	DATE			FROM	TO		
37 28 38	120 06 43	SW 21 5S 17E	4170E	10.07	2-1-63	DEC 57-DATE		1957		0.00	LOCAL

Station located at county road bridge, 3.7 miles north of Catheys Valley School. Tributary to San Joaquin River via Eastside Bypass. Drainage area is 24.9 square miles. Altitude of gage is approximately 1,210 feet (from topographic map). Peak discharge estimated based on rating curve extended above discharge 1442 cfs.

TABLE B-4 (Cont.)

**DAILY MEAN DISCHARGE**  
(IN CUBIC FEET PER SECOND)

WATER YEAR	STATION NO.	STATION NAME
1968	B05570	BEAR CREEK BELOW BEAR RESERVOIR

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1			0	2.0	19	7.5	8.5	0.3					1
2			0	2.2	22	6.5	16	0.3					2
3			0	2.0	14	5.5	18	0.3					3
4			0	1.9	10	5.5	14	0.3					4
5			0	1.9	8.0	4.3	9.0	0.3					5
6			0	1.9	7.0	3.8	7.5	0.2					6
7			0	1.9	6.5	3.8	7.0	0.1					7
8			0	1.9	4.3	6.5	5.5	0					8
9			1.9	1.9	4.0	16	4.9	0					9
10			2.0	2.2	4.0	21	4.3	0					10
11			1.9	2.2	4.3	12	3.8	0					11
12	N	N	1.3	2.8	4.0	9.0	3.4	0	N	N	N	N	12
13	O	O	1.9	2.8	3.8	12	3.4	0	O	O	O	O	13
14			1.6	2.4	3.6	54	3.2	0					14
15			1.9	2.4	3.4	42	3.0	0					15
16	F	F	2.0	2.4	3.4	30	2.8	0	F	F	F	F	16
17	L	L	2.2	2.8	8.5	38	2.8	0	L	L	L	L	17
18	O	O	2.4	2.8	114	53	2.6	0	O	O	O	O	18
19	W	W	3.0	2.8	43	33	2.4	0	W	W	W	W	19
20			4.3	3.6	42	29	2.4	0					20
21			3.4	3.4	96	23	2.2	0					21
22			3.2	3.2	82	18	2.0	0					22
23			2.8	3.0	40	14	1.9	0					23
24			2.6	3.0	30	12	1.9	0					24
25			2.4	3.0	22	10	1.9	0					25
26			2.2	3.0	16	9.0	0.6	0					26
27			2.2	3.0	13	8.5	0.6	0					27
28			2.2	3.0	10	8.0	0.6	0					28
29			2.2	3.4	8.5	7.5	0.4	0					29
30			2.0	3.6		7.0	0.4	0					30
31			2.0	3.8		6.5		0					31
MEAN			1.7	2.6	22	17	4.6	0.1					MEAN
MAX.			4.3	3.8	114	54	18	0.3					MAX.
MIN.			0	1.9	3.4	3.8	0.4	0					MIN.
AC. FT.			106	163	1557	1274	272	4					AC. FT.

E - ESTIMATED  
 NR - NO RECORD  
 \* - DISCHARGE MEASUREMENT OR OBSERVATION OF NO FLOW  
 # - E AND \*

MEAN DISCHARGE	MAXIMUM					MINIMUM					TOTAL ACRE FEET
3.9	DISCHARGE	GAGE HT.	MO.	DAY	TIME	DISCHARGE	GAGE HT.	MO.	DAY	TIME	3376
	190		2	18	0430	0.0		10	1	0000	

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD			DATUM OF GAGE		
LATITUDE	LONGITUDE	1/4 SEC. T. & R. M.D.B.&M.	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		ZERO ON GAGE	REF DATUM
			CFS	GAGE HT.	DATE			FROM	TO		
37 21 27	120 14 05	NE 5 7S 16E	4460		12-24-55	JAN 55-DATE		1955		320.50	USCGS

Station located approximately 0.75 mile downstream from Bear Dam. Tributary to San Joaquin River via Eastside Bypass. Flow regulated by Bear Reservoir. Records furnished by U. S. Corps of Engineers. Drainage area is 72.1 square miles.

TABLE B-4 (Cont.)

**DAILY MEAN DISCHARGE**  
(IN CUBIC FEET PER SECOND)

WATER YEAR	STATION NO.	STATION NAME
1968	B56400	BURNS CREEK AT HORNITOS

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	D
1		0.0	0.1	0.1	1.0*	1.4	1.6	0.1					
2		0.0*	0.1	0.2	0.9	1.2	4.6*	0.1					
3	*	0.0	0.1	0.2	0.8	1.0	1.8	0.1		*			
4		0.0	0.1	0.2	0.8	0.9	1.0	0.1					
5		0.0	0.1	0.2*	0.8	0.9*	0.9	0.1					
6		0.0	0.1	0.2	0.7	0.9	0.8	0.1*	*		*		*
7		0.0	0.1	0.2	0.5	1.0	0.7	0.1					
8		0.0	0.1	0.2	0.5	30	0.6	0.1					
9		0.0	0.1	0.2	0.6	6.7	0.6	0.1					
10		0.0	0.1	0.4	0.7	3.1	0.5	0.1					
11		0.0	0.1	0.5	0.6	2.2	0.4	0.1					
12	N	0.0	0.1	0.4	0.5	1.8	0.4	0.1	N	N	N	N	
13	O	0.0	0.1	0.3	0.6	26	0.4	0.1	O	O	O	O	
14		0.0	0.1	0.3	0.6	13	0.4	0.1					
15		0.0	0.1	1.0	0.6	5.6	0.4	0.1					
16	F	0.0	0.1	0.8	0.7	9.4	0.3	0.1	F	F	F	F	
17	L	0.0*	0.1	0.6	35	14	0.3	0.1	L	L	L	L	*
18	O	0.0	0.2	0.4	12	6.2	0.2	0.1	O	O	O	O	
19	W	0.1	0.2	0.4	5.6	3.4	0.2	0.1	W	W	W	W	
20		0.0	0.1	0.4	27	2.5	0.2	0.1					
21		0.0	0.1	0.4	46	2.0	0.2	0.1					
22		0.0	0.1	0.4	12	1.6	0.2	0.1					
23		0.0	0.1	0.4	6.7	1.4	0.2	0.0					
24		0.0	0.1	0.4	4.6	1.0	0.2	0.0					
25		0.0	0.1	0.4	3.1	1.0	0.2	0.0					
26		0.0	0.1	0.4	2.5	1.0	0.1	0.0					
27		0.0	0.1	0.5	2.2	0.9	0.1	0.0					
28		0.0	0.1	0.5	2.0	0.9	0.1	0.0					
29		0.0	0.1	0.5	1.8	0.7	0.1	0.0					
30		0.1	0.1	0.7	0.7	0.7	0.1	0.0					
31			0.1	2.0		0.6		0.0					
MEAN		0.0	0.1	0.4	5.9	4.5	0.6	0.1					
MAX.		0.1	0.2	2.0	46	30	4.6	0.1					
MIN.		0.0	0.1	0.1	0.5	0.6	0.1	0.0					
AC. FT.		0	7	27	340	284	35	4					

E - ESTIMATED  
 NR - NO RECORD  
 \* - DISCHARGE MEASUREMENT OR OBSERVATION OF NO FLOW  
 # - E AND \*

MEAN		MAXIMUM					MINIMUM					TOTAL
DISCHARGE	1.0	DISCHARGE	GAGE HT.	MO.	DAY	TIME	DISCHARGE	GAGE HT.	MO.	DAY	TIME	ACRE FEET
		188	4.13	2	21	0755	0.0		10	1	0000	698

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD		DATUM OF GAGE				
LATITUDE	LONGITUDE	1/4 SEC. T. & R. M.D.B.&M.	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		ZERO OH GAGE	REF. DATUM	
			CFS	GAGE HT.	DATE			FROM	TO			
37 29 42	120 14 17	SE17 5S 16E	9200E	10.66	2-15-62	DEC 58-DATE			1958		0.00	LOCAL

Station located 130 feet south of Stockton-Mariposa road, 0.2 mile southwest of Hornitos. Tributary to San Joaquin River via Bear Creek. Drainage area is 26.7 square miles. Maximum discharge of record from rating curve extended above 398 cfs. by slope-area measurement of peak flow. Altitude of gage is approximately 780 feet (from U. S. Geological Survey topographic map).



TABLE B-4 (Cont.)

DAILY MEAN DISCHARGE

(IN CUBIC FEET PER SECOND)

WATER YEAR	STATION NO.	STATION NAME
1968	B56100	BURNS CREEK BELOW BURNS RESERVOIR

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1			0	0	0.6	0.1	13						1
2			0	0	0.3	0.1	28						2
3			0	0	0.1	0.1	7.5						3
4			0	0	0.1	0.1	4.0						4
5			0	0	0.1	0.1	0.5						5
6			0	0	0.1	0.1	0.2						6
7			0	0	0.1	0.1	0.1						7
8			0	0	0.1	0.2	0.1						8
9			0	0	0.1	8.4	0.1						9
10			0	0	0.1	7.0	0.1						10
11			0	0	0.1	1.8	0						11
12	N	N	0	0	0.1	0.3	0	N	N	N	N	N	12
13	O	O	0	0	0.1	5.3	0	O	O	O	O	O	13
14			0	0.1	0.1	18	0						14
15			0	5.5	0.1	12	0						15
16	F	F	0	1.8	0.1	8.0	0	F	F	F	F	F	16
17	L	L	0	0.2	50	14	0	L	L	L	L	L	17
18	O	O	0	0.1	11	14	0	O	O	O	O	O	18
19	W	W	0.1	0.1	4.5	7.5	0	W	W	W	W	W	19
20			0.4	0.1	21	5.5	0						20
21			0.1	0.1	29	3.0	0						21
22			0.1	0.1	11	0.6	0						22
23			0.1	0.1	9.0	0.4	0						23
24			0	0	5.5	0.2	0						24
25			0	0	2.4	0.1	0						25
26			0	0	1.2	0.1	0						26
27			0	0	0.3	0.1	0						27
28			0	0	0.1	0.1	0						28
29			0	0	0.1	0.1	0						29
30			0	0	0	0.1	0						30
31			0	8.0	0.1	0.1	0						31
MEAN			0	0.5	5.1	3.5	1.8						MEAN
MAX.			0.4	5.5	50	18	28						MAX.
MIN.			0	0	0.1	0.1	0						MIN.
AC. FT.			2	32	292	213	106						AC. FT.

E - ESTIMATED  
 NR - NO RECORD  
 \* - DISCHARGE MEASUREMENT OR OBSERVATION OF NO FLOW  
 H - E AND °

MEAN DISCHARGE		MAXIMUM					MINIMUM				TOTAL ACRE FEET
0.9	152	GAGE HT.	MO.	DAY	TIME	DISCHARGE	GAGE HT.	MO.	DAY	TIME	645
			2	17	1510	0.0		10	1	0000	

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD		DATUM OF GAGE			
LATITUDE	LONGITUDE	1/4 SEC. T. & R. M.D.B.&M.	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		ZERO ON GAGE	REF. DATUM
			CFS	GAGE HT.	DATE			FROM	TO		
37 22 27	120 16 35	NE 36 6S 15E	2590		12-24-55	APR 50-DATE		1950		260.60	USCGS

Station located 0.5 mile downstream from Burns Dam. Tributary to San Joaquin River via Bear Creek. Flow regulated by Burns Reservoir. Records furnished by U. S. Corps of Engineers. Drainage area is 73.8 square miles.

TABLE B-4 (Cont.)

**DAILY MEAN DISCHARGE**  
(IN CUBIC FEET PER SECOND)

WATER YEAR	STATION NO.	STATION NAME
1968	B07400	SAN JOAQUIN RIVER NEAR STEVINSON

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DA
1	225	41	236	91	79	61	41	62	25	31	23	50	1
2	234	38	228	90	75	87	43	56	22	32	25 *	50	2
3	240 *	36 *	214	88	73	108	82	49 *	21 *	39 *	26	53	3
4	257	33	207 *	79	81	68 *	110 *	48	21	37	25	48	4
5	236	30	201	72	75 *	56	101	45	23	30	29	45	5
6	227	30	198	70	70	49	73	46	22	27	40	46 *	6
7	205	31	148	70	66	46	50	46	22	24	49	52	7
8	181	31	167	93 *	61	48	47	44	23	23	38	53	8
9	189	30	164	117	52	65	46	38	23	27	30	55	9
10	176	30	163	118	45	79	40	36	24	25	28	62	10
11	154	28	140	114	42	110	40	47	25	27	26	68	11
12	145	27	93	110	41	117	38	75	23	28	27	77	12
13	134	24	85	98	42	122	40	118	33	28	28	79	13
14	145	24	83	89	44	131	41	113	26	29	30	78	14
15	135	24	80	89	42	98	40	99	26	28	35	79	15
16	137	21	76	88	43	107	41	83	29	29	42	80	16
17	134	29	74	84	47	114	40	77	31	28	52	82	17
18	122	29	72	79	58	132	38	73	27	28	53	82	18
19	115	34	76	78	129	139	40	66	32	29	57	71	19
20	111	41	131	75	170	125	33	59	33	28	52	69	20
21	110	49	186	70	163	113	45	64	29	29	48	63	21
22	98	76	175	68	181	90	56	65	28	30	48	59	22
23	86	113	152	70	181	77	65	60	26	32	52	60	23
24	105	141	130	74	137	70	56	57	28	28	52	61	24
25	92	181	116	73	109	47	45	56	28	28	52	54	25
26	83	205	108	70	89	41	39	58	28	26	55	56	26
27	69	203	104	69	78	40	52	56	27	27	54	50	27
28	58	198	102	66	70	39	61	53	28	30	49	40	28
29	53	194	99	67	64	40	70	44	26	30	49	36	29
30	57	212	96	68		38	72	31	31	32	49	39	30
31	47		94	76		38		27		26	53		31
MEAN	141	72.8	135	82.7	83.0	80.5	52.8	59.7	26.3	29.0	41.2	59.9	MEAN
MAX.	257	212	236	118	181	139	110	118	33	39	57	82	MAX.
MIN.	47	21	72	66	41	38	33	27	21	23	23	36	MIN.
AC.FT.	8648	4330	8327	5084	4774	4949	3144	3671	1567	1775	2531	3564	AC.FT.

E - ESTIMATED  
 NR - NO RECORD  
 \* - DISCHARGE MEASUREMENT OR OBSERVATION OF NO FLOW  
 # - E AND \*

MEAN DISCHARGE	MAXIMUM					MINIMUM					TOTAL ACRE FEET
72.1	DISCHARGE	GAGE HT.	MO.	DAY	TIME	DISCHARGE	GAGE HT.	MO.	DAY	TIME	52360
	261	63.79	10	4	2100	20	61.80	11	17	1200	

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD			DATUM OF GAGE		
LATITUDE	LONGITUDE	1/4 SEC. T. & R. M.D.B.&M.	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		ZERO ON GAGE	REF. DATUM
			CFS	GAGE HT.	DATE			FROM	TO		
37 17 42	120 51 00	26 7S 10E	13300	75.00	4-26-67	OCT 61-DATE	MAY 61-SEP 61	1961		0.00	USCGS
Station located on bridge 2.3 miles south of Stevinson on Lander Avenue.											

TABLE B-4 (Cont.)

**DAILY MEAN DISCHARGE**  
(IN CUBIC FEET PER SECOND)

WATER YEAR	STATION NO.	STATION NAME
1968	B00975	PANOCHÉ DRAIN NEAR DOS PALOS

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1	20	18	22	14	26	39	51	50 *	48	66 *	58	50	1
2	20	17	20	15 *	26 *	36	63 *	50	47	67	60	48	2
3	23 *	17	23	12	30	34	62	55	48	67	58	40	3
4	24	15	29	11	33	41	60	57	48	67	58	39 *	4
5	20	18	23	13	35	41	60	56	50 *	67	60	46	5
6	20	16	23	14	40	38	58	58	54	67	60	46	6
7	19	18	26	15	38	39	58	60	58	67	60	47	7
8	24	15	27	14	41	45	60	62	61	67	59	48	8
9	21	16	24	16	44	43	61	62	62	67	59	44	9
10	16	16	19	16	48	38	62	63	63	67	59	42	10
11	18	18	20	14	47	35	63	63	63	65	59	42	11
12	21	16	24	14	46	38	64	63	62	62	58	34	12
13	15	17	22	13	47	42	63	64	60	60	59	34	13
14	14	12	22	14	43	40	60	64	56	60	59	37	14
15	14	15	23	15	40 *	38	60	65	53	62	57	28	15
16	13	18	23	10	44	43	57	64 *	51	63	56	16	16
17	13	18	22	12	52	37	54 *	61	53 *	65	58	20	17
18	15 #	25	24	10	56	37 *	50	52	51	66 *	59	16 *	18
19	15 E	29	17	10	52	36	50	46	52	67	59 *	13	19
20	14 E	38	14	13	47	36	53	45	53	66	61	18	20
21	14 E	39	13	13	48	29	50	46	54	64	62	24	21
22	13 E	27 *	13	18	48	33	51	45	55	63	66	21	22
23	12 E	25	13	12	47	38	44	45	59	64	65	27	23
24	11 E	29	13	16	45	43	45	45	63	64	64	24	24
25	11 #	26	12	17	44	46	45	48	63	63	61	18	25
26	12	23	12	22	45	48	50	47	64	63	59	21	26
27	12	23	14	24	47	45	55	49	64	62	50	25	27
28	14	24	15	28	43	48	54	49	64	60	47	22	28
29	16	24	15	26	38	49	54	52	65	57	44	21	29
30	16	27	14	25	49	49	51	53	66	54	49	24	30
31	16	14	14	28	48	48	53	53	66	54	57	24	31
MEAN	16.3	21.3	19.2	15.9	42.8	40.4	55.6	54.5	57.0	63.7	58.1	31.2	MEAN
MAX.	24	39	29	28	56	49	64	65	66	67	66	50	MAX.
MIN.	11 E	12	12	10	26	29	44	45	47	54	44	13	MIN.
AC. FT.	1004	1267	1180	980	2460	2483	3308	3352	3392	3913	3570	1855	AC. FT.

E - ESTIMATED  
 NR - NO RECORD  
 \* - DISCHARGE MEASUREMENT OR OBSERVATION OF NO FLOW  
 # - E AND \*

MEAN		MAXIMUM					MINIMUM					TOTAL
DISCHARGE		DISCHARGE	GAGE HT.	MO.	DAY	TIME	DISCHARGE	GAGE HT.	MO.	DAY	TIME	ACRE FEET
39.6		68	9.07	7	19	1645	7.9	2.77	1	19	2045	28760

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD			DATUM OF GAGE		
LATITUDE	LONGITUDE	1/4 SEC. T. & R. M.O.B.&M.	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		ZERO ON GAGE	REF. DATUM
			CFS	GAGE HT.	DATE			FROM	TO		
36 55 25	120 41 19	NW 5 12S 12E	69.0	9.19	11-24-65	FEB 59-SEP 62	OCT 62-JUL 63	1959	DATE	-2.00	LOCAL
Station located midway between Outside and Main Canals 0.5 mile south of Main Canal levee road, 5.6 miles southwest of Dos Palos. This is drainage returned to San Joaquin River. Station is operated under a cooperative agreement between the Department of Water Resources and the Panoche Drainage District. Altitude of gage is approximately 140 feet (from U. S. Geological Survey topographic map).											

TABLE B-4 (Cont.)

**DAILY MEAN DISCHARGE**  
(IN CUBIC FEET PER SECOND)

WATER YEAR	STATION NO.	STATION NAME
1968	800470	SALT SLOUGH NEAR STEVINSON

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	
1						160	172	99	40	76	133	95	
2						159	199	92	50	70	130 *	101	
3						159	215	101 *	73 *	44 *	103	105	
4						159 *	215 *	115	66	49	73	80	
5						169	205	122	49	47	89	69	
6						175	186	131	53	50	110	66	
7						172	190	127	58	55	94	101	
8						177	179	108	75	50	79	104	
9						191	166	98	86	68	75	98	
10						202	143	96	86	90	68	108	
11						192	135	104	76	105	84	89	
12						193	129	108	68	100	95	79 *	
13						196	136	100	57	85	99	73	
14						207	144	125	62	87	123	61	
15						222	149	142	60	86	110	60	
16	STATION INSTALLED FEBRUARY 28, 1968						232	157	146	82	77	87	52
17						235	145	119	85	52	108	65	
18						235	161	104	65	45	90	57	
19						225	149	100	71	36	97	52	
20						200	148	102	78	46	131	49	
21						178	147	98	69	46	132	60	
22						179	143	79	60	48	130	68	
23						184	145	67	50	40	123	84	
24						191	139	56	50	45	130	113	
25						188	128	64	52	33	125	86	
26						188	139	73	50	35	134	66	
27						188	122	70	40	60	146	66	
28						181	122	68	50	82	143	73	
29						171	119	46	45	117	133	80	
30						169	102	40	56	136	105	97	
31						158		42		143	95		
MEAN						188	154	94.9	62.1	67.8	109	78.6	
MAX.						235	215	146	86	143	146	113	
MIN.						158	102	40	40	33	68	49	
AC. FT.						11570	9181	5835	3693	4171	6692	4675	

E - ESTIMATED  
 NR - NO RECORD  
 \* - DISCHARGE MEASUREMENT OR OBSERVATION OF NO FLOW  
 H - END \*

MEAN DISCHARGE	MAXIMUM					MINIMUM					TOTAL ACRE FEET
DISCHARGE	DISCHARGE	GAGE HT.	MO.	DAY	TIME	DISCHARGE	GAGE HT.	MO.	DAY	TIME	

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD		DATUM OF GAGE			
LATITUDE	LONGITUDE	1/4 SEC. T. & R. M.D.B.&M.	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		ZERO ON GAGE	REF. DATUM
			CFS	GAGE HT.	DATE			FROM	TO		
37 14 52	120 51 04	SE10 8S 10E	237	66.64	3-16-68	MAR 68-DATE		1968		0.00	USCGS

Station located at Lander Avenue bridge, 5.5 miles south of Stevinson. This includes drainage being returned to San Joaquin River. Station installed on February 28, 1968.

TABLE B-4 (Cont.)

**DAILY MEAN DISCHARGE**  
(IN CUBIC FEET PER SECOND)

WATER YEAR	STATION NO.	STATION NAME
1968	B52600	NORTH FORK MERCED RIVER NEAR COULTERVILLE

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1	1.3	2.3	3.8	3.8	9.8	6.7*	9.1	2.7	1.8	0.4	0.2	0.2	1
2	1.5	1.3*	2.7	3.8	9.1	6.1	10	2.7	1.8	0.3	0.3	0.2	2
3	2.0*	1.3	2.7	3.8	11	6.1	8.5	2.7*	1.8	0.3*	0.3	0.3	3
4	2.3	1.5	3.0	3.4	11	5.6	7.8	2.7	1.8	0.4	0.3	0.2*	4
5	2.3	1.3	10	3.4	10	5.1	7.2*	2.3	1.8	0.4	0.2	0.1	5
6	2.0	1.3	4.2*	3.0	9.8*	5.1	7.2	2.0	2.0	0.6	0.3*	0.1	6
7	2.0	1.8	5.6	3.0	8.5	6.7	6.7	2.0	1.8*	0.4	0.3	0.1	7
8	1.5	2.3	5.6	3.4*	7.8	22 *	6.1	2.0	2.3	0.3	0.3	0.1	8
9	1.5	2.7	4.2	3.4	9.8	21	5.6	2.0	2.0	0.6	0.2	0.2	9
10	1.5	2.7	3.8	8.5	11	14	5.6	2.0	1.8	0.4	0.3	0.1	10
11	1.5	2.7	3.4	9.1	9.1	11	5.6	2.0	1.5	0.2	0.2	0.1	11
12	1.5	2.3	3.0	6.7	8.5	9.1	5.1	3.4	1.5	0	0.2	0.2	12
13	1.1	1.8	3.0	5.6	7.8	15	5.1	4.6	1.5	0	0.3	0.2	13
14	1.3	3.0	2.7	4.6	7.8	17	4.6	6.1	1.1	0.7	0.3	0.2	14
15	1.1	3.4	2.7	13	7.2	16	4.6	4.6	1.1	0.7	0.2	0.2	15
16	1.1	1.8	2.7	9.8	8.5	17	4.6	3.8	1.1	0.6	0.2	0.2	16
17	1.1	1.8	2.7	7.2	32	27	4.6	3.4	0.9	0.6	0.2	0.2	17
18	1.1	2.7	3.4	6.1	29	29	4.6	3.0	0.9	0.4	0.3	0.2	18
19	1.3	5.1	3.8	5.6	19	22	4.6	2.7	0.7	0.4	0.3	0.2	19
20	1.8	2.0	3.4	5.1	33	18	4.6	2.7	0.9	0.4	0.2	0.2	20
21	1.8	2.0	3.0	4.6	32	14	4.6	2.3	1.3	0.4	0.2	0.2	21
22	1.8	2.3	2.7	4.6	23	13	4.6	2.3	1.3	0.4	0.2	0.2	22
23	2.0	2.3	2.7	5.1	17	10	3.8	2.3	0.9	0.4	0.3	0.3	23
24	2.0	2.3	3.4	5.1	13	10	3.8	2.3	0.7	0.3	0.3	0.2	24
25	2.0	2.3	4.2	5.1	10	9.1	3.8	2.3	0.7	0.3	0.4	0.2	25
26	2.0	2.0	4.2	5.1	9.1	7.8	3.8	2.3	0.4	0.3	0.3	0.2	26
27	2.0	1.8	4.2	5.6	8.5	7.2	3.0	2.0	0.3	0.3	0.2	0.2	27
28	2.0	2.3	4.6	5.6	7.8	6.7	3.0	2.3	0.3	0.3	0.2	0.3	28
29	2.3	3.4	4.6	5.1	7.2	7.2	3.0	2.3	0.4	0.3	0.2	0.3	29
30	2.3	6.1	4.2	7.2	6.7	6.7	2.7	2.3	0.4	0.2	0.2	0.4	30
31	2.3		3.8	10	6.7	6.7		2.0		0.2	0.2		31
MEAN	1.7	2.4	3.8	5.7	13.4	12.2	5.3	2.7	1.2	0.4	0.3	0.2	MEAN
MAX.	2.3	6.1	10	13	33	29	10	6.1	2.3	0.7	0.4	0.4	MAX.
MIN.	1.1	1.3	2.7	3.0	7.2	5.1	2.7	2.0	0.3	0.0	0.2	0.1	MIN.
AC.FT.	106	143	234	348	768	750	313	167	73	23	15	12	AC.FT.

E - ESTIMATED  
 NR - NO RECORD  
 \* - DISCHARGE MEASUREMENT OR OBSERVATION OF NO FLOW  
 # - E AND \*

MEAN		MAXIMUM					MINIMUM					TOTAL	
DISCHARGE		DISCHARGE	GAGE HT.	MO.	DAY	TIME	DISCHARGE	GAGE HT.	MO.	DAY	TIME	ACRE FEET	
4.1		52	3.76	2	17	1925	0.0		7	11	1600	2952	

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD		DATUM OF GAGE				
LATITUDE	LONGITUDE	1/4 SEC. T. & R. M.D.B.&M.	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		ZERO ON GAGE	REF. DATUM	
			CFS	GAGE HT.	DATE			FROM	TO			
37 44 51	120 02 12	NW 19 28 18E	3440E	7.83	1-31-63	DEC 58-DATE			1958		0.00	LOCAL

Station located 40 feet upstream from Greeley Hill Road Bridge, 9 miles northeast of Coulterville. Drainage area is 30.3 square miles. Maximum discharge of record from rating curve extended above 2,145 cfs. Altitude of gage is 2,360 feet (from U. S. Geological Survey topographic map).

TABLE B-4 (Cont.)

**DAILY MEAN DISCHARGE**  
(IN CUBIC FEET PER SECOND)

WATER YEAR	STATION NO.	STATION NAME
1968	B52580	BEAN CREEK NEAR COULTERVILLE

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	D.
1	0.2	0.6	1.0	0.6	1.0	2.8*	3.7	0.9	0.6	0.3	0.2	0.1	
2	0.2	0.6*	0.9	0.6	1.4	2.6	3.5	0.9	0.6	0.3	0.1	0.1	
3	0.3*	0.6	0.9	0.5	2.1	2.2	2.8	0.9*	0.6	0.3*	0.1	0.1	
4	0.2	0.6	0.9	0.5	2.0	2.1	2.6	0.8†	0.6	0.3	0.1	0.1*	
5	0.2	0.7	1.8	0.5	1.7	2.1	2.5*	0.9	0.6	0.3	0.1	0.1	
6	0.2	0.8	0.9*	0.5	1.6*	2.0	2.4	0.8	0.6	0.3	0.1*	0.1	
7	0.2	0.8	1.3	0.4	1.4	2.4	2.2	0.8	0.7*	0.3	0.1	0.1	
8	0.2	0.7	0.9	0.4*	1.4	36 *	2.1	0.8	0.6	0.3	0.1	0.1	
9	0.2	0.7	0.9	0.5	1.8	10	2.0	0.9	0.6	0.3	0.1	0.1	
10	0.2	0.8	0.8	0.7	1.7	3.9	1.8	0.9	0.6	0.3	0.1	0.1	
11	0.3	0.8	0.7	0.4	1.5	3.5	1.8	0.9	0.5	0.3	0.1	0.1	
12	0.3	0.7	0.7	0.4	1.4	3.9	1.7	1.2	0.5	0.3	0.1	0.1	
13	0.3	0.7	0.7	0.4	1.4	9.4	1.6	1.4	0.5	0.2	0.2	0.1	
14	0.3	1.0	0.7	0.4	1.6	9.2	1.6	1.6	0.5	0.2	0.1	0.1	
15	0.3	0.9	0.8	0.9	1.3	6.5	1.6	1.1	0.5	0.2	0.1	0.1	
16	0.3	0.9	0.7	0.5	2.0	7.6	1.5	1.0	0.4	0.2	0.1	0.1	
17	0.3	1.0	0.7	0.5	14	13	1.4	0.9	0.4	0.2	0.1	0.1	
18	0.4	1.2	0.8	0.5	10	9.7	1.4	0.8	0.4	0.2	0.1	0.1	
19	0.4	1.1	0.8	0.4	5.5	6.7	1.4	0.8	0.4	0.2	0.1	0.1	
20	0.4	0.8	0.7	0.4	20	5.5	1.3	0.9	0.4	0.2	0.1	0.1	
21	0.4	0.7	0.7	0.4	16	4.9	1.3	0.8	0.4	0.2	0.1	0.1	
22	0.4	0.7	0.7	0.4	8.9	4.6	1.2	0.7	0.4	0.2	0.1	0.1	
23	0.4	0.7	0.7	0.5	6.3	3.7	1.2	0.7	0.4	0.2	0.1	0.1	
24	0.5	0.8	0.7	0.4	4.9	3.5	1.2	0.7	0.4	0.2	0.1	0.1	
25	0.5	0.8	0.7	0.4	3.3	3.7	1.2	0.7	0.4	0.2	0.1	0.1	
26	0.5	0.8	0.7	0.4	3.3	3.5	1.2	0.7	0.3	0.2	0.1	0.1	
27	0.5	0.8	0.7	0.5	3.3	3.1	1.2	0.7	0.3	0.2	0.1	0.1	
28	0.5	0.8	0.7	0.5	3.3	3.0	1.0	0.6	0.3	0.2	0.1	0.1	
29	0.5	0.9	0.7	0.6	3.0	2.8	0.9	0.6	0.3	0.1	0.1	0.1	
30	0.5	1.5	0.6	0.7	2.6	2.6	0.9	0.6	0.3	0.1	0.1	0.1	
31	0.5		0.6	1.2	2.4	2.4		0.6		0.2	0.1	0.1	
MEAN	0.3	0.8	0.8	0.5	4.4	5.8	1.7	0.9	0.5	0.2	0.1	0.1	
MAX.	0.5	1.5	1.8	1.2	20	36	3.7	1.6	0.7	0.3	0.2	0.1	
MIN.	0.2	0.6	0.6	0.4	1.0	2.0	0.9	0.6	0.3	0.1	0.1	0.1	
AC. FT.	21	49	50	32	252	355	104	53	28	14	7	6	

E - ESTIMATED  
 NR - NO RECORD  
 \* - DISCHARGE MEASUREMENT OR OBSERVATION OF NO FLOW  
 † - E AND °

MEAN		MAXIMUM				MINIMUM				TOTAL		
DISCHARGE	1.3	DISCHARGE	GAGE HT.	MO.	DAY	TIME	DISCHARGE	GAGE HT.	MO.	DAY	TIME	ACRE FEET
		86	3.06	3	8	0840	0.1	1.28	9	24	2200	969

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD			DATUM OF GAGE		
LATITUDE	LONGITUDE	1/4 SEC. T. & R. M.O.B.&M.	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		ZERO ON GAGE	REF. DATUM
			CFS	GAGE NT.	DATE			FROM	TO		
37 44 29	120 07 00	SE20 2S 17E	800 E	6.63	3-12-67	DEC 65-DATE		1965		0.00	LOCAL

Station located on right bank 0.8 mile east of Greeley Hill and 4.8 miles northeast of Coulterville.  
 Maximum discharge of record from rating curve extended above 154 cfs.

TABLE B-4 (Cont.)

**DAILY MEAN DISCHARGE**  
(IN CUBIC FEET PER SECOND)

WATER YEAR	STATION NO.	STATION NAME
1968	B51250	MAXWELL CREEK AT COULTEVILLE

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1	0.1	0.8E	2.6	1.4	2.4	1.9*	2.8	1.9	1.3				1
2	0.1	0.7#	1.9	1.3	1.8	1.9	2.6	1.9	1.4				2
3	0.2*	0.7	1.8	1.1	1.5	1.9	2.4	1.6*	1.3	*			3
4	0.2	0.7	1.9	1.0	1.4	2.1	2.1	1.6	1.1			*	4
5	0.2	0.9	4.9	1.0	1.3	2.2	1.9*	1.6	1.4				5
6	0.2	1.0	3.0*	1.0	1.3*	2.1	1.8'	1.5	1.5		*		6
7	0.2	0.9	4.1	0.9	1.1	2.6	1.6	1.5	1.8*				7
8	0.2	0.8	3.2	0.9*	1.1	87 *	1.8	1.6	1.4				8
9	0.3	0.9	2.4	0.9	1.3	16	1.8	1.5	1.3				9
10	0.3	0.9	2.2	1.9	1.4	7.8	1.8	1.5	1.0				10
11	0.3	0.8	2.1	1.9	1.3	5.4	1.8	1.6	0.8				11
12	0.3	0.8	1.9	1.4	1.1	4.6	1.8	2.1	0.8	N	N	N	12
13	0.3	0.9	1.8	1.1	1.3	30 *	1.8	2.2	0.5	O	O	O	13
14	0.4	1.1	1.8	1.1	1.3	18	16	3.0	0.5				14
15	0.3	1.0	1.8	3.2	1.1	9.8	1.8	2.4	0.5				15
16	0.4	0.9	1.6	1.9	1.5	13	1.8	2.2	0.4	F	F	F	16
17	0.4	0.9	1.5	1.5	21	25	1.8	1.9	0.4	L	L	L	17
18	0.4	1.1	2.2	1.3	8.9	15	1.6	1.9	0.3	O	O	O	18
19	0.5	1.9	2.6	1.1	3.6	9.3	1.6	1.9	0.3	W	W	W	19
20	0.5	1.8	2.1	1.1	30.0	6.4	1.8	1.8	0.2				20
21	0.5	1.5	1.8	1.1	25	5.2	1.8	1.8	0.2				21
22	0.5	1.4	1.8	1.0	8.9	4.1	1.8	1.9	0.1				22
23	0.5	1.4	1.6	0.9	4.6	3.6	1.8	1.8	0.2				23
24	0.5E	1.4	1.6	0.9	3.2	3.4	1.8	1.8	0.2				24
25	0.7E	1.0	1.8	0.9	2.8	3.0	1.8	1.8	0.1				25
26	0.7E	0.9	1.6	0.9	2.4	2.8	1.8	1.8	0.1				26
27	0.7E	0.9	1.6	1.0	2.4	2.6	1.8	1.8	0.1				27
28	0.8E	1.0	1.5	1.1	2.2	2.6	1.8	1.6	0.0				28
29	0.7E	1.3	1.5	1.0	2.1	2.6	1.8	1.5	0.0				29
30	0.7E	4.1	1.3	1.4	2.4	2.4	1.8	1.5	0.0				30
31	0.7E		1.3	4.6		2.2		1.5					31
MEAN	0.4	1.1	2.1	1.3	4.8	9.6	1.9	1.9	0.6				MEAN
MAX.	0.8	4.1	4.9	4.6	30	87	2.8	3.0	1.8				MAX.
MIN.	0.1	0.7	1.5	0.9	1.1	1.9	1.6	1.5	0.0				MIN.
AC. FT.	25	68	129	83	276	588	111	111	38				AC. FT.

E - ESTIMATED  
 NR - NO RECORD  
 \* - DISCHARGE MEASUREMENT OR  
 OBSERVATION OF NO FLOW  
 # - E AND \*

MEAN		MAXIMUM				MINIMUM			TOTAL			
DISCHARGE		DISCHARGE	GAGE HT.	MO.	DAY	TIME	DISCHARGE	GAGE HT.	MO.	DAY	TIME	ACRE FEET
2.0		347	4.75	3	8	0800	0.0		6	27	1800	1429

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD		DATUM OF GAGE				
LATITUDE	LONGITUDE	1/4 SEC. T. & R. M.D.B.&M.	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		ZERO ON GAGE	REF. DATUM	
			CFS	GAGE HT.	DATE			FROM	TO			
37 42 58	120 11 20	SE34 2S 16E	1770E	5.71	12-23-64	DEC 58-DATE			1958		0.00	LDGAL

Station located on downstream side of Dogtown Road Bridge, 0.5 mile northeast of Coulterville. Tributary to Merced River. Drainage area is 17.0 square miles. Maximum discharge of record from rating curve extended above 717 cfs. Altitude of gage is 1,740 feet (from U. S. Geological Survey topographic map).

TABLE B-4 (Cont.)

**DAILY MEAN DISCHARGE**  
(IN CUBIC FEET PER SECOND)

WATER YEAR	STATION NO.	STATION NAME
1968	B05170	MERCED RIVER BELOW SNELLING

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.
1	71	45	300 *	521	435	93	95	93	101	78	90	59
2	78 *	50 *	311	535	692 *	74	97	90 *	93	84 *	71	78
3	73	97	297	517	739	65	88 *	68	95 *	79	69	78 *
4	93	78	314	521	744	57	68	76	101	63	63	69
5	92	73	321	521 *	503	88 *	45	84	105	60	65	93
6	63	105	314	431	412	95	56	95	125	66	71 *	78
7	60	287	382	512	1300	92	56	95	111	68	57	81
8	44	349	491	703	1430	130	43	90	121	65	74	93
9	36	390	487	530	1420	90	45	83	119	57	73	57
10	27	278	491	376	1260	92	65	78	117	57	71	29
11	38	155	487	470	514	92	84	84	117	73	84	10
12	45	143	495	364	136	99	76	88	117	92	76	2.7
13	40	136	499	122	88	103	84	78	95	90	95	4.4
14	45	134	517	73	84	97	79	97	95	90	90	4.1
15	48	127	504	160	88	88	81	105	99	95	83	16
16	227	119	487	324	88	105	84	93	90	107	77	28
17	458	113	495	338	95	115	95	99	81	95	56	22
18	923	107	499	345	95	74	60	90	84	134	57	1.0*
19	1010	111	504	335	93	76	81	79	101	111	63	2.1
20	1010	109	504	121	99	97	71	88	83	97	54	9.8
21	1010	223	478	79	101 *	97	95	84	92	90	56	20
22	1000	287	491	136	95	93	81	63	90	107	63	1.2
23	990	281	491	311	76	99	46	83	84	115	65	4.8
24	804	278	478	331	49	97	38	79	84	92	71	1.0
25	804	268	495	331	73	103	62	81	86	90	73	7.1
26	787	287	482	335	74	103	60	95	86	95	74	4.1
27	782	294	487	120	79	86	59	97	92	93	84	22
28	809	291	478	76	79	66	62	95	95	93	95	10
29	447	300	474	237	81	63	73	93	97	109	91	15
30	57	214	499	361	86	63	107	103	92	97	73	29
31	44		530	579	88			101		105	73	
MEAN	388	191	454	346	380	90.0	71.2	88.0	98.3	89.0	73.0	31.0
MAX.	1010	390	530	703	1430	130	107	105	125	134	95	93
MIN.	27	45	297	73	49	63	43	63	81	57	54	10
AC. FT.	23830	11360	27930	21250	21860	5560	4237	5409	5847	5449	4477	1843

E - ESTIMATED  
 NR - NO RECORD  
 \* - DISCHARGE MEASUREMENT OR OBSERVATION OF NO FLOW  
 # - E AND \*

MEAN DISCHARGE	MAXIMUM					MINIMUM					TOTAL ACRE FEET
	DISCHARGE	GAGE HT.	MO.	DAY	TIME	DISCHARGE	GAGE HT.	MO.	DAY	TIME	
192	2196	10.20	1	31	1500	0.4	5.05	9	18	1400	139100

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD			DATUM OF GAGE			
LATITUDE	LONGITUDE	1/4 SEC. T. & R. M.D.B.&M.	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		ZERO ON GAGE	REF. DATUM	
			CFS	GAGE HT.	DATE			FROM	TO			
37 30 06	120 27 03	NE17 5S 14E	14500	17.10	1-7-65	NOV 58-DATE			1958		221.12	USGS

Station located 0.2 mile downstream from Merced-Snelling highway bridge, 1.4 miles southwest of Snelling. Flow regulated by Exchequer powerplant and McSwain Dam. Prior to November 1958, records available for a site 3.6 miles downstream. Merced Irrigation District Main Canal and several small gravity diversions are upstream from station.



TABLE B-4 (Cont.)

**DAILY MEAN DISCHARGE**  
(IN CUBIC FEET PER SECOND)

WATER YEAR	STATION NO.	STATION NAME
1968	B05155	MERCED RIVER AT CRESSEY

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1	120 E	300 #	313 *	601	680	120	76	50 E	65	91	65	98	1
2	120 E	145	374	625	681 *	129	94	50 #	61	80 *	74	96	2
3	120 #	132	369	614	834	110	79 *	50 E	69 *	62	80	92 *	3
4	128	176	364	615	878	96	64	50 E	54	67	91	87	4
5	152	170	378	611 *	859	80 *	59	60 E	48	68	98	77	5
6	138	161	376	611	476	103	48	60 E	56	71	94 *	71	6
7	130 E	200	383	517	893	116	42	60 E	65	61	87	88	7
8	120 E	362	486	609	1480	131	41	70 E	79	57	82	83	8
9	120 E	447	551	788	1550	195	34	70 E	83	61	61	88	9
10	110 E	469	559	642	1500	163	27	70 E	81	49	70	96	10
11	110 E	352	567	398	1030	133	23	80 E	72	26	64	91	11
12	100 E	254	559	584	509	120	24	80 E	64	31	64	83	12
13	99	230	568	400	222	129	27	80 E	70	40	68	80	13
14	98	217	601	210	157	140	35	90 E	66	71	66	84	14
15	100 E	218	592	172	140	123	42	90 E	61	84	79	92	15
16	100 E	207	577	301	138	120	32	90 E	62	68	84	92	16
17	500 E	194	569	405	157	250	18	87	65	71	79	93	17
18	800 E	188	584	423	161	215	30 E	88	63	80	77	83	18
19	1000 E	194	590	436	180	128	20 E	83	56	88	87	66	19
20	1100 E	197	587	370	174	102	20 E	83	60	96	92	63	20
21	1100 E	186	576	204	257	110	30 E	79	57	100	98	67	21
22	1100 E	302	569	157	254	111	40 E	66	61	102	94	78	22
23	1100 E	359	576	246	195	102	40 E	60	72	91	103	86	23
24	1100 E	362	570	394	155	98	30 E	60	74	76	110	92	24
25	900 E	356	569	393	117	96	30 E	59	62	73	106	96	25
26	900 E	361	582	404	116	93	30 E	49	56	73	107	92	26
27	900 E	364	562	379	120	95	30 E	53	64	74	114	99	27
28	900 E	369	568	210	121	84	30 E	59	64	71	107	94	28
29	900 E	370	567	151	120	66	30 E	59	67	68	87	82	29
30	700 E	387	562	332	57	57	30 E	61	74	69	91	78	30
31	500 E		598	474		63		61		71	105		31
MEAN	496 E	274	524	428	488	119	38.5E	68.0E	65	70.7	86.6	85.6	MEAN
MAX.	1100 E	469	601	788	1550	250	94	90 E	83	102	114	99	MAX.
MIN.	98	132	313	151	116	57	18	49	48	26	61	63	MIN.
AC. FT.	30480E	16320	32220	26330	28070	7295	2291E	4179E	3870	4344	5324	5092	AC. FT.

E - ESTIMATED  
 NR - NO RECORD  
 \* - DISCHARGE MEASUREMENT OR OBSERVATION OF NO FLOW  
 # - E AND \*

MEAN		MAXIMUM				MINIMUM				TOTAL		
DISCHARGE		DISCHARGE	GAGE HT.	MO.	DAY	TIME	DISCHARGE	GAGE HT.	MO.	DAY	TIME	ACRE FEET
228		1570	14.32	2	9	2100	14	9.86	4	17	1415	165800

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD			DATUM OF GAGE			
LATITUDE	LONGITUDE	1/4 SEC. T. & R. M.D.B.&M.	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		ZERO ON GAGE	REF. DATUM	
			CFS	GAGE HT.	DATE			FROM	TO			
37 25 28	120 39 47	SW 9 6S 12E	34400	22.67 32.67a	12-4-50 12-4-50	JUL 41-DATE	APR 41-JUL 41	1950 1962	1962	96.24 86.24	USCGS USCGS	

Station located 150 feet downstream from McSwain Bridge, immediately north of Cressey. Prior to May 20, 1960, station located 250 feet upstream from bridge.

a Reflects present datum.

TABLE B-4 (Cont.)

DAILY MEAN DISCHARGE  
(IN CUBIC FEET PER SECOND)

WATER YEAR	STATION NO.	STATION NAME
1968	B08720	ORESTIMBA CREEK NEAR CROWS LANDING

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DA
1	8.5E	11 E		0.0E	*	0.0*	13	7.3	15	22	35	8.9	1
2	9.0#	8.0#		0.5E		0.0	47 *	9.6	6.8	14	15 *	27	2
3	11 E	3.0E		1.0E		0.0	16	6.1*	5.8*	12 *	19	7.1	3
4	14 E	3.0E		1.7#		0.0	21	8.7	8.7	7.6	15	5.8	4
5	16 E	3.0E	*	1.0E	*	0.0	31	15	7.3	10	18	5.6*	5
6	14 E	3.0E		0.5E		0.0	27	20	22	9.3	14	23	6
7	13 E	3.0E		0.0		7.5	22	14	20	8.4	9.3	8.4	7
8	12 E	3.0E		0.0		79 *	67	12	43	9.0	9.6	5.4	8
9	11 E	3.0E		0.0		20	36	8.4	17	13	11	12	9
10	8.2E	3.0E		0.0		2.3	11	5.4	40	9.3	9.9	14	10
11	6.0#	3.0E		0.0		3.9	8.7	7.1	38	11	19	9.9	11
12	5.6E	3.0E	N	0.0	N	4.1	7.6	9.0	19	14	18	8.4	12
13	4.9E	3.0E	O	0.0	O	24	7.3	9.6	9.3	12	8.4	8.1	13
14	4.6E	3.0E	*	0.0		63 *	12	12	33	10	10	6.8	14
15	4.4E	2.0#		0.0		72	16	7.6	12	32	7.9	8.1	15
16	4.0E	1.8E	F	0.0	F	40	8.4	4.9	14	18	6.3	3.9	16
17	4.0E	1.6E	L	0.0*	L	38	6.8	5.2	47	21	9.3	6.1	17
18	3.6#	1.4E	O	0.0	O	64	5.8	4.7	32	19	25	5.4	18
19	3.4E	1.2E	W	0.0	W *	35	9.6	6.1	11	19	7.6	3.8	19
20	3.2E	1.0E	*	0.0		3.8	7.9	7.6	6.1	12	9.6	6.1	20
21	3.0E	0.8E		0.0		30	8.1	8.7	5.2	11	11	5.8	21
22	2.9E	0.6E		0.0		22	11	15	5.6	12	6.6	6.6	22
23	2.5E	0.3E		0.0		3.6	9.9	11	7.3	14	5.6	18	23
24	2.5E	0.0*		0.0		4.9	12	13	6.3	14	5.6	35	24
25	2.4E	0.0		0.0		6.1	9.6	13	8.7	14	11	12	25
26	2.2#	0.0		0.0		7.1	8.7	12	13	13	31	5.6	26
27	2.2E	0.0		0.0		5.2	9.9	12	11	14	8.7	2.6	27
28	2.0E	0.0		0.0		4.3	7.1	12	17	11	5.2	11	28
29	2.0E	0.0		0.0		7.9	12	11	13	14	3.8	2.9	29
30	2.0E	0.0		0.0		4.5	7.6	13	17	13	9.0	2.9	30
31	12 E			0.0		6.6		15		13	7.6		31
MEAN	6.3E	2.2E		0.2E		18.0	15.9	10.2	17.0	13.7	12.3	9.5	MEAN
MAX.	16.0E	11.0E		1.7E		79	67	20	47	32	35	35	MAX.
MIN.	2.0E	0.0E		0.0		0.0	5.8	4.7	5.2	7.6	3.8	2.6	MIN.
AC. FT.	389E	130E		9E		1108	946	627	1014	844	758	568	AC.

E - ESTIMATED  
NR - NO RECORD  
\* - DISCHARGE MEASUREMENT OR OBSERVATION OF NO FLOW  
# - E AND °

MEAN DISCHARGE	MAXIMUM					MINIMUM			TOTAL ACRE FEET		
8.8	DISCHARGE	GAGE HT.	MO.	DAY	TIME	DISCHARGE	GAGE HT.	MO.	DAY	TIME	6393
	97	50.87	3	15	0130	0.0		11	24	1420	

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD			DATUM OF GAGE		
LATITUDE	LONGITUDE	1/4 SEC. T. & R. M.D.B.&M.	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		ZERO ON GAGE	REF. DATUM
			CFS	GAGE HT.	DATE			FROM	TO		
37 24 51	121 00 52	NE18 6S 9E	2650E	12.08a	2-1-63	DEC 57-DATE		1957	1968	0.00	LOCAL
								1968		0.00	USCGS

Station located 40 feet upstream from River Road Bridge, 3.7 miles southeast of Crows Landing. Prior to February 1, 1968, the station was located 500 feet downstream and was on local datum. During summer months most flows are irrigation drainage returned to San Joaquin River. Maximum discharge of record from rating curve extended above 1,654 cfs.

a Local datum then in use.

TABLE B-4 (Cont.)

DAILY MEAN DISCHARGE  
(IN CUBIC FEET PER SECOND)

WATER YEAR	STATION NO.	STATION NAME
1968	B07250	SAN JOAQUIN RIVER AT CROWS LANDING BRIDGE

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1	804	625	1000	896	849	597	561	461	308	274	372	415	1
2	822	553	1020	930	958	589	695 *	446	285	278 *	346	456	2
3	819	505 *	1040	944	972	618	729	443 *	313	293	374	446	3
4	843 *	471	1070 *	993 *	1070	609	806	446	310	287	379	418	4
5	871	469	1050	1050	1120	552 *	835	464	315 *	282	391	406 *	5
6	840	479	1030	1060	1120 *	527	770	503	310	256	401	420	6
7	822	484	1030	1030	958	525	659	517	326	254	411	389	7
8	780	482	1020	1050	1020	624	665	492	337	293	391 *	401	8
9	765	530	1050	1130	1390	641	612	479	342	289	391	430	9
10	738	592	1090	1260	1540	674	544	471	393	270	381	448	10
11	721	632	1100	1250	1560	714	508	487	379	270	374	453	11
12	700	621	1080	1150	1340	736	495	484	358	297	393	451	12
13	675	569	1000	1150	1010	761	469	561	319	293	384	435	13
14	641	547	979	1080	809	812	479	618	330	293	393	461	14
15	633	541	975	972	695	859	522	618	317	324	401	441	15
16	650	544	972	902	647	835	514	635	304	321	415	430	16
17	625	555	947	902	644	875	508	580	351	308	438	403	17
18	606	566	940	951	665	933	484	549	335	285	477	406	18
19	723	580	937	947	726	961	484	533	276	287	469	398	19
20	913	609	961	937	842	885	500	530	264	293	471	411	20
21	1000	665	1050	909	885	862	484	511	272	324	484	420	21
22	1050	692	1090	822	916	806	506	506	287	328	474	425	22
23	1050	736	1060	764	944	742	506	474	285	353	474	443	23
24	1060	796	1020	758	906	708	506	448	268	308	453	482	24
25	1070	812	979	832	839	692	490	443	270	280	490	479	25
26	991	825	944	852	751	629	490	435	252	282	525	435	26
27	968	835	944	849	686	580	492	451	236	282	503	398	27
28	951	852	947	839	662	558	492	425	226	291	487	370	28
29	945	885	940	751	624	575	484	391	230	330	453	391	29
30	929	937	920	702	555	458	342	342	226	339	441	379	30
31	768		899	736	552		319			363	413		31
MEAN	831	633	1000	948	936	696	558	486	301	298	427	425	MEAN
MAX.	1070	937	1100	1260	1560	961	835	635	393	363	525	482	MAX.
MIN.	606	482	899	702	624	525	458	319	226	254	346	370	MIN.
AC. FT.	51120	37660	61650	58310	53850	42820	33220	29880	17900	18300	26280	25270	AC. FT.

E -- ESTIMATED  
NR -- NO RECORD  
\* -- DISCHARGE MEASUREMENT OR OBSERVATION OF NO FLOW  
# -- E AND \*

MEAN	MAXIMUM					MINIMUM					TOTAL
DISCHARGE	DISCHARGE	GAGE HT.	MO.	DAY	TIME	DISCHARGE	GAGE HT.	MO.	DAY	TIME	ACRE FEET
628	1564	42.15	2	11	1100	213	37.96	6	29	2145	456200

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD		DATUM OF GAGE			
LATITUDE	LONGITUDE	1/4 SEC. T. & R. M.D.B.&M.	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		ZERO ON GAGE	REF. DATUM
			CFS	GAGE HT.	DATE			FROM	TO		
37 26 52	121 00 44	NW 8 6S 9E		61.9	4-7-58	OCT 65-DATE	41-SEP 65	1959	1959	0.00	USED
			16700b	58.4a	4-7-58					0.00	USGS
				56.69	4-27-67					3.51	USED

Station located at Crows Landing Road Bridge, 4.3 miles northeast of Crows Landing.

a Reflects present datum.  
b Maximum discharge since station was rated in October 1965.

TABLE B-4 (Cont.)

**DAILY MEAN DISCHARGE**  
(IN CUBIC FEET PER SECOND)

WATER YEAR	STATION NO.	STATION NAME
1968	B04175	TUOLUMNE RIVER AT LA GRANGE BRIDGE

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DA
1	6.2	2070	1350 #	836	797	1610	24	10 *	13	8.2	3.1	14	
2	6.2	2380	1210	1070	211	1080	24	10	12	8.7*	3.6	13	
3	15	2010	983	1160 *	57	1230	23	10	17	8.0	6.2	15 *	
4	141	1950	1350	1210	47	1930 *	22	9.6	13	6.0	22	18	
5	233	1700	1370	1330	368	1820	22 *	9.3	11	5.6	18	14	
6	98	1900 *	1450	920	360	1820	21	9.3	12	5.8	17	14	
7	27	2060	1530	849	314 *	1740	21	9.5	12 *	4.8	33 *	8.8	
8	24	2090	1530	1180	345	1690	21	9.7	12	5.2	23	0.2	
9	24	2090	1210	1100	362	1370	22	9.3	11	6.0	17	0.0	
10	22	2090	1060	938	181	1060	22	8.8	12	8.1	16	0.0	
11	26	2030	1670	965	147	1520	23	9.9	14	5.8	16	0.1	
12	26	1880	1800	894	451	1500	22	11	11	5.4	16	0.2	
13	25	1990	2020	831	865	1400	24	11	11	5.2	15	0.3	
14	323	2070	1860	839	749	1290	23	8.2	30	4.7	15	0.1	
15	116	2030	1710	863	625	1250	22	20	18	4.7	15	0.0	
16	423	1720	1490	883	520	1190	35	6.2	12	4.7	14	0.0	
17	439	1580	1310	882	332	938	16	5.5	11	4.8	14	0.2	
18	432	1440	1540	872	134	1630	7.1	4.8	6.2	5.0	15	1.5	
19	452	1350	1200	860	372	1960	7.9	4.0	5.8	5.4	15	1.9	
20	487	1700	1160	806	805	1800	8.0	4.3	5.9	4.7	14	1.2	
21	358	1570	1160	258	1420	1590	8.0	6.3	5.5	3.5	13	1.4	
22	179	1280	1020	785	2410	870	8.6	6.1	4.7	3.6	13	1.7	
23	639	923	852	848	2790	521	8.7	6.3	4.5	4.0	13	1.7	
24	1390	1150 E	846	795	2470	427	8.8	15	4.6	3.9	13	2.1	
25	1620	1000 E	847	814	2470	704	8.9	6.3	7.0	3.7	14	2.2	
26	1770	1200 E	861	744	2150	636	9.5	3.4	5.8	3.6	14	3.0	
27	1130	1400 E	865	695	2040	386	9.6	3.5	4.7	3.7	13	1.6	
28	1070	1450 E	876	687	2060	175	12	5.7	4.7	3.5	13	1.4	
29	1930	1650 E	849	936	2050	275	11	7.9	6.0	2.9	29	1.5	
30	2270	1550 E	844	940		30	11	22	9.2	3.7	25	1.7	
31	2360		836	741		23		17		3.3	15		
MEAN	583	1710	1247	888	962	1144	16.9	9.0	10.2	5.0	15.6	4.0	ME
MAX.	2360	2380	2020	1330	2790	1960	35	22	30	8.7	33	18	MA
MIN.	6.2	923	836	258	47	23	7.1	3.4	4.5	2.9	3.1	0.0	MI
AC. FT.	35820	101800	76680	54610	55340	70340	1004	555	608	310	958	240	AC

E - ESTIMATED  
 NR - NO RECORD  
 \* - DISCHARGE MEASUREMENT OR OBSERVATION OF NO FLOW  
 # - E AND \*

MEAN DISCHARGE	MAXIMUM				MINIMUM				TOTAL		
549	DISCHARGE	GAGE HT.	MO.	DAY	TIME	DISCHARGE	GAGE HT.	MO.	DAY	TIME	ACRE FEET
	3220	72.66	2	22	1430	0.0		9	8	1315	398200

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD			DATUM OF GAGE			
LATITUDE	LONGITUDE	1/4 SEC. T. & R. M.D.B.&M.	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		ZERO ON GAGE	REF. DATUM	
			CFS	GAGE HT.	DATE			FROM	TO			
37 39 59	120 27 40	NW20 3S 14E	48200	188.0	12- 8-50	OCT 36-SEP 60			1937		0.00	USGS
						OCT 61-DATE						

Station located at highway bridge, immediately north of La Grange. Flow regulated by La Grange and Don Pedro Dams. Diversions to Modesto and Owens Canals are above La Grange Dam. Drainage area is 1,540 square miles.

TABLE B-4 (Cont.)

DAILY MEAN DISCHARGE

(IN CUBIC FEET PER SECOND)

WATER YEAR	STATION NO.	STATION NAME
1968	804150	TUOLUMNE RIVER AT HICKMAN BRIDGE

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1	141	2340	1870	1000	947	2070	169	90 *	85	77	74	88	1
2	120	2220	1580	1040	531	1340	134	80	78	74 *	77	84	2
3	109	2180 *	1350	1290 *	270	1230	131	92	78	77	78	76 *	3
4	105	2260	1300	1400	129	1940	130	98	81	77	77	77	4
5	150	2060	1560 *	1450	107	2050 *	130 *	101	90	78	90 *	83	5
6	266	2040	1640	1430	444	2090	129	98	100	74	92	92	6
7	227	2310	1730	1080	399 *	1950	127	94	93 *	70	88	88	7
8	126	2350	1770	1100	345	1980	122	87	89	73	90	78	8
9	106	2340	1660	1370	406	1880	121	91	80	71	107	81	9
10	98	2370	1370	1270	368	1370	125	87	81	69	100	77	10
11	85	2350	1490	1120	212	1460	124	89	81	77	93	74	11
12	87	2180	1970	1140	186	1740	126	94	80	79	95	74	12
13	92	2180	2170	1040	729	1770	125	102	82	74	97	74	13
14	89	2360	2230	991	937	1590	121	108	83	78	103	75	14
15	396	2330	2070	1020	842	1510	122	111	81	80	108	75	15
16	247	2170	1850	1020	621	1480	119	114	91	74	102	75	16
17	537	1880	1620	1040	546	1340	117	115	88	68	98	74	17
18	547	1770	1760	1030	352	1420	118	111	80	64	102	73	18
19	546	1660	1570	1020	205	2410	112	108	79	64	108	74	19
20	572	1720	1400	998	569	2110	108	102	79	64	103	73	20
21	566	1960	1370	646	1560	2090	103	96	78	71	102	75	21
22	409	1570	1360	538	1930	1270	107	90	78	74	95	78	22
23	306	1390	1110	987	3240	952	106	86	77	73	93	78	23
24	1330	1240	1030	973	2680	701	103	89	78	70	94	74	24
25	1490	1480	1020	918	2740	597	101	93	72	71	110	72	25
26	1790	1280	1010	871	2540	930	104	93	69	70	117	72	26
27	1570	1470	1040	860	2300	754	101	93	70	65	104	74	27
28	1160	1750	1040	797	2310	397	100	93	71	62	99	76	28
29	1450	1740	1040	853	2310	310	97	89	74	65	101	76	29
30	2310	1920	1020	1050	406	406	95	87	75	59	101	73	30
31	2440		1020	1070	159	159		86		65	103		31
MEAN	628	1962	1485	1046	1061	1397	118	95.7	80.7	71.2	96.8	77.1	MEAN
MAX.	2440	2370	2230	1450	3240	2410	169	115	100	117	117	92	MAX.
MIN.	85	1240	1010	538	107	159	95	80	69	59	74	72	MIN.
AC. FT.	38610	116800	91280	64290	61000	85880	6996	5885	4802	4378	5952	4588	AC. FT.

E - ESTIMATED  
 NR - NO RECORD  
 \* - DISCHARGE MEASUREMENT OR OBSERVATION OF NO FLOW  
 # - E AND \*

MEAN DISCHARGE	MAXIMUM			MINIMUM			TOTAL ACRE FEET
676	DISCHARGE	GAGE HT.	MO. DAY TIME	DISCHARGE	GAGE HT.	MO. DAY TIME	490400
	3370	73.14	2 23 1730	54	68.23	7 29 2345	

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD		DATUM OF GAGE			
LATITUDE	LONGITUDE	1/4 SEC. T. & R. M.O.B.&M.	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		ZERO ON GAGE	REF. DATUM
			CFS	GAGE HT.	DATE			FROM	TO		
37 38 10	120 45 14	NW34 3S 11E	59000	96.2	12-8-50	JUL 32-OCT 36 JAN 37-MAR 37 JUL 37-FEB 38 JUL 38-DEC 38 MAR 39-DATE		1932		0.00	USCGS

Station located at Hickman-Waterford road bridge, immediately south of Waterford. Flow regulated by reservoirs and powerplants. In August 1964, this station was moved approximately one-quarter mile downstream to a point immediately upstream of the new Hickman-Waterford road bridge.

TABLE B-4 (Cont.)

**DAILY MEAN DISCHARGE**  
(IN CUBIC FEET PER SECOND)

WATER YEAR	STATION NO.	STATION NAME
1968	B04130	DRY CREEK NEAR MODESTO

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1	84 E	28 #	18	16	68	36	72	53 *	48	28	32	46	1
2	85 #	25 E	19	16 *	73 *	28	129	55	43	21	32	55	2
3	97	26	17	17	51	25	86	52	43 *	18	28	52	3
4	98	26	16	16	37	22 *	52	57	34	19	34	57	4
5	87	24	18	16	25	19	43	59	34	23	41 *	59 *	5
6	77	25	22 *	15	19	18	43	54	42	26	41	55	6
7	77 E	25	20	15	17	19	50	53	44	25	40	52	7
8	82 E	25	20	15	15	39	53	54	49	26	34	48	8
9	88 E	24	19	15	15	359	52	52	50	38 *	42	43	9
10	92 E	26	17	16	14	186	54	52	53	43	39	41	10
11	86 E	26	17	17	15	95	72	46	49	32	34	39	11
12	91 E	24	17	16	15	62	71	46	52	26	42	37	12
13	87 E	23 *	16	16	18	49	69	48	40	32	36	45	13
14	85 E	22	17	16	24	50	60	46	37	34	42	50	14
15	77 E	20	23	17	24	113	50	56	39	42	43	48	15
16	74 E	20	19	29	24	85	46	57	29	42	43	47	16
17	77 E	20	17	23	26	380	40	54	34	34	43	47	17
18	93	22	17	18	99	354 *	34	50	41	32	43	44	18
19	97 E	26	17	16	193 *	140	44	48	37	40	47	43	19
20	109 E	32	17	15	98	80	49	49	34	43	50	39	20
21	121 E	40	17	15	406	60	65	54	30	42	52	42	21
22	111 E	32	15	15	423	49	67 *	59	30	44	60	46	22
23	100 E	27	15	15	199	44	68	64	23	26	53	50	23
24	124 E	21	15	15	108	40	72	54	23	20	49	51	24
25	111 E	19	16	15	78	36	73	57	20	27	62	46	25
26	114 E	18	16	14	59	33	67	54	24	34	61	46	26
27	118 E	17	16	14	53	30	67	52	28	37	55	50	27
28	118 E	16	16	15	51	64	60	48	26	30	58	59	28
29	59 E	16	16	15	44	60	63	50	31	32	50	52	29
30	48 E	17	16	17	17	52	58	45	34	27	50	58	30
31	38 E	16	16	57	57	53	53	42	42	38	50	50	31
MEAN	90 E	24	17	18	79	86	61	52	37	32	45	48	MEAN
MAX.	124 E	40	23	57	423	380	129	64	53	44	62	59	MAX.
MIN.	38 E	16	15	14	14	18	34	42	20	18	28	37	MIN.
AC. FT.	5564E	1412	1065	1085	4544	5316	3628	3213	2184	1946	2749	2870	AC. FT.

E - ESTIMATED  
 NR - NO RECORD  
 \* - DISCHARGE MEASUREMENT OR OBSERVATION OF NO FLOW  
 # - E AHD \*

MEAN DISCHARGE	MAXIMUM					MINIMUM					TOTAL ACRE FEET
49	DISCHARGE	GAGE HT.	MO.	DAY	TIME	DISCHARGE	GAGE HT.	MO.	DAY	TIME	35580
	667	73.50	3	17	2015	14	67.81	1	26	0730	

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD			DATUM OF GAGE		
LATITUDE	LONGITUDE	1/4 SEC. T. & R. M.D.B.&M.	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		ZERO ON GAGE	REF. DATUM
			CFS	GAGE HT.	DATE			FROM	TO		
37 39 26	120 55 19	SE 24 3S 9E	7710	88.04	12-23-55	MAR 41-DATE		1941		0.00	USCGS

Station located 0.1 mile downstream from Claus Road Bridge, 4 miles east of Modesto. Tributary to Tuolumne River. June 1930 to March 1941, records available for a site 2.5 miles downstream. This is a Department of Water Resources-Modesto Irrigation District cooperative station. Drainage area is 192.3 square miles.

TABLE B-4 (Cont.)

**DAILY MEAN DISCHARGE**  
(IN CUBIC FEET PER SECOND)

WATER YEAR	STATION NO.	STATION NAME
1968	B04105	TUOLUMNE RIVER AT TUOLUMNE CITY

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1	531	2340	1880	1080	966	2080	514	266	200	195	228	249	1
2	493	2260 *	1810	1070 *	913	1830	641	253	207	192	241	241	2
3	477 *	2300	1610	1130	656	1820	514	258 *	192	188	234	230	3
4	474	2180	1440	1260	495	1130	424	254	198	192	230	219	4
5	458	2140	1510 *	1320	404	1820	400 *	280	193 *	193	238	225 *	5
6	474	1980	1620	1400	384 *	1880	412	274	214	202	239	245	6
7	549	2040	1690	1270	495	1910	398	258	211	197	251 *	262	7
8	543	2190	1760	1100	487	1970	402	260	216	188	243	264	8
9	482	2230	1770	1180	471	1960	370	260	223	190	241	256	9
10	444	2240	1610	1270	500	1920	357	251	221	195	251	251	10
11	422	2250	1440	1190	471	1460	338	249	225	190	245	254	11
12	420	2220	1660	1120	406	1560	338	249	216	190	234	251	12
13	409	2090	1910	1100	416	1700	329	247	214	198	219	254	13
14	420	2130	2100	1040	411	1660	329	245	205	204	221	262	14
15	460	2240	2090	1030	805	1570	314	238	200	198	234	276	15
16	615	2220	1970	1020	779	1560	306	239	197	204	241	270	16
17	570	2060	1790	1020	712	1560	300	239	207	214	249	262	17
18	686	1880	1630	1020	623	1690	294	239	207	207	253	249	18
19	724	1780	1710	1010	620	1640	296	245	195	207	253	262	19
20	734	1700	1550	983	562	1930	294	238	198	221	258	258	20
21	758	1830	1430	958	862	1790	292	227	204	218	258	254	21
22	762	1880	1400	724	1620	1670	302	234	202	209	266	264	22
23	670	1650	1350	737	2140	1380	292	238	195	207	274	253	23
24	643	1430	1200	917	2680	1100	282	243	193	200	247	243	24
25	1350	1470	1140	910	2430	941	294	225	190	209	268	253	25
26	1610	1510	1130	889	2420	937 *	292	236	185	211	272	254	26
27	1840	1390	1120	852	2240	1030	302	227	188	214	266	266	27
28	1630	1620	1120	831	2110	917	286	223	187	214	268	280	28
29	1430	1720	1120	792	2090	727	278	212	185	200	270	288	29
30	1750	1820	1110	882	659	659	276	212	200	205	256	276	30
31	2210		1090	1020	635	635		207		216	243		31
MEAN	808	1960	1541	1036	1040	1498	349	243	202	202	248	256	MEAN
MAX.	2210	2340	2100	1400	2680	2080	641	280	225	218	272	288	MAX.
MIN.	409	1390	1090	724	384	635	276	207	185	188	219	219	MIN.
AC.FT.	49660	116600	94730	63720	59840	92100	20760	14930	12040	12430	15250	15220	AC.FT.

E - ESTIMATED  
 NR - NO RECORD  
 \* - DISCHARGE MEASUREMENT OR OBSERVATION OF NO FLOW  
 # - E AND \*

MEAN DISCHARGE	MAXIMUM					MINIMUM					TOTAL ACRE FEET
	DISCHARGE	GAGE HT.	MO.	DAY	TIME	DISCHARGE	GAGE HT.	MO.	DAY	TIME	
781	2782	30.03	2	24	0700	178	23.06	6	27	1530	567300

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD			DATUM OF GAGE		
LATITUDE	LONGITUDE	1/4 SEC. T. & R. M.D.B.&M.	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		ZERO ON GAGE	REF. DATUM
			CFS	GAGE NT.	DATE			FROM	TO		
37 36 12	121 07 50	NW 7 4S 8E	46.65	12-	9-50	30-DATE		1960	1959	0.00	USED
			43.15 <sup>a</sup>	12-	9-50			1960		0.00	USCGS
			8880 <sup>b</sup>	38.50	4-23-67			1960		3.50	USED

Station located at highway bridge, 3.35 miles above mouth. Backwater at times, from the San Joaquin River, affects the stage-discharge relationship. Drainage area is 1,896 square miles.

<sup>a</sup> Reflects present datum.  
<sup>b</sup> Maximum discharge since Department of Water Resources began operation of station in April 1966.

TABLE B-4 (Cont.)

DAILY MEAN DISCHARGE  
(IN CUBIC FEET PER SECOND)

WATER YEAR	STATION NO.	STATION NAME
1968	B07040	SAN JOAQUIN RIVER AT MAZE ROAD BRIDGE

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DA
1	1610	3320	2950	1900	1940	2880	1410	652	469	448	519 *	778	1
2	1610	3160	2970	1890	1930	2720	1440	656	523	417	523	807	2
3	1680	3010 *	2810	1940	1850	2340	1280 *	660	515	420 *	526	778	3
4	1680	2900	2620 *	2090 *	1650	2190 *	1250	676	501	430	556	745	4
5	1710 *	2800	2560	2230	1610	2440	1290	745	497	413	586	720 *	5
6	1760	2660	2740	2340	1600	2600	1340	778 *	519	430	582	749	6
7	1810	2580	2770	2340	1700 *	2590	1320	765	541	403	582	795	7
8	1850	2770	2860	2160	1620	2710	1210	774	530	424	552	867	8
9	1780	2820	2860	2150	1720	2730	1090	753	563	441	537	837	9
10	1560	2920	2820	2380	1960	2790	965	700	594 *	451	597	799	10
11	1420	2990	2620	2430	2070	2420	880	749	594	441	609	786	11
12	1440	3010	2620	2350	2010	2370	820	778	515	420	621	833	12
13	1410	2870	2850	2280	1820	2530	829	854	512	417	605	841	13
14	1380	2770	2880	2190	1790	2560	829	924	486	462	586	829	14
15	1410	2870	2960	2100	1820	2500	898	880	451	479	571	876	15
16	1640	2890	2960	2010	1730	2530	816	867	451	490	575	894	16
17	1520	2770	2810	1960	1630	2560	770	841	483	490	594	841	17
18	1580	2570	2640	1980	1570	2720	770	795	494	441	700	829	18
19	1640	2530	2620	1980	1530	2700	696	770	469	410	732	778	19
20	1820	2480	2580	1950	1540	3100	712	833	413	400	753	790	20
21	2040	2520	2420	1930	1790	3080	716	786	472	424	816	778	21
22	2230	2720	2440	1780	2490	3040	753	745	472	501	889	795	22
23	2200	2540	2440	1570	2910	2680	782	700	490	519	894	820	23
24	2050	2380	2280	1740	3520	2350	790	728	504	490	829	833	24
25	2510	2270	2120	1790	3450	2120	807	692	483	451	837	803	25
26	2810	2440	2060	1830	3340	1950	770	700	427	465	929	820	26
27	3050	2320	2000	1810	3190	1880	736	704	427	465	942	829	27
28	3040	2390	2010	1770	2990	1790	778	640	434	462	916	786	28
29	2730	2700	2010	1700	2910	1500	782	563	403	501	933	807	29
30	2730	2770	1980	1700		1410	728	534	437	479	880	820	30
31	3260		1920	1920		1480		490		508	816		31
MEAN	1966	2725	2554	2006	2127	2428	942	733	489	451	696	809	MEAN
MAX.	3260	3320	2970	2430	3520	3100	1440	924	594	519	942	894	MAX.
MIN.	1380	2270	1920	1570	1530	1410	696	490	403	400	519	720	MIN.
AC. FT.	120900	162100	157100	123400	122300	149300	56050	45090	29100	27750	42820	48120	AC. FT.

E - ESTIMATED  
 NR - NO RECORD  
 \* - DISCHARGE MEASUREMENT OR OBSERVATION OF FLOW MADE THIS DAY.  
 # - E AND R

MEAN DISCHARGE	MAXIMUM					MINIMUM					TOTAL ACRE FEET
	DISCHARGE	GAGE HT.	MO.	DAY	TIME	DISCHARGE	GAGE HT.	MO.	DAY	TIME	
1493	3618	19.72	2	24	1700	383	13.72	7	13	0100	1084000

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD			DATUM OF GAGE		
LATITUDE	LONGITUDE	1/4 SEC. T. & R. M.D.B.&M.	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		ZERO ON GAGE	REF. DATUM
			CFs	GAGE HT.	DATE			FROM	TO		
37 38 28	121 13 37	SW29 3S 7E		39.8	12- 9-50	JAN 50-MAR 52	SEP 43-DEC 49	1943	1959	0.00	USED
				36.4a	12- 9-50		APR 52-SEP 65	1959		0.00	USCGS
			22660b	32.65	4-29-67	OCT 65-DATE		1959		3.41	USED

Station located at State Highway 132 Bridge, 13 miles west of Modesto, 2 miles upstream from mouth of the Stanislaus River. Gage height discharge relation affected by backwater from the Stanislaus River during high flows in the Stanislaus.

a Reflects present datum.  
 b Maximum discharge since station was rated in October 1965.



TABLE B-4 (Cont.)

DAILY MEAN DISCHARGE  
(IN CUBIC FEET PER SECOND)

WATER YEAR	STATION NO.	STATION NAME
1968	B03175	STANISLAUS RIVER AT ORANGE BLOSSOM BRIDGE

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1	46	296 *	915	875	160	135 *	1480	33 *	26	22	22	27	1
2	47 *	289	910	875	137	94	1530	28	22	20 *	22	28	2
3	54	289	915	870	153	86	1040	27	20	20	22	26 *	3
4	50	296	910	875	135	84	945	29	25	24	27	27	4
5	61	299	925 *	870 *	146 *	84	783 *	33	25	24 E	30	26	5
6	77	280	920	870	137	84	563	30	28	24 E	28 *	22	6
7	79	280	910	870	146	81	476	28	29 *	24 E	28	18	7
8	79	296	875	870	135	225	349	34	36	25 E	29	18	8
9	83	296	875	870	140	120	137	33	30	25 E	25	20	9
10	81	296	870	899	144	90	114	38	27	25 E	22	22	10
11	79	299	749	875	149	90	110	25	30	26 E	26	20	11
12	81	302	261	718	144	88	88	26	34	26 E	24	18	12
13	83	305	116	424	140	112	56	27	27	26 E	34	20	13
14	81	305	814	424	133	124	39	26	18	27 E	29	22	14
15	83	314	875	457	126	103	36	22	22	27 E	29	22	15
16	84	392	875	438	142	217	38	20	20	27 E	30	24	16
17	90	839	875	438	196	217	38	18	22	28 E	29	22	17
18	86	894	885	347	188	116	52	18	24	28 E	28	20	18
19	153	915	875	340	156	100	59	25	18	28 E	29	14	19
20	265	920	865	334	288	118	62	27	18	28 E	27	17	20
21	296	925	860	331	251	710	54	27	18	28 E	31	17	21
22	289	925	865	321	188	714	52	35	20	27 E	33	22	22
23	277	920	865	409	165	755	54	39	18	26 E	33	26	23
24	318	920	860	388	163	826	50	38	18	27	30	25	24
25	305	920	860	371	158	807	47	29	16	30	36	26	25
26	311	920	860	188	158	746	47	25	17	26	38	22	26
27	334	920	860	142	158	446	44	22	18	24	35	24	27
28	296	910	865	142	142	528	39	24	22	22	38	22	28
29	296	915	850	140	153	1430	38	28	20	22	34	26	29
30	292	920	816	146	146	1400	42	29	20	22	28	22	30
31	289		835	222		1380		24		20	27		31
MEAN	163	587	826	527	160	391	282	28.0	22.9	25.1E	29.1	22.2	MEAN
MAX.	334	925	925	899	288	1430	1530	38	36	30	38	28	MAX.
MIN.	46	280	116	140	126	81	36	18	18	20	22	14	MIN.
AC.FT.	10010	34900	50800	32410	9185	24020	16780	1720	1365	1543E	1791	1319	AC.FT.

E - ESTIMATED  
NR - NO RECORD  
\* - DISCHARGE MEASUREMENT OR OBSERVATION OF NO FLOW  
# - E AND P

MEAN DISCHARGE	MAXIMUM				MINIMUM				TOTAL ACRE FEET		
DISCHARGE	DISCHARGE	GAGE HT.	MO.	DAY	TIME	DISCHARGE	GAGE HT.	MO.	DAY	TIME	ACRE FEET
256	1833	5.74	4	1	1950	12	1.21	9	19	0100	185800

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD		DATUM OF GAGE			
LATITUDE	LONGITUDE	1/4 SEC. T. & R. M.O.B.&M.	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		ZERO ON GAGE	REF. DATUM
			CFS	GAGE HT.	DATE			FROM	TO		
37 47 18	120 45 41	SW 4 2S 11E	62000	31.8	12-23-55	JUN 28-DEC 39				117.21	USCGS

Station located at bridge, 5.0 miles east of Oakdale. Flow regulated by reservoirs and powerplants. Drainage area is 1,020 square miles. This station is equipped with radio telemeter.

TABLE B-4 (Cont.)

**DAILY MEAN DISCHARGE**  
(IN CUBIC FEET PER SECOND)

WATER YEAR	STATION NO.	STATION NAME
1968	B03115	STANISLAUS RIVER AT KOETITZ RANCH

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	D.
1	691	410	1020	904	448	275 *	1390	212 *	145	149	147	178	
2	691	397	1010	931	381	275	1470	224	157	147 *	142	170	
3	720	391 *	1010	934	339	254	1500 *	238	165	138	154	161 *	
4	754 *	388	1010 *	941 *	328	237	1190	228	137	136	190	164	
5	731	404	1010	941	318	228	1090	237	137	168	189	173	
6	722	391	1020	943	313	224	946	219	212	155	189 *	174	
7	722	378	1010	941	312 *	224	789	202	187 *	143	184	165	
8	737	351	1010	937	309	246	723	193	184	156	170	157	
9	750	345	983	937	304	322	645	200	197	144	157	155	
10	645	351	974	946	303	306	465	207	163	146	145	137	
11	498	360	969	960	303	246	396	195	149	161	147	173	
12	420	360	908	953	298	226	340	202	160	160	136	178	
13	440	354	654	872	298	224	315	207	158	160	146	174	
14	447	357	339	667	295	221	295	220	172	164	130	144	
15	447	357	701	617	294	264	281	212	168	180	109	158	
16	430	357	892	615	285	322	249	206	195	146	112	168	
17	506	423	927	598	301	388	229	206	167	138	158	172	
18	561	737	948	586	301	474	230	173	167	127	175	167	
19	627	901	960	537	333	375	234	196	160	131	181	172	
20	688	952	950	512	307	342	232	186	135	132	170	161	
21	763	976	945	501	356	333	281	179	147	158	175	174	
22	829	995	941	488	386	568	271	200	160	148	193	201	
23	739	1000	943	481	353	756	236	205	200	137	192	196	
24	647	1000	943	526	315	870	236	236	193	133	196	177	
25	631	1010	943	524	306	988	213	211	171	140	200	192	
26	603	1010	938	515	292	957	203	175	159	149	178	229	
27	605	1010	938	433	288	886	192	193	181	156	179	216	
28	647	1010	938	368	285	782	246	168	178	165	165	206	
29	621	1010	936	342	278	723	261	173	145	156	171	206	
30	545	1020	934	342		1170	217	158	148	138	159	202	
31	469		904	380		1310		160		140	166		
MEAN	623	634	923	683	318	484	512	201	167	148	165	177	MM
MAX.	829	1020	1020	960	448	1310	1500	238	212	180	200	229	MM
MIN.	420	345	339	342	278	221	192	158	135	127	109	137	M
AC. FT.	38330	37700	56740	41990	18310	29780	30480	12340	9911	9126	10130	10510	AC

E - ESTIMATED  
 NR - NO RECORD  
 \* - DISCHARGE MEASUREMENT OR OBSERVATION OF NO FLOW  
 # - E AND \*

MEAN		MAXIMUM					MINIMUM					TOTAL
DISCHARGE	421	DISCHARGE	GAGE HT.	MO.	DAY	TIME	DISCHARGE	GAGE HT.	MO.	DAY	TIME	ACRE FEET
		1586	34.34	4	3	0420	95	26.70	8	16	0530	305300

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD		DATUM OF GAGE			
LATITUDE	LONGITUDE	1/4 SEC. T. & R. M.O.B.&M.	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		ZERO ON GAGE	REF. DATUM
			CFS	GAGE HT.	DATE			FROM	TO		
37 41 57	121 10 08	SW 2 3S 7E				OCT 62-DATE	MAR 50-SEP 62	1950	1951	0.00	USED
								1951		0.00	USCGS

Station located on left bank 9.35 miles upstream from mouth, 0.6 mile northwest of Bacon and Gates Road junction, 3.7 miles southwest of Ripon. It is possible that backwater from San Joaquin River could affect the stage-discharge relationship.

TABLE B-4 (Cont.)

DAILY MEAN DISCHARGE  
(IN CUBIC FEET PER SECOND)

WATER YEAR	STATION NO.	STATION NAME
1968	807020	SAN JOAQUIN RIVER NEAR VERNALIS

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1	2460	3740	3930	3120	2560	3420	2620	798	549	517	549	898	1
2	2470	3660	3970	3130	2510	3300	2930	780	601	469	577	898	2
3	2500 *	3500	3860	3170	2420	2910	3060	816 *	650	477	581	857	3
4	2530	3430	3710	3280	2200	2620	2750	826	593	485	646	834	4
5	2570	3350	3620	3400	2140	2840	2570	920	589	485	708	803	5
6	2600	3270 *	3790	3500	2100	3020	2440	975	646	485	682 *	857	6
7	2660	3190	3820	3540	2170	3020	2130	930	654 *	469	646	893	7
8	2700	3320	3890	3330	2110	3190	1900 *	911	632	469	618	965	8
9	2720	3360	3890	3300	2150 *	3250	1680	870	704	465	589	980	9
10	2450	3430	3870	3500	2410	3370	1440	848	749	469	610	893	10
11	2260	3500	3710	3570	2540	2980	1240	893	690	469 *	677	852	11
12	2180	3530	3640	3480	2480	2840 *	1120	970	623	469	677	916	12
13	2190	3460	3740	3400	2290	3000	1100	1040	593	489	641	935	13
14	2180	3350	3640	3190	2210	3040	1100	1140	628	525	636	945	14
15	2200	3440	3740	3010	2240	3000 *	1160	1120	610	585	618	1000	15
16	2380	3470	3930	2910 *	2130	3090	1000	1040	581	569	623	1030 *	16
17	2350	3420	3880	2840	2020	3140	906	995	641	549	610	960	17
18	2360	3350	3770 *	2820	1950	3360	930	960	589	501	754	935	18
19	2420	3450	3720	2800	1910	3310	844	950	577	457	812	884	19
20	2570	3470	3720	2740	1900	3680	830	995	493	453	834	875	20
21	2760	3490	3570	2700	2110	3750	862	902	553 *	469	893	893	21
22	2990	3700	3570	2560	2880	3770	945	875	529	561	985	925	22
23	3070	3620	3580	2320	3360	3620	940	844	585	553	1020	975	23
24	2940	3470	3450	2470	4100	3350	945	893	641	513	950	980	24
25	3030	3350	3330	2530	4120	3160	980	884	549	481	950	980	25
26	3320	3510	3260	2540	3980	3000	925	844	489	497	1040	1010	26
27	3590	3420	3230	2500	3830	2920	880	875	501	521	1040	1070	27
28	3660	3430	3250	2400	3590	2690	955	794	533	533	980	1020	28
29	3420	3730	3230	2300	3470	2260	980	700	485	573	1030	1030	29
30	3300	3780	3210	2290	2370	2370	902	654	489	529	960	1050	30
31	3660		3160	2510	2620	2620		581		505	880		31
MEAN	2725	3473	3635	2940	2617	3093	1435	891	592	503	768	938	MEAN
MAX.	3660	3780	3970	3570	4120	3770	3060	1140	749	585	1040	1070	MAX.
MIN.	2180	3190	3160	2290	1900	2260	830	581	485	453	549	803	MIN.
AC.FT.	167600	206700	223500	180800	150500	190200	85420	54790	35200	30920	47240	55820	AC.FT.

E - ESTIMATED  
 NR - NO RECORD  
 \* - DISCHARGE MEASUREMENT OR OBSERVATION OF NO FLOW  
 # - E AND \*

MEAN DISCHARGE	MAXIMUM				MINIMUM				TOTAL ACRE FEET		
	DISCHARGE	GAGE HT.	MO.	DAY	TIME	DISCHARGE	GAGE HT.	MO.		DAY	TIME
1968	4250	15.26	2	24	2100	453	9.32	7	20		1429000

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD			DATUM OF GAGE		
LATITUDE	LONGITUDE	1/4 SEC. T. & R. M.D.B.&M.	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		ZERO ON GAGE	REF. DATUM
			CFS	GAGE HT.	DATE			FROM	TO		
37 40 34	121 15 55		79000	27.75 32.81a	12-9-50 12-9-50	JUL 22-DEC 23 JAN 24-FEB 25 JUN 25-OCT 28 MAY 29-DATE		1931	1959	8.4	USED
								1931	1959	5.06	USCGS
								1959		0.00	USCGS

Station located on left bank 20 feet downstream from the Durham Ferry Highway Bridge, 3 miles downstream from the Stanislaus River 3.4 miles northeast of Vernalis. Drainage area is approximately 13,540 square miles. Natural flow of stream affected by storage reservoirs, power developments, ground water withdrawals and diversions for irrigation. Low flows consist mainly of return flow from irrigation. This station is operated under the Federal-State Cooperative Program. Equipped with DWR radio telemeter. The records are furnished by the U. S. Geological Survey.

a Reflects present datum.

TABLE B-4 (Cont.)

**DAILY MEAN DISCHARGE**  
(IN CUBIC FEET PER SECOND)

WATER YEAR	STATION NO.	STATION NAME
1968	CO1120	SOUTH FORK KINGS RIVER BELOW EMPIRE WEIR #2

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1	22	0	73	52	52	0							1
2	22	0	73	51	52	0							2
3	22	0	73	29	26	0							3
4	22	0	73	45	0	0							4
5	22	0	70	73	0	0							5
6	22	0	66	73	0	0							6
7	22	0	35	75	0	0							7
8	13	0	21	72	0	19							8
9	2	0	21	105	0	33							9
10	2	0	21	110	0	40							10
11	2	0	21	107	0	26							11
12	1	0	6	105	0	22	N	N	N	N	N	N	12
13	1	20	19	105	0	15	O	O	O	O	O	O	13
14	0	20	30	116	0	9							14
15	8	20	30	120	0	5							15
16	8	20	30	131	0	4	F	F	F	F	F	F	16
17	2	20	30	159	0	4	L	L	L	L	L	L	17
18	1	40	20	119	0	0	O	O	O	O	O	O	18
19	0	50	3	96	0	0	W	W	W	W	W	W	19
20	0	50	12	50	0	0							20
21	0	52	13	0	0	0							21
22	0	52	0	0	0	0							22
23	0	52	0	0	0	0							23
24	0	52	0	8	0	0							24
25	0	56	0	43	0	0							25
26	0	56	30	41	0	0							26
27	0	48	47	73	0	0							27
28	0	54	45	99	0	0							28
29	0	56	43	65	0	0							29
30	0	63	50	52	0	0							30
31	0		50	52	0	0							31
MEAN	22	63	73	159	52	40							MEAN
MAX.	0	0	0	0	0	0							MAX.
MIN.	6	26	32	72	4	6							MIN.
AC. FT.	385	1549	1993	4415	258	351							AC. FT.

E - ESTIMATED  
 NR - NO RECORD  
 \* - DISCHARGE MEASUREMENT OR OBSERVATION OF NO FLOW  
 H - E AND \*

MEAN DISCHARGE	MAXIMUM			MINIMUM				TOTAL
12.3	DISCHARGE	GAGE HT.	MO. DAY TIME	DISCHARGE	GAGE HT.	MO.	DAY TIME	ACRE FEET
	162		1 17 1200	0				8951

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD			DATUM OF GAGE		
LATITUDE	LONGITUDE	1/4 SEC. T. & R. M.O.B.&M.	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		ZERO ON GAGE	REF. DATUM
			CFS	GAGE HT.	DATE			FROM	TO		
36 10	119 50	20S 19E	4010 <sup>a</sup>		11-22-50	37-DATE					

Station located 1.0 mile southwest of Stratford. South Fork Kings River, composed of Kings River water, is a tributary to the Tulare Lake area. Records furnished by Kings River Water Association.

a Maximum discharge since 1950.

TABLE B-4 (Cont.)

DAILY MEAN DISCHARGE

(IN CUBIC FEET PER SECOND)

WATER YEAR	STATION NO.	STATION NAME
1968	C02602	CROSS CREEK BELOW LAKE LAND CANAL #2

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1													1
2													2
3													3
4													4
5													5
6													6
7													7
8													8
9													9
10													10
11													11
12													12
13													13
14													14
15													15
16													16
17													17
18													18
19													19
20													20
21													21
22													22
23													23
24													24
25													25
26													26
27													27
28													28
29													29
30													30
31													31
MEAN													MEAN
MAX.													MAX.
MIN.													MIN.
AC. FT.													AC. FT.

NO FLOW

E - ESTIMATED  
 NR - NO RECORD  
 \* - DISCHARGE MEASUREMENT OR  
 OBSERVATION OF NO FLOW  
 # - E AND \*

MEAN	MAXIMUM				MINIMUM				TOTAL		
DISCHARGE	DISCHARGE	GAGE HT.	MO.	DAY	TIME	DISCHARGE	GAGE HT.	MO.	DAY	TIME	ACRE FEET

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD		DATUM OF GAGE			
LATITUDE	LONGITUDE	1/4 SEC. T. & R. M.D.B.&M.	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		ZERO ON GAGE	REF. DATUM
			CFS	GAGE HT.	DATE			FROM	TO		
36 12 42	119 34 05	NE 10 20S 22E				21-DATE					
Station located downstream from Cross Creek Weir, 4 miles east of Guernsey. Tributary to Tulare Lake area. At times the flow is a combination of water from Kaweah River, Kings River, and Cottonwood Creek. Records are computed by the use of weir measurements taken at daily intervals and are furnished by the Corcoran Irrigation District.											

TABLE B-4 (Cont.)

**DAILY MEAN DISCHARGE**  
(IN CUBIC FEET PER SECOND)

WATER YEAR	STATION NO.	STATION NAME
1968	C03913	FRIANT-KERN CANAL DELIVERY TO PORTER SLOUGH

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1		0			0	4	4	2	5	2	4	0	1
2		0			0	4	4	3	6	2	1	0	2
3		3.7			0	3	5	4	6	4	0	0	3
4		7			0	4	4	4	3	4	0	0	4
5		7			0	3	4	4	3	4	0	0	5
6		7			0	3	4	4	2	4	0	0	6
7		2			0	4	4	2	5	4	4	0	7
8		0			1.5	4	4	2	6	4	5	0	8
9		0			7.8	4	4	2	6	1	5	0	9
10		0			7.6	3	2	2	2	0	2	0	10
11		0			7.0	4	2	2	0	3	0	0	11
12	N	0	N	N	5.9	3	2	1	0	6	3	3	12
13	O	0	O	O	5.1	4	2	0	0	7	4	5	13
14		0			4.6	3	2	0	0	8	4	6	14
15		0			4.4	2	2	0	0	8	4	6	15
16	F	0	F	F	4.4	2	2	3	0	9	1	6	16
17	L	0	L	L	4.4	2	2	4	0	7	0	1	17
18	O	0	O	O	4.4	3	2	4	5	5	0	0	18
19	W	0	W	W	4.4	3	2	4	8	5	4	0	19
20		0			4.4	6	2	1	9	4	5	0	20
21		0			4.4	7	2	0	10	4	5	0	21
22		0			4.4	7	2	0	10	5	5	0	22
23		0			4.4	4	2	0	10	6	1	0	23
24		0			4.1	3	1	0	8	6	0	0	24
25		0			4.1	3	2	0	5	7	0	0	25
26		0			4.8	4	1	0	3	8	0	0	26
27		0			5.1	4	2	0	3	7	0	0	27
28		0			5.1	4	1	3	3	5	0	0	28
29		0			5.1	4	2	4	3	6	0	0	29
30		0				4	1.5	4	2	4	0	0	30
31						4.5		4		4	0	0	31
MEAN		0.9			3.7	3.8	2.5	2.0	4.1	4.9	1.8	0.9	MEAN
MAX.		7			7.8	7	5	4	10	9	5	6	MAX.
MIN.		0			0	2	1	0	0	0	0	0	MIN.
AC. FT.		53			213	231	150	125	244	303	113	54	AC. FT.

E - ESTIMATED  
 NR - NO RECORD  
 \* - DISCHARGE MEASUREMENT OR OBSERVATION OF NO FLOW  
 # - E AND \*

MEAN DISCHARGE	MAXIMUM					MINIMUM					TOTAL ACRE FEET
	DISCHARGE	GAGE HT.	MO.	DAY	TIME	DISCHARGE	GAGE HT.	MO.	DAY	TIME	
2.0											1486

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD		DATUM OF GAGE			
LATITUDE	LONGITUDE	1/4 SEC. T. & R. M.D.B.&M.	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		ZERO ON GAGE	REF. DATUM
			CFS	GAGE NT.	DATE			FROM	TO		
36 05 00	119 04 50	SW20 21S 27E				MAY 50-DATE					

These flows are deliveries from Friant-Kern Canal into Porter Slough. Delivery is at the intersection of Porter Slough with the Friant-Kern Canal approximately 4 miles west of Porterville. Records furnished by U. S. Bureau of Reclamation.

TABLE B-4 (Cont.)

**DAILY MEAN DISCHARGE**  
(IN CUBIC FEET PER SECOND)

WATER YEAR	STATION NO.	STATION NAME
1968	C03923	FRIANT-KERN CANAL DELIVERY TO TULE RIVER

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1				0	105	0							1
2				0	94	0							2
3				15	90	0							3
4				41	90	0							4
5				50	90	0							5
6				50	140	0							6
7				50	167	0							7
8				50	170	.5							8
9				57	205	0							9
10				60	238	0							10
11				60	246	0							11
12	N	N	N	74	246	0	N	N	N	N	N	N	12
13	O	O	O	80	246	0	O	O	O	O	O	O	13
14				80	205	0							14
15				80	158	0							15
16	F	F	F	80	151	0	F	F	F	F	F	F	16
17	L	L	L	80	133	0	L	L	L	L	L	L	17
18	O	O	O	64	126	0	O	O	O	O	O	O	18
19	W	W	W	59	127	0	W	W	W	W	W	W	19
20				67	127	0							20
21				70	127	0							21
22				69	127	0							22
23				94	148	0							23
24				104	178	0							24
25				104	185	0							25
26				104	185	0							26
27				104	99	0							27
28				104	65	0							28
29				105	21	0							29
30				104		0							30
31				104		0							31
MEAN				69.8	148	0.0							MEAN
MAX.				105	246	0.5							MAX.
MIN.				0	21	0							MIN.
AC. FT.				4290	8507	1							AC. FT.

E - ESTIMATED  
 NR - NO RECORD  
 \* - DISCHARGE MEASUREMENT OR OBSERVATION OF NO FLOW  
 # - E AND °

MEAN DISCHARGE 17.6	MAXIMUM					MINIMUM					TOTAL ACRE FEET 12798
	DISCHARGE	GAGE HT.	MO.	DAY	TIME	DISCHARGE	GAGE HT.	MO.	DAY	TIME	

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD			DATUM OF GAGE		
LATITUDE	LONGITUDE	1/4 SEC. T. & R. M.O.B.&M.	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		ZERO ON GAGE	REF. DATUM
			CFs	GAGE HT.	OATE			FROM	TO		
36 04 25	119 05 15	NW29 21S 27E									
These flows are deliveries from Friant-Kern Canal into Tule River. Point of delivery is located on the Tule River approximately 4 miles west of Porterville where Friant-Kern Canal crosses the Tule River. Records furnished by U. S. Bureau of Reclamation.											

TABLE B-4 (Cont.)

**DAILY MEAN DISCHARGE**  
(IN CUBIC FEET PER SECOND)

WATER YEAR	STATION NO.	STATION NAME
1968	C03169	TULE RIVER BELOW PORTERVILLE

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DA
1	83	14	0.0	7.1	102	0.6							1
2	78	3.1	0.0	7.1	91	0.0							2
3	75	0.0	0.0	12	83	0.0							3
4	78	0.0	0.0	25	68	0.0							4
5	75	0.0	34	34	54	0.0							5
6	78	0.0	54	34	80	0.0							6
7	80	0.0	43	34	99	0.0							7
8	78	0.0	49	35	108	0.0							8
9	72	0.0	25	34	129	0.0							9
10	72	0.0	20	32	133	0.0							10
11	75	0.0	27	34	143	0.0							11
12	75	0.0	25	49	153	0.0	N	N	N	N	N	N	12
13	78	0.0	30	63	156	0.0	O	O	O	O	O	O	13
14	80	0.0	7.1	60	143	0.0							14
15	78	0.0	10	70	120	0.0							15
16	70	0.0	16	83	123	0.0	F	F	F	F	F	F	16
17	65	0.0	15	75	120	0.0	L	L	L	L	L	L	17
18	68	0.0	23 *	56	117	0.0	O	O	O	O	O	O	18
19	65	0.0	27	54	123	0.0	W	W	W	W	W	W	19
20	70	0.0	11	54	126	0.0							20
21	75	0.0	1.4	56	114	0.0							21
22	78	0.0	12	58	111	0.0							22
23	80	0.0	14	88	133	0.0							23
24	80	0.0	9	105	153	0.0							24
25	80	0.0	9	96	174	0.0							25
26	78	0.0	8	80	192	0.0							26
27	75	0.0	4.5	88	111	0.0							27
28	72	0.0	4.5	99	68	0.0							28
29	70	0.0	4.5	91	11	0.0							29
30	72	0.0	3.7	85		0.0							30
31	63		6.2	94		0.0							31
MEAN	74.7	0.6	15.9	57.8	115	0.01							MEAN
MAX.	83	14	54	105	192	0.6							MAX.
MIN.	63	0.0	0.0	7.1	11	0.0							MIN.
AC. FT.	4594	34	978	3555	6621	1							AC. FT.

E - ESTIMATED  
 NR - NO RECORD  
 \* - DISCHARGE MEASUREMENT OR OBSERVATION OF NO FLOW  
 # - E AND \*

MEAN DISCHARGE	MAXIMUM					MINIMUM					TOTAL
	DISCHARGE	GAGE HT.	MO.	DAY	TIME	DISCHARGE	GAGE HT.	MO.	DAY	TIME	ACRE FEET
21.7											15780

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD		DATUM OF GAGE			
LATITUDE	LONGITUDE	1/4 SEC. T. & R. M.D.B.&M.	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		ZERO ON GAGE	REF. DATUM
			CF5	GAGE NT.	DATE			FROM	TO		
36 04 40	119 06 22	NW 30 21S 27E	8850	9.27	12-7-66	FEB 57-DATE		1957	1959	0.00	LOCAL
								1959		-3.48	LOCAL

Station located 330 feet upstream from Rockford Road Bridge, 5.1 miles west of Porterville. Flows regulated by Success Reservoir and spill from Friant-Kern Canal. Altitude of gage is approximately 400 feet (from U. S. Geological Survey topographic map). Flows include Central Valley Project releases from Friant-Kern Canal to Tule River. Records furnished by the Tule River Association. Reviewed by DWR.



TABLE B-4 (Cont.)

**DAILY MEAN DISCHARGE**  
(IN CUBIC FEET PER SECOND)

WATER YEAR	STATION NO.	STATION NAME
1968	C03970	CAMPBELL-MORELAND DITCH ABOVE PORTERVILLE

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1	12	8.4			0.0	14	0.0	9.7	13	10 *	7.5	9.3	1
2	12 *	7.2*			0.0	14	0.0	9.7	12	9.3	8.4	9.3	2
3	11	6.5			0.0	13	0.0	10	10 *	10	8.1	7.8*	3
4	11	6.5			0.0	13 *	0.0	9.0	10	9.7	7.8	7.5	4
5	11	7.5			0.0	13	0.0	9.3	11	9.3	7.2*	8.4	5
6	12	6.2			0.0	14	0.0	10 *	11	9.0	7.2	7.8	6
7	12	6.8*			0.0	14	0.0	10	11	9.0	8.4	8.4	7
8	12	6.5			4.5	14	0.0	10	11	10 *	7.8	9.0	8
9	12	5.5			16	14	0.0	9.7	11	10	8.7	9.0*	9
10	12	4.5			17	14	0.0	9.3	11 *	10	8.1	8.7	10
11	12	6.2			17	14 *	1.4	9.0	11	10	8.4	8.7	11
12	13	6.5	N	N	15 *	13	12	8.4	11	10	8.7*	8.7	12
13	12	6.0*	O	O	14	13	18	10 *	12	9.7	8.1	8.4	13
14	12	5.2			14	12	19	8.7	12	9.3	8.4	8.1	14
15	12	4.2			14	12	17 *	8.7	11	9.3*	9.0	8.1	15
16	13	5.2	F	F	14	13	14	8.7	11	8.7	8.4	8.7	16
17	12	5.2	L	L	14	14 *	13 *	8.7	11	10	8.1	8.7	17
18	12	4.5	O	O	14 *	14	12	8.4	11 *	10	7.8	8.1	18
19	12	2.2	W	W	13	7	9.7	8.1	10	9.0	8.4*	8.4	19
20	12	1.7*			13	0.0	8.7	8.7*	11	8.7	11	8.4	20
21	12	1.0			14	0.0	8.7	8.7	11	8.4	10	8.4	21
22	12	0.7			13	0.0	9.3*	8.4	10	9.7	8.7	8.4	22
23	12	0.5			12	0.0	11	8.1	11	9.0	8.7	8.4	23
24	12	0.4			14	0.0	9.7	8.1	11 *	8.4	8.1	8.4	24
25	12	0.0			14	0.0	12	8.1	10	8.4	8.1	8.7	25
26	12	0.0			14 *	0.0	8.7	7.8	11	8.1	8.1*	8.7	26
27	12	0.0			14	0.0	8.1	9.0*	11	8.1	8.4	8.7	27
28	12	0.0			14	0.0	8.1	10	10	8.4	7.8	9.3	28
29	12	0.0			14	0.0	8.4*	10	10	9.0*	7.5	9.3	29
30	12 *	0.0				0.0	9.0	9.3	11	9.0	5.5	8.7*	30
31	11	0.0				0.0		11		8.7	6.5		31
MEAN	11.9	3.8			10.4	8.0	7.3	9.1	10.9	9.2	8.2	8.6	MEAN
MAX.	13	8.4			17	14	19	11	13	10	11	9.3	MAX.
MIN.	11	0.0			0.0	0.0	0.0	7.8	10	8.1	5.5	7.5	MIN.
AC. FT.	734	228			600	494	432	560	651	568	502	509	AC. FT.

E - ESTIMATED  
 NR - NO RECORD  
 \* - DISCHARGE MEASUREMENT OR OBSERVATION OF NO FLOW  
 # - E AND \*

MEAN DISCHARGE	MAXIMUM					MINIMUM					TOTAL ACRE FEET
7.3	DISCHARGE	GAGE HT.	MO.	DAY	TIME	DISCHARGE	GAGE HT.	MO.	DAY	TIME	5277

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD			DATUM OF GAGE		
LATITUDE	LONGITUDE	1/4 SEC. T. & R. M.D.B.&M.	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		ZERO ON GAGE	REF. DATUM
			CFS	GAGE HT.	DATE			FROM	TO		
36 02 48	118 56 54	NW 4 22S 28E				AUG 42-DATE			OCT 62	0.00	LOCAL
									OCT 62	-2.00	LOCAL

Station located 3.9 miles southeast of Porterville approximately 2,600 feet downstream from head. This is regulated diversion from Tule River. This station is operated under cooperative agreement between the Department of Water Resources and the Tule River Association. Records furnished by the Tule River Association and reviewed by the Department of Water Resources.

TABLE B-4 (Cont.)

**DAILY MEAN DISCHARGE**  
(IN CUBIC FEET PER SECOND)

WATER YEAR	STATION NO.	STATION NAME
1968	C03182	PORTER SLOUGH AT PORTERVILLE

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1	50	2.4	0.0	55						0.0			1
2	49 *	2.0	0.0	56 *						0.0			2
3	52	1.4	0.0	56						0.0			3
4	52	1.0	0.0	56						0.0			4
5	51	0.4	0.0	57						0.0			5
6	51	0.0	0.0	57						0.0			6
7	51	0.0	0.0	57						0.0			7
8	51	0.0	0.4	40 *						0.0			8
9	55	0.0	9.0	3.0						0.0			9
10	60	0.0	23	2.2						0.0			10
11	60	0.0	33 *	1.6						0.0			11
12	59	0.0	38	8.4	N	N	N	N	N	0.0	N	N	12
13	60	0.0	31	42	O	O	O	O	O	0.0	O	O	13
14	60	0.0	29	42						0.0			14
15	59	0.0	14	43 *						0.0			15
16	58 *	0.0	1.8	43	F	F	F	F	F	0.0	F	F	16
17	58	0.0	0.9	43	L	L	L	L	L	0.0	L	L	17
18	57	0.0	0.0	43	O	O	O	O	O	0.0	O	O	18
19	56	0.0	33	43	W	W	W	W	W	0.0	W	W	19
20	51	0.0	65	43						0.0			20
21	45	0.0	68	43						0.0			21
22	45	0.0	61	43 *						2.9			22
23	43	0.0	60	43						16			23
24	44 *	0.0	61	17						18			24
25	43	0.0	60	3.0						24 *			25
26	43	0.0	59	2.3						25			26
27	42	0.0	55	2.3						25			27
28	42	0.0	54	2.0						17			28
29	41	0.0	55	0.7						4.4			29
30	40 *	0.0	55	0.0						0.0			30
31	15	0.0	55	00.0						0.0			31
MEAN	49.8	0.2	29.7	30.6						4.3			MEAN
MAX.	60	2.4	68	57						25			MAX.
MIN.	15	0.0	0.0	0.0						0.0			MIN.
AC.FT.	3060	14	1827	1879						262			AC.FT.

E - ESTIMATED  
 NR - NO RECORD  
 \* - DISCHARGE MEASUREMENT OR OBSERVATION OF NO FLOW  
 # - E AND \*

MEAN DISCHARGE
9.7

MAXIMUM				
DISCHARGE	GAGE HT.	MO.	DAY	TIME

MINIMUM				
DISCHARGE	GAGE HT.	MO.	DAY	TIME

TOTAL ACRE FEET
7044

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD		DATUM OF GAGE			
LATITUDE	LONGITUDE	1/4 SEC. T. & R. M.D.B.&M.	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		ZERO OH GAGE	REF. DATUM
			CFS	GAGE HT.	DATE			FROM	TO		
36 03 29	118 59 08	SE31 21S 28E				JAN 42-DATE		1957		0.00	LOCAL

Station located at "B" Lane Bridge, immediately east of Porterville. This is regulated diversion from Tule River. Altitude of gage is approximately 465 feet (from U. S. Geological Survey topographic map). Records furnished by the Tule River Association and reviewed by the Department of Water Resources.

TABLE B-4 (Cont.)

DAILY MEAN DISCHARGE

(IN CUBIC FEET PER SECOND)

WATER YEAR	STATION NO.	STATION NAME
1968	C03984	PORTER SLOUGH DITCH AT PORTERVILLE

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1	13	2.5											1
2	14 *	0.0											2
3	14	0.0											3
4	13	0.0											4
5	13	0.0											5
6	14	0.0											6
7	13	0.0											7
8	13	0.0											8
9	14	0.0											9
10	15	0.0											10
11	15	0.0											11
12	14	0.0	N	N	N	N	N	N	N	N	N	N	12
13	14	0.0	O	D	O	O	O	O	O	O	O	O	13
14	13	0.0											14
15	14	0.0											15
16	14	0.0	F	F	F	F	F	F	F	F	F	F	16
17	14	0.0	L	L	L	L	L	L	L	L	L	L	17
18	13	0.0	O	O	O	O	O	O	O	O	O	O	18
19	14	0.0	W	W	W	W	W	W	W	W	W	W	19
20	13	0.0											20
21	11	0.0											21
22	8.2	0.0											22
23	8.7	0.0											23
24	10	0.0											24
25	10	0.0											25
26	10	0.0											26
27	10	0.0											27
28	11	0.0											28
29	12	0.0											29
30	13 *	0.0											30
31	7.5												31
MEAN	12.4	0.1											MEAN
MAX.	15	2.5											MAX.
MIN.	7.5	0.0											MIN.
AC. FT.	764	5											AC. FT.

E - ESTIMATED  
 NR - NO RECORD  
 \* - DISCHARGE MEASUREMENT OR OBSERVATION OF NO FLOW  
 # - E AND \*

MEAN DISCHARGE	MAXIMUM					MINIMUM					TOTAL
1.1	DISCHARGE	GAGE HT.	MO.	DAY	TIME	DISCHARGE	GAGE HT.	MO.	DAY	TIME	ACRE FEET
											769

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD		DATUM OF GAGE			
LATITUDE	LONGITUDE	1/4 SEC. T. & R. M.D.B.&M.	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		ZERO ON GAGE	REF. DATUM
			CFS	GAGE HT.	DATE			FROM	TO		
36 04 06	119 01 06	SE 26 21S 27E				JAN 43-DATE		1943		0.00	LOCAL

Station located in Porterville 0.5 mile west of Porterville Post Office, approximately 150 feet downstream from head. This is regulated diversion from Tule River via Porter Slough. This station is operated under cooperative agreement between the Department of Water Resources and the Tule River Association. Records furnished by the Tule River Association and reviewed by the Department of Water Resources.

TABLE B-4 (Cont.)

DAILY MEAN DISCHARGE  
(IN CUBIC FEET PER SECOND)

WATER YEAR	STATION NO.	STATION NAME
1968	C03965	VANDALIA DITCH NEAR PORTERVILLE

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DA
1	2.4			0.0	4.5	5.0	0.0	0.0	0.1	4.8*	4.5	1.3	1
2	2.4*			0.0	4.5	5.0	0.0	0.1	0.1	3.8	4.5	1.2	2
3	3.1			0.0	4.5	5.0	0.0	0.1	2.2	3.9	4.0	1.6*	3
4	3.1			0.0	4.5	5.0*	0.0	0.2	4.0*	3.7	2.3	2.2	4
5	3.0			0.0	4.5*	5.2	0.0	0.2	3.9	3.6	4.5	1.3	5
6	3.0			0.0	4.3	5.3	0.0	0.0	4.0	3.7	4.5	1.0	6
7	3.0			0.0	3.1	2.3	0.0	0.3	4.0	3.7	4.6	0.9	7
8	2.9			0.0	2.7	0.6	0.0	0.2	4.1	4.5*	4.6	0.8	8
9	2.3*			0.0	2.2	0.4	0.0	0.1	4.1	5.0	4.5	1.5*	9
10	1.7			0.0	3.9	0.4	0.0	0.1	4.3*	5.1	4.3	4.0	10
11	1.9			0.0	2.7	0.3*	0.0	0.2	4.6	5.2	4.3	3.3	11
12	2.3	N	N	0.0	4.4*	0.3	0.0	0.3	4.6	5.3	4.3*	3.0	12
13	2.6	O	O	0.0	4.5	0.3	0.0	0.3	4.6	5.3	4.2	3.0	13
14	2.6			0.0	4.5	0.2	0.0	0.2	4.6	5.2	3.6	2.9	14
15	2.7			0.0	4.5	0.1	0.0	2.6	4.6	5.3*	2.8	3.0	15
16	2.8	F	F	0.0	4.5	0.1	0.0	4.3*	4.6	4.4	0.2	3.0	16
17	2.3	L	L	2.9	4.4	0.0	0.0	4.3	4.5	4.3	1.0	2.7	17
18	2.3	O	O	4.5	3.9	0.0	0.0	4.2	4.5*	4.3	3.5	2.6	18
19	2.4	W	W	4.5	3.5*	0.0	1.1	4.1	4.2	4.3	4.1*	2.4	19
20	2.4			4.5	4.4	0.0	3.6	4.1*	4.1	4.3	4.5	2.3	20
21	2.4			4.5	4.8	0.0	3.3	4.1	4.0	4.3	4.6	2.2	21
22	2.4			4.5*	5.1	0.0	1.7	4.1	3.9	4.9*	4.4	2.1	22
23	2.4			4.5	5.2	0.0	0.0	4.1	4.1	4.8	4.4	2.1	23
24	2.4			4.5	5.2	0.0	0.0	4.1	4.5*	4.6	4.3	1.8	24
25	2.4*			4.5	5.2	0.0	0.2	4.0	5.0	4.7	4.3	1.3	25
26	2.4			4.5	5.2*	0.0	0.2	4.0	5.2	4.6	4.3*	1.6	26
27	2.4			4.5	5.1	0.0	0.1	3.9	5.2	4.6	4.0	1.6	27
28	2.4			4.5	5.0	0.0	0.1	3.6	5.0	4.6	3.7	2.2	28
29	2.4			4.5*	5.0	0.0	0.1	1.3	4.9	4.6	2.9	2.6	29
30	2.4*			4.5		0.0	0.1	0.1	4.8	4.5	1.9	2.7*	30
31	2.7			4.5		0.0		0.0		4.4	1.5		31
MEAN	2.5			2.1	4.3	1.1	0.4	1.9	4.1	4.5	3.7	2.1	MEAN
MAX.	3.1			4.5	5.2	5.3	3.6	4.3	5.2	5.3	4.6	4.0	MAX.
MIN.	1.7			0.0	2.2	0.0	0.0	0.0	0.1	3.6	0.2	0.8	MIN.
AC. FT.	154			131	250	70	21	117	243	278	228	127	AC. FT.

E - ESTIMATED  
 NR - NO RECORD  
 \* - DISCHARGE MEASUREMENT OR OBSERVATION OF NO FLOW  
 # - E AND \*

MEAN DISCHARGE
2.2

MAXIMUM				
DISCHARGE	GAGE HT.	MO.	DAY	TIME

MINIMUM				
DISCHARGE	GAGE HT.	MO.	DAY	TIME

TOTAL ACRE FEET
1619

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD		DATUM OF GAGE			
LATITUDE	LONGITUDE	1/4 SEC. T. & R. M.O.B.&M.	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		ZERO ON GAGE	REF. DATUM
			CFS	GAGE HT.	DATE			FROM	TO		
36 03 00	118 58 18	NE 5 22S 28E				1948-DATE		1948		0.00	LOCAL

Station located 2.8 miles southeast of Porterville approximately 1,000 feet downstream from head. This is regulated diversion from Tule River. This station is operated under cooperative agreement between the Department of Water Resources and the Tule River Association. Records furnished by the Tule River Association and reviewed by the Department of Water Resources.

TABLE B-4 (Cont.)

DAILY MEAN DISCHARGE  
(IN CUBIC FEET PER SECOND)

WATER YEAR	STATION NO.	STATION NAME
1968	C03960	POPLAR DITCH NEAR PORTERVILLE

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1	67	0.0	49	29	16	68		0.0	0.1	85	23	0.3	1
2	67	0.0	46	31 *	15	67		0.0	0.3	15	1.3	0.0	2
3	66	0.0	41	32	18	67		0.0	0.5	0.7	1.3	0.0	3
4	67	0.0	38 *	33	22	68 *		0.0	0.6	0.7	1.3	0.0	4
5	68	0.0	37	33	24 *	68 *		0.0	0.7	0.7	8.0	0.0	5
6	68	0.0	37	33	5.8	68		0.0	0.9	0.7	64	0.0	6
7	67	0.0	37	32	0.5	69		0.0	1.0	0.7	92	0.0	7
8	69	0.0	36	33	0.4	67		0.0	1.1	7.4	105 *	0.0	8
9	72 *	0.0	40	32	0.0	64		0.0	1.2	79	104	0.0	9
10	76	0.0	43	31	0.0	43		0.0	46	97 *	105	0.2	10
11	77	0.0	43 *	31	0.0	5.5		0.0	78	105	105	1.0	11
12	76	0.0	45	22	0.0	0.7	N	0.0	85	106	103	0.6	12
13	74	0.0	43	16	0.0	0.5	O	3.5*	86	105	101	0.9	13
14	74	0.0	41	17	0.0	0.4		2.6	86	104	18	0.5	14
15	74	0.0	39	16 *	0.0	0.4		16	87	104	1.2	0.0	15
16	74	0.0	38	16	0.0	0.4	F	28 *	88	16	1.1	0.2	16
17	74	0.0	38	16	0.0	0.4	L	28	85 *	1.5	0.9	0.0	17
18	68	0.0	35 *	16	0.0	0.5	O	21	80	1.6	0.9	0.0	18
19	64	0.0	32	16	0.0	0.6	W	26	17	1.6	1.0	0.0	19
20	62	0.0	33	16	0.0	0.5		24 *	1.1	1.5	22	0.0	20
21	62	0.0	35	16	5.6	0.5		24	0.9	1.5	67 *	0.0	21
22	63	0.0	30	15 *	49	0.6		24	0.7	9.6	68	0.0	22
23	63 *	0.0	28	16	77	0.6		23	0.8	66	64	0.0	23
24	63	0.0	27	16	73	0.4		22	6.3	88	62	0.0	24
25	63	0.0	27	16	71	0.4		21	56	110	63	0.0	25
26	63	0.0	32 *	16	72 *	0.4		20	98 *	109	63	0.0	26
27	62	0.0	34	16	76	0.4		11 *	106	103	54	0.0	27
28	58	0.0	34	16	72	0.3		0.1	105	103	19	0.0	28
29	53	0.0	34	16 *	69	0.0		0.1	103	103 *	1.0	0.0	29
30	50 *	19	32	16	0.0	0.0		0.1	101	101	0.9	0.0	30
31	14		29	16	0.0	0.0		0.1		92	0.7		31
MEAN	65.1	0.6	36.5	21.8	23.0	21.4		9.5	44.1	55.5	42.6	0.1	MEAN
MAX.	77	19	49	33	77	69		28	106	110	105	1.0	MAX.
MIN.	14	0.0	27	15	0.0	0.0		0.0	0.1	0.7	0.7	0.0	MIN.
AC.FT.	4003	38	2247	1341	1322	1314		584	2624	3410	2621	7	AC.FT.

E - ESTIMATED  
NR - NO RECORD  
\* - DISCHARGE MEASUREMENT OR OBSERVATION OF NO FLOW  
# - E.A.H.D. \*

MEAN DISCHARGE	MAXIMUM					MINIMUM					TOTAL ACRE FEET
26.9	DISCHARGE	GAGE HT.	MO.	DAY	TIME	DISCHARGE	GAGE HT.	MO.	DAY	TIME	1951

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD		DATUM OF GAGE				
LATITUDE	LONGITUDE	1/4 SEC. T. & R. M.D.B.&M.	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		ZERO ON GAGE	REF. DATUM	
			CFS	GAGE HT.	DATE			FROM	TO			
36 03 18	119 00 54	SW36 21S 27E				APR 42-DATE			1942		0.00	LOCAL

Station located 1.0 mile south of Porterville approximately 4,750 feet downstream from head. This is regulated diversion from Tule River. This station is operated under cooperative agreement between the Department of Water Resources and the Tule River Association. Records furnished by the Tule River Association and reviewed by the Department of Water Resources.

TABLE B-4 (Cont.)

**DAILY MEAN DISCHARGE**  
(IN CUBIC FEET PER SECOND)

WATER YEAR	STATION NO.	STATION NAME
1968	C03925	HUBBS-MINER DITCH AT PORTERVILLE

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.
1	3.6				0.0	0.0	1.7*	7.4	0.0	25	7.8	1.0	
2	5.9				0.0	0.0	3.0	9.3	3.7	23 *	2.0	0.0	
3	13				0.0	0.0	4.7	5.3	10 *	23	0.0	0.0	
4	7.0				0.0	0.0	4.9	2.6	8.1	23	0.0	0.0	
5	7.0				0.0	0.0	4.9	0.0	9.6	20	4.3	0.0	
6					0.0	0.0	5.0	0.0	12	19	10 *	0.0	
7	7.0				0.0	3.0	5.1	3.0*	13	20	11	0.0	
8	6.6				0.0	1.2	6.6*	4.1	12	21 *	10	0.0	
9	9.0				0.0	0.0	6.3	5.3	11	21	10	0.0	
10	7.2				0.0	0.0	3.3	4.6	11	21	10	0.0	
11	7.2				0.0	3.1*	0.0	4.6	12	22	10	2.5	
12	7.2	N	N	N	2.9*	8.4	0.0	2.9	13	22	11 *	4.5	
13	7.2	O	O	O	4.3	8.2*	0.0	4.1*	18	21	9.1	2.6	
14	7.0				2.2	7.8*	0.0	3.0	19	21	7.1	0.0	
15	7.6				0.0	8.1*	0.0	3.4	20	21 *	2.5	0.0	
16	11	F	F	F	0.0	7.8	0.0	0.0	20	16	0.0	0.0	
17	8.3	L	L	L	0.0	7.5	2.5*	0.0	20	14 *	0.0	0.0	
18	8.3	O	O	O	0.0	7.6*	3.5	0.0	20	16	0.0	0.0	
19	9.4	W	W	W	0.0	8.1	1.2	0.0	20	13	0.0	0.0	
20	11				0.0	5.4	0.0	3.8*	22	9.3	0.0	0.0	
21	11				0.0	4.1	0.0	6.2	22	9.0	6.4	0.0	
22	9.4				0.0	4.4	0.0	4.2	22	9.7*	7.6	0.0	
23	9.4*				0.0	1.1	0.0	3.0	22	9.7	7.5	0.0	
24	14				0.0	0.0	0.0	3.0	24	8.5	7.8	0.0	
25	13				0.0	0.0	2.1	1.7	25 *	9.6	8.1	0.0	
26	14				0.0	0.0	2.9	0.3	26	10	8.3*	0.0	
27	13				0.0	0.0	4.3	0.0	26	9.5	8.1	0.0	
28	10				0.0	0.0	5.0	0.0	26	9.6	7.9	0.0	
29	9.2				0.0	0.0	4.1*	0.0	26	9.5*	4.7	0.0	
30	9.8*				0.0	0.0	4.3	0.0	25	9.6	2.7	0.0	
31	5.9				0.0	0.0	0.0	0.0	25	9.6	2.2	0.0	
MEAN	8.9				0.3	2.8	2.5	2.6	17.3	16.0	5.7	0.4	
MAX.	14				4.3	8.4	6.6	9.3	26	25	11	4.5	
MIN.	3.6				0.0	0.0	0.0	0.0	0.0	8.5	0.0	0.0	
AC. FT.	547				19	170	150	162	1028	983	349	21	

E - ESTIMATED  
 NR - NO RECORD  
 \* - DISCHARGE MEASUREMENT OR OBSERVATION OF NO FLOW  
 # - E AND \*

MEAN DISCHARGE
4.7

MAXIMUM				
DISCHARGE	GAGE HT.	MO.	DAY	TIME

MINIMUM				
DISCHARGE	GAGE HT.	MO.	DAY	TIME

TOTAL ACRE FEET
3429

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD		DATUM OF GAGE			
LATITUDE	LONGITUDE	1/4 SEC. T. & R. M.D.B.&M.	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		ZERO ON GAGE	REF. DATUM
			CFS	GAGE HT.	DATE			FROM	TO		
36 03 27	119 02 02	NW35 21S 27E				DEC 42-DATE		1942		0.00	LOCAL

Station located 1.1 miles southwest of Porterville, approximately 3,400 feet downstream from head. This is regulated diversion from Tule River. This station is operated under cooperative agreement between the Department of Water Resources and the Tule River Association. Records furnished by the Tule River Association and reviewed by DWR.

TABLE B-4 (Cont.)

**DAILY MEAN DISCHARGE**  
(IN CUBIC FEET PER SECOND)

WATER YEAR	STATION NO.	STATION NAME
1968	C03940	RHODES-FINE DITCH NEAR PORTERVILLE

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1													1
2													2
3													3
4													4
5													5
6													6
7													7
8													8
9													9
10													10
11													11
12													12
13													13
14													14
15													15
16													16
17													17
18													18
19													19
20													20
21													21
22													22
23													23
24													24
25													25
26													26
27													27
28													28
29													29
30													30
31													31
MEAN													MEAN
MAX.													MAX.
MIN.													MIN.
AC. FT.													AC. FT.

NO FLOW

E - ESTIMATED  
 NR - NO RECORD  
 \* - DISCHARGE MEASUREMENT OR OBSERVATION OF NO FLOW  
 # - E AND \*

MEAN DISCHARGE		MAXIMUM				MINIMUM				TOTAL ACRE FEET		
DISCHARGE		DISCHARGE	GAGE HT.	MO.	DAY	TIME	DISCHARGE	GAGE HT.	MO.	DAY	TIME	

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD		DATUM OF GAGE				
LATITUDE	LONGITUDE	1/4 SEC. T. & R. M.D.B.&M.	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		ZERO ON GAGE	REF. DATUM	
			CFS	GAGE HT.	DATE			FROM	TO			
36 03 26	119 04 13	SE32 21S 27E				DEC 42-DATE			1942		0.00	LOCAL

Station located 3.1 miles southwest of Porterville, approximately 3,100 feet downstream from head. This is regulated diversion from Tule River. This station is operated under cooperative agreement between Department of Water Resources and the Tule River Association. Records furnished by the Tule River Association and reviewed by the Department of Water Resources.

TABLE B-4 (Cont.)

DAILY MEAN DISCHARGE  
(IN CUBIC FEET PER SECOND)

WATER YEAR	STATION NO.	STATION NAME
1968	C03948	WOODS-CENTRAL DITCH NEAR PORTERVILLE

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DA
1			0.0	32	34 *				0.0	164	49		1
2			0.0	32 *	34				0.0	70	0.0		2
3			0.0	32	34				0.0	0.0	0.0		3
4			0.0	31	37				0.0	0.0	0.0		4
5			0.0	32	39 *				0.0	0.0	9.9		5
6			11	32	45				0.0	0.0	93		6
7			29	32	50				0.0	0.0	124		7
8			32	32 *	54				0.0	0.0	161		8
9			36	37	58				0.0	162	155		9
10			35	43	62				0.0	155	158		10
11			28 *	39	64				0.0	172 *	163		11
12	N	N	24	39	68 *	N	N	N	0.0	186	162	N	12
13	O	O	25	41	69	O	O	O	0.0	185	137 *	O	13
14			26	41	28				0.0	179	32		14
15			31	34 *	0.0				0.0	174	0.0		15
16	F	F	34	25	0.0	F	F	F	0.0	38	0.0	F	16
17	L	L	33	26	0.0	L	L	L	0.0	0.0	0.0	L	17
18	O	O	32 *	27	0.0	O	O	O	0.0	0.0	0.0	O	18
19	W	W	32	26	0.0	W	W	W	0.0	0.0	0.0	W	19
20			27	32	0.0				0.0	0.0	0.0		20
21			23	36	0.0				0.0	0.0	0.0		21
22			26	36 *	0.0				0.0	0.0	0.0		22
23			30	34	0.0				0.0	103	0.0		23
24			33	32	0.0				0.0	87	0.0		24
25			33	32	0.0				62	161	0.0		25
26			32 *	32	0.0				137	186	0.0		26
27			31	32	0.0				171	207	0.0		27
28			31	32	0.0				191 *	199	0.0		28
29			31	33 *	0.0				187	195	0.0		29
30			31	34					167	172	0.0		30
31			32	34 *						162	0.0		31
MEAN			24.8	33.3	23.3				30.5	95.4	40.1		MEAN
MAX.			36	43	69				191	207	163		MAX.
MIN.			0.0	25	0.0				0.0	0.0	0.0		MIN.
AC. FT.			1523	2047	1341				1815	5865	2467		AC.

E - ESTIMATED  
NR - NO RECORD  
\* - DISCHARGE MEASUREMENT OR OBSERVATION OF NO FLOW  
# - E AND \*

MEAN DISCHARGE	MAXIMUM				MINIMUM				TOTAL		
20.7	DISCHARGE	GAGE HT.	MO.	DAY	TIME	DISCHARGE	GAGE HT.	MO.	DAY	TIME	ACRE FEET
											15060

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD		DATUM OF GAGE			
LATITUDE	LONGITUDE	1/4 SEC. T. & R. M.D.B.&M.	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		ZERO ON GAGE	REF. DATUM
			CFS	GAGE NT.	DATE			FROM	TO		
36 04 18	119 05 48	SE30 21S 27E				DEC 42-DATE				0.00	LOCAL

Station located 4.5 miles west of Porterville, approximately 100 feet downstream from head. This is regulated diversion from Tule River. This station is operated under cooperative agreement between the Department of Water Resources and the Tule River Association. Records furnished by the Tule River Association and reviewed by the Department of Water Resources. This station is sometimes affected by backwater due to CVP water being delivered from the Friant-Kern Canal to Woods-Central Ditch approximately 100 feet downstream from station.



TABLE B-4 (Cont.)

DAILY MEAN DISCHARGE

(IN CUBIC FEET PER SECOND)

WATER YEAR	STATION NO.	STATION NAME
1968	C05150	KERN RIVER NEAR BAKERSFIELD

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1	2280	889	629	570	539	833	853	940	1003	1457	1181	279	1
2	2295	895	644	558	539	815	652	944	990	1408	1204	287	2
3	2323	954	644	529	545	864	749	923	1008	1440	1195	298	3
4	2342	954	646	529	547	887	671	938	1047	1389	1138	318	4
5	2231	954	635	523	579	894	678	894	1086	1335	1159	327	5
6	2259	954	635	526	621	941	661	824	1128	1364	1223	318	6
7	2238	952	622	519	615	940	650	827	1233	1440	1302	279	7
8	2214	902	597	505	577	823	682	824	1340	1494	1290	262	8
9	2234	1004	584	496	566	830	741	841	1431	1513	1254	294	9
10	2173	1156	567	503	545	803	813	841	1427	1565	1254	267	10
11	1952	1332	557	512	556	782	827	778	1460	1532	1256	251	11
12	969	1217	553	579	573	742	849	747	1544	1479	1234	239	12
13	889	1178	539	566	613	679	771	785	1610	1435	1192	216	13
14	833	1016	502	512	633	661	771	771	1660	1447	1156	196	14
15	740	993	440	512	654	624	857	766	1608	1462	1084	188	15
16	704	980	449	516	621	610	872	754	1622	1394	1113	194	16
17	684	898	452	557	612	595	908	668	1678	1343	1055	192	17
18	666	877	489	569	577	588	854	688	1727	1330	1006	206	18
19	683	885	604	565	636	587	800	776	1770	1286	988	185	19
20	913	907	583	520	665	625	732	829	1747	1184	993	183	20
21	1051	957	580	524	680	672	737	845	1667	1141	968	189	21
22	1062	957	583	526	649	656	708	761	1546	1164	650	178	22
23	1074	957	593	528	628	623	730	886	1537	1214	552	164	23
24	1082	957	593	529	617	688	743	883	1600	1293	484	179	24
25	1079	957	593	525	670	688	739	857	1576	1291	415	184	25
26	1080	957	593	573	741	679	678	857	1661	1294	417	165	26
27	1048	957	594	587	815	644	657	882	1705	1263	415	199	27
28	957	861	592	562	853	686	722	914	1714	1257	394	194	28
29	962	591	602	556	827	691	824	996	1692	1244	348	210	29
30	950	588	595	539	703	703	875	1015	1573	1179	327	244	30
31	888		600	567		786		1041		1177	281		31
MEAN	1382	955	577	538	631	730	757	848	1480	1349	920	230	MEAN
MAX.	2342	1332	646	587	853	941	908	1041	1770	1565	1302	327	MAX.
MIN.	666	588	440	496	539	587	650	668	990	1141	281	164	MIN.
AC. FT.	85002	56799	35482	33088	36284	44904	45035	52155	88046	82937	56584	13656	AC. FT.

E - ESTIMATED  
 NR - NO RECORD  
 \* - DISCHARGE MEASUREMENT OR OBSERVATION OF NO FLOW  
 # - E AND \*

MEAN		MAXIMUM				MINIMUM				TOTAL		
DISCHARGE		DISCHARGE	GAGE HT.	MO.	DAY	TIME	DISCHARGE	GAGE HT.	MO.	DAY	TIME	ACRE FEET
868												630000

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD			DATUM OF GAGE		
LATITUDE	LONGITUDE	1/4 SEC. T. & R. M.D.B.&M.	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		ZERO ON GAGE	REF. DATUM
			CFS	GAGE HT.	DATE			FROM	TO		
35 25 9	118 56 8	SW 2 29S 28E	36000	14.2	11-19-50	93-DATE					

Also known as "Kern River at First Point". Station located 5.8 miles northeast of Bakersfield. Tabulated discharge is the regulated flow and is computed from noon to noon beginning at noon of day shown. Records furnished by Kern County Land Company. Drainage area is 2,407 square miles.

TABLE B-4 (Cont.)

**DAILY MEAN DISCHARGE**  
(IN CUBIC FEET PER SECOND)

WATER YEAR	STATION NO.	STATION NAME
1968	CD712D	BUENA VISTA CREEK NEAR TAFT

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1													1
2													2
3													3
4													4
5													5
6													6
7													7
8													8
9													9
10													10
11													11
12													12
13													13
14													14
15													15
16													16
17													17
18													18
19													19
20													20
21													21
22													22
23													23
24													24
25													25
26													26
27													27
28													28
29													29
30													30
31													31
MEAN													MEAN
MAX.													MAX.
MIN.													MIN.
AC. FT.													AC. FT.

INSUFFICIENT DATA TO PUBLISH DAILY FLOWS

- E - ESTIMATED
- NR - NO RECORD
- \* - DISCHARGE MEASUREMENT OR OBSERVATION OF NO FLOW
- # - E AND \*

MEAN DISCHARGE	MAXIMUM				MINIMUM				TOTAL ACRE FEET
DISCHARGE	GAGE HT.	MO.	DAY	TIME	DISCHARGE	GAGE HT.	MO.	DAY	TIME
	1.72	11	21	1920	0.0		10	01	0000

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD		DATUM OF GAGE			
LATITUDE	LONGITUDE	1/4 SEC. T. & R. M.D.B.&M.	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		ZERO ON GAGE	REF. DATUM
			CFS	GAGE HT.	DATE			FROM	TO		
35 12 21	119 24 35	NW28 31S 24E		2.9	8-14-65		NOV 64-DATE	1964		0.00	LOCAL

Station located at State Highway 119 bridge immediately southwest of Valley Acres, 5.7 miles northeast of Taft. Tributary to Buena Vista Lake. Recorder installed 11-10-64. Altitude of gage is approximately 425 feet (from topographic map).

TABLE B-5

DIVERSIONS

Monthly and annual acre-feet of water diverted are shown in this Table for the San Joaquin, Stanislaus, Tuolumne, Merced, and Tule Rivers, and Dry Creek, a tributary to the Tuolumne River, for the 1968 water year. Diversion points which divert less than 200 acre-feet annually based on a three-year average are discontinued from the program. This allows for collection and publication of approximately 95 percent of the water diverted for use by measuring and collection of record on about 50 percent of the total diversion points.

Monthly diversion values have been rounded off as follows:

1. Individual diversions - acre-feet

0.0	- 999	nearest	Unit
1,000	- 9,999	"	Ten
10,000	- 99,999	"	Hundred
100,000	- 999,999	"	Thousand

2. Total monthly diversion - cubic feet per second

All values to nearest unit.

3. Monthly use in percent

All values to nearest tenth.

Data received from outside agencies are published as received and are not rounded to the criteria used by the Department of Water Resources.

TABLE B-5

DIVERSIONS - SAN JOAQUIN RIVER  
(Vernalis to Fremont Ford Bridge)  
October 1967 through September 1968

WATER USER	MILE AND BANK ABOVE MOUTH	NUMBER AND SIZE OF PUMP IN INCHES	MONTHLY DIVERSION IN ACRE - FEET											TOTAL DIVERSION OCT-SEPT. ACRE-FEET			
			OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.		SEPT.		
--DURHAM FERRY BRIDGE--	76.7																
--GAGING STATION - SAN JOAQUIN RIVER NEAR VERNALIS--	76.7																
Moresco Brothers	78.9 R	1-14 1-24								66	316	811	472	510	246		2421
Cruze, Trudel and Gillmeister	79.4 R	1-20	34								87	66	95	108	70	21	481
--STANISLAUS RIVER--	79.7 R																
Faith Ranch	79.8 R	1-16	92	22						58	115	133	152	151	182	87	992
W. C. Blewett Estate	80.7 L	1-12									299	285	211	243	125	6	1169
W. C. Blewett Estate	81.8 L	2-12 1-14	30							74	539	1230	764	1050	683	165	4535
--GAGING STATION - SAN JOAQUIN RIVER AT MAZE ROAD BRIDGE--	81.85																
Blewett Mutual Water Company	81.95L	1-10 2-12 1-14	120								515	1200	979	1190	846	392	5242
El Solyo Water District	82.0 L	1-10 1-16 3-18	90							18	2260	3090	2340	3250	1960	869	13880
--HETCH HETCHY AQUEDUCT CROSSING--	82.65																
El Solyo Ranch	82.9 L	1-16	48								7	43	220	81	160	72	631
El Solyo Ranch	83.5 L	1-12	56								36	73	187	162	174	46	734
El Solyo Ranch	83.7 L	1-12									117	90	258	176	245	167	1053
Faith Ranch	84.4 R	1-16 1-20	787	206	63					260	655	815	959	981	1010	826	6562
--GAGING STATION - SAN JOAQUIN RIVER AT CALDWELL--	90.95																
--TUOLUMNE RIVER--	91.0 R																
--WEST STANISLAUS IRRIGATION DISTRICT INTAKE CANAL	91.8 L																
West Stanislaus Irrigation	91.8 L	1-12 1-24 6-26	1380	528	154	1040	484	3340	7850	8570	7440	9270	5620	1100	46780		
Fred Lars #1	* (0.6S)	1-14							40	245	233	519	406	63	280		1786
E. E. Hagemann Ranch #1	* (0.7N)	3-16	14	4					45	552	631	919	859	484	211		3719
E. E. Hagemann Ranch #2	* (1.1N)	1-14 1-16		156					32	1000	862	853	812	681	653		5049
Fred Lars #2	* (2.2S)	1-16	14							20		53	22				109
E. E. Hagemann Ranch #3	* (2.3N)	2-16	88							155	252	167	131	174	75		1042
John and Robert Bogetti a	92.1 R	1-12								93	32	130	117	47	125		544
John and Robert Bogetti	93.1 R b	1-10 1-12 1-14	8								390	770	966	705	744	100	3683
George Covert c	94.1 L	1- 3 1- 6									18	2	12	18			50
Rancho Dos Rios	94.7 R	1-12	136	25	3	4	2			293	222	319	450	487	262		2203
E. L. Brazil	95.5 R	1-16	202	82						1	257	142	304	410	272	209	1879
Island Dairy	96.0 L	1-18	50	2		2	3	193	531	271	509	753	445	307			3066
--LAIRD SLOUGH BRIDGE--	96.05																
Rancho El Pescadero	98.9 L	1-18									405	205	309	204			1123
Patterson Water District	104.4 L	1-14 2-18 3-20 1-36								1570	8020	7690	7140	7570	7400	4230	43620
Chase Brothers	104.5 R	1-18	322								308	414	272	601	202	262	2381
--PATTERSON BRIDGE--	104.6																
Chase Brothers	106.5 R	1-12	80								282	416	509	439	383	627	2736
Tony Spinelli	109.1 R	1-12	79								48	39	46	34	38	38	322
Twin Oaks Irrigation Company	109.8 L	1-12 1-16 1-18 1-20	48								1180	1680	1320	1820	1120	1080	e 8248
T. J. Henderson	110.8 R	1- 8	44								6	39	50	188	117	164	608
L. A. Thompson	112.55R	1-18	61							129	97	198	132	150	145	153	1065
D. R. Lemos	113.4 R	1-12	2			42	18	46	124	139	115	125	83	86			780
--GAGING STATION - SAN JOAQUIN RIVER AT CROWS LANDING BRIDGE--	113.4																

TABLE 8-5 (Cont.)  
 DIVERSIONS - SAN JOAQUIN RIVER  
 (Vernalis to Fremont Ford Bridge)  
 October 1967 through September 1968

WATER USER	MILE AND BANK ABOVE MOUTH	NUMBER AND SIZE OF PUMP IN INCHES	MONTHLY DIVERSION IN ACRE - FEET											TOTAL DIVERSION OCT-SEPT. ACRE-FEET				
			OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.		SEPT.			
D. R. Lemos	114.63R	1- 8	36							68	45	71	46	137	170	573		
Arnold and Ben Souza	114.75R	2-10	94							272	225	240	361	426	360	216	2194	
--ORESTIMBA CREEK--	115.2 L																	
Roy F. Crow	115.8 L	1-10								215	208	175	157	218	58	246	1277	
L. B. Crow	116.05L	1-14	60								210	194	200	133	192	99	1088	
John W. Greer	116.15R	1- 8	12								36	38	39	67	39	43	274	
John W. Greer	116.5 R	1-12										252	334	208	222	271	290	1577
Manuel A. Serpa	121.3 R	b 1-10 1-18	59									164	402	664	264	419	332	2304
--MERCED RIVER SLOUGH--	122.2 R																	
Stevinson Corporation	122.6 L	1-16								146	177	333	249	352	216	150	1623	
--GAGING STATION - SAN JOAQUIN RIVER NEAR NEWMAN--	123.7																	
--MERCED RIVER--	123.75R																	
Stevinson Corporation	129.1 R	1-16	231							373	442	691	501	466	403	463	3570	
--GAGING STATION - SAN JOAQUIN RIVER AT FREMONT FORD BRIDGE--	129.5																	
<u>VERNALIS TO FREMONT FORD BRIDGE</u>																		
Total			4277	1025	220	1088	507	6878	28580	33110	31160	35170	26320	14620			183000	
Average cubic feet per second			70	17	3.6	18	8.8	112	480	538	524	572	428	246			252	
Monthly use in percent of seasonal			2.3	0.6	0.1	0.6	0.3	3.8	15.6	18.1	17.0	19.2	14.4	8.0				

\* West Stanislaus Irrigation District Canal Intake Canal joins the San Joaquin River at mile 91.8L. Distance from the river and bank location of diversion are shown in parentheses.  
 a Installed prior to 1968. Not previously listed.

b The 10-inch unit was installed in 1968.  
 c Formerly listed as T. C. Daily  
 d Replaces a 16-inch unit.  
 e Includes an undetermined amount of water returned to river by spill.

TABLE B-3 (Cont.)

 DIVERSIONS - SAN JOAQUIN RIVER  
 (Fremont Ford Bridge to Gravelly Ford)  
 October 1967 through September 1968

WATER USER	MILE AND BANK ABOVE MOUTH	NUMBER AND SIZE OF PUMP IN INCHES	MONTHLY DIVERSION IN ACRE - FEET											TOTAL DIVERSION OCT.-SEPT. ACRE- FEET			
			OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.		SEPT.		
--GAGING STATION - SAN JOAQUIN RIVER AT FREMONT FORD BRIDGE--	129.5																
--GAGING STATION - SAN JOAQUIN RIVER NEAR COS BAUDS--	186.0																
San Luis Canal Company	186.6 d	Gravity	7438	2757	1722	200	5661	11768	17917	16932	24287	28693	26575	18165			164135
--FIREBAUGH BRIDGE--	198.4																
--GAGING STATION - SAN JOAQUIN RIVER NEAR MENDOTA--																	
--MENDOTA DAM--	208.83																
Central California Irrigation District	208.8 d	Gravity	20651	10960	218	2570	16403	42370	61390	63316	72921	81712	70836	32875	a		476232
--FRESNO SLOUGH--	b	209.3 d															
--DELTA-MENDOTA CANAL--	(3.21)																
Firebaugh Canal Company	b	(3.42)	2555	1117		1146	3000	3693	4760	5454	5467	7244	6607	5649	c		46692
M. L. Dudley	b	(3.42)	194	14			274	416	324	426	524	432	498	319			3421
State of California Mendota Waterfowl Management	b	(6.45-8.28)	4508	3053	970		99	373	1679	1904	1202	2908	2826	3846			23666
Fresno Slough Water District	b	(9.20-10.50)	35				599	294	261	200	575	549	449	149			3160
--JAMES BYPASS--	(11.809)																
Traction Ranch	e	(0.75)	486	4		67	942	822	899	1089	1194	1589	1484	738			9314
Reclamation District 1606	a	(1.50)					77	13			54	81	79				309
James Irrigation District	e	(4.4)	910	167			6672	5260	3301	3606	6222	9057	8817	1216			47228
Tranquillity Irrigation District	b	(12.00-13.75)	167			534	6446	1463	1546	2180	5740	6321	4663	1144	f		30204
Melvin S. Hughes	b	(12.20)						24			18	16	36				94
--LOVE WILLOW SLOUGH--	219.8 g																
Columbia Canal Company			2675	1694	36	532	2804	4562	6081	7349	8743	9392	8753	6034			58675
State Center Land Company		g	1-6	93	145	48								26			312
M. Beck		h	1-8	26		20											46
Tolle Gun Club			1-8	30													30
Westlands Water District			1201	1252	389		3826	3047	2475	2640	4624	4691	2854	375	j		27334
Grasslands			19625	7373													6470
J. W. Wilson							133				61	111	111				422
--GAGING STATION - SAN JOAQUIN RIVER AT WHITEHOUSE--	219.83																
--GRAVELLY FORD CANAL--	232.8 g																
<u>FREMONT FORD BRIDGE TO GRAVELLY FORD</u>																	
Total			60842	28538	3373	5069	45956	74106	100633	107166	133752	152906	134677	77006			925044
Average cubic feet per second			989	480	55	82	816	1205	1692	1749	2245	2487	2190	1294			1274
Monthly use in percent of seasonal			6.6	3.1	0.4	0.5	5.1	8.0	10.3	11.6	14.4	16.5	14.6	8.3			

Records for this reach furnished by the U. S. Bureau of Reclamation and the Contracting Entities, and include operational spill. Acre-foot values are published as received and not rounded to the criteria used by the Department of Water Resources.

- a Total does not include Central California Irrigation District deliveries from the Delta-Mendota Canal.  
 b Plant is located on Fresno Slough which diverts from the San Joaquin River at mile 209.02. Distance from the San Joaquin River and bank of slough on which diversion is located are shown in parentheses.  
 c Total does not include Firebaugh Canal Company deliveries from the Delta Mendota Canal.  
 d Previously published as "Traction Water District".  
 e Plant is located on James Bypass which diverts from Fresno Slough at mile 11.809. Distance from Fresno Slough and bank location of diversion are shown in parentheses.

- f Includes deliveries to Glotz property under transfer to Westlands Water District.  
 g One 6-inch pump located on arm of slough at SW corner S. 12, T. 14 S., R. 15 E.  
 h One 8-inch pump located on arm of slough 1400 feet S. of NE corner, S. 24, T. 14 S., R. 15 E.  
 i One 8-inch pump located on arm of slough adjacent to M. Beck.  
 j Does not include transferred water delivered to Glotz property by Tranquillity Irrigation District and deliveries under separate agreements by Panoche Water District and San Luis Water District.

TABLE B-5 (Cont.)

DIVERSIONS - SAN JOAQUIN RIVER  
(Gravelly Ford to Friant Dam)  
October 1967 through September 1968

WATER USER	MILE AND BANK ABOVE MOORE	NUMBER AND SIZE OF PUMP IN INCHES	MONTHLY DIVERSION IN ACRE - FEET												TOTAL DIVERSION OCT.-SEPT. ACRE-FEET
			OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	
Carl H. Hobe	233.03R	2- 6	167	165	38			42	34	119	202	305	307	280	2634
United Packing Company	233.63L	1- 6	6					113	47	89	101	155	53	73	677
--SKAGGS BRIDGE--	238.26														
--U. S. HIGHWAY 99 BRIDGE--	247.38														
--SANTA FE RAILROAD BRIDGE--	249.23														
Miller Brothers	251.46L	1- 6	5	11	13				28	84	54	56	55	46	374
Sycamore Island Stock Ranch 5	255.34	1- 5		18				11	29	40	91	49	37	27	382
Oscar Spano River Ranch 4	256.38L	1- 8	65	41					34	65	78	54	73	50	518
Sycamore Island Stock Ranch 2	256.52R	1- 8							31	44	82	49	35	34	278
Oscar Spano River Ranch 1	257.10L	1-16	110	87					66	73	77	156	163	204	835
Oscar Spano River Ranch 2	257.70L	1-12	33	4			2		71	66	78	116	78	83	497
James Sims	258.08R	1- 6 1- 7							5	22	54	53	101	18	313
--STATE HIGHWAY 41 BRIDGE--	258.33														
W. E. Roberts 2	258.90L	1-12	145	13	7	7	6	40	76	175	173	192	180	195	1209
J. E. Cobb	259.39R	2- 6	3						4	13	75	68	73	12	245
--OLD LANES BRIDGE--	259.78														
J. E. Cobb 3	260.40R	1- 6	39	17					74	97	130	114	104	71	685
R. C. Arnold	261.53R	1- 4 1- 5	29	13					21	45	53	95	72	60	388
Duane M. Folson	261.70L	1- 6	53	38					44	64	112	150	198	58	717
E. G. Rank, Jr.	262.32L	1- 5	33						33	46	53	74	92	27	358
W. H. Rohde	262.66L	1- 7	3						9	15	40	62	61	16	206
H. K. Jensen	263.76R	1- 5	32	16				5	58	40	60	52	73	50	386
W. F. Ball #2	264.04L	1- 6	57	14				12	81	53	46	59	45	45	412
Ike D. Ball	264.60R	1- 6	73	45				25	81	99	97	101	34	69	684
W. F. Ball	264.83L	1- 4 1- 5	56	16		1			63	75	82	53	75	77	531
Virgil Durando	267.56L	1- 8	54	3	1	2	4	52	28	101	176	327	184	201	903
--GAGING STATION - SAN JOAQUIN RIVER BELOW FRIANT--	268.13L														
--FRIANT BRIDGE--	268.68														
--COTTONWOOD CREEK--	269.53R														
--FRIANT DAM--	269.63														
<u>GRAVELLY FORD TO FRIANT DAM</u>															
Total			963	501	59	10	12	300	977	1425	1952	2325	2215	1536	12275
Average cubic feet per second			16	8	1	0	0	5	16	23	33	38	36	26	17
Monthly use in percent of seasonal			7.5	4.1	0.5	0.1	0.1	2.4	5.0	11.6	15.9	16.9	16.0	12.5	

TABLE B-5 (Cont.)  
 DIVERSIONS - STANISLAUS RIVER  
 October 1967 through September 1968

WATER USER	MILE AND BANK ABOVE MOUTH	NUMBER AND SIZE OF PUMP IN INCHES	MONTHLY DIVERSION IN ACRE - FEET											TOTAL DIVERSION OCT.-SEPT. ACRE- FEET		
			OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.		SEPT.	
Moresco Brothers	1.9 R	1-16	15	5						38	18	105	16	67	38	302
C. C. Angyel	2.4 R	1-18	97								331	360	382	498	385	a 2053
Faith Ranch	3.4 L	2-12 1-16	487	134		1			185	374	455	561	554	575	397	3723
Reclamation District 2064	4.0 R	1-14 1-16 2-20	324	32					172	1090	1200	1870	1890	1490	994	9062
Reclamation District 2075	4.05R	2-16 1-20	562	162		28			470	1770	2470	2630	2900	2920	2240	16150
O. F. Koetitz	4.7 L	1-20	89							203	158	254	207	206	64	1181
E. T. Mape	4.75L	1-20								431	171	454	542	586	88	2272
Henry Pelucca	5.5 L	1-16								56	109	126	85	64	70	510
Alice Gill	6.4 L	1-14								157	96	173	116	199	211	a 952
D. J. Macedo	8.4 R	1-16	95							261	453	336	416	451	323	2335
N. E. Cannon	8.7 R	1-10	28						23	212	239	242	197	154	25	1120
--GAGING STATION - STANISLAUS RIVER AT KOETITZ RANCH--	9.35L															
D. F. Koetitz	9.4 L	1-12								282	230	306	305	278	238	1639
John L. Hertle	9.8 L	1-10								37	52	48	64	31	2	234
Joe Lourence	10.0 R	1-16								176	76	151	175	137	147	862
Joe Lourence	10.5 R	1-16	77		31				11	103	50	162	141	131	125	831
--GAGING STATION - STANISLAUS RIVER AT RIPON--	15.7 L															
--SOUTHERN PACIFIC RAILROAD BRIDGE--	15.7															
--U. S. HIGHWAY 99 BRIDGE--	15.7															
A. Girardi	17.7 L	1-16								94	65	285	196	154	117	a 911
Estate of Robert Paul Barton and Alice Lee Barton	19.0 R	1-14	26							105	205	195	276	201	60	1068
Libby, McNeill and Libby	20.9 R	1-14	22	104						314	289	337	379	259	180	1884
--MDESTO-ESCALON HIGHWAY BRIDGE--	29.6															
--SANTA FE RAILROAD BRIDGE--	33.4															
Oakdale Irrigation District (Crawford Pump)	37.7 L	1-14							32	125	95	150	171	109		a 682
Oakdale Irrigation District (Brady Pump)	39.1 L	1-12								151	142	140	211	78	62	784
--OAKDALE-STOCKTON HIGHWAY BRIDGE--	41.2															
--SOUTHERN PACIFIC RAILROAD BRIDGE (OAKDALE BRANCH)--	41.2															
--GAGING STATION - STANISLAUS RIVER AT ORANGE BLOSSOM BRIDGE--	47.0															
--KNIGHTS FERRY BRIDGE--	54.5															
<u>STANISLAUS RIVER</u>																
Total			1822	437	31	29	0	893	5979	6904	8885	9223	8588	5766		48560
Average cubic feet per second			30	7	1	0	0	15	100	112	149	150	140	97		67
Monthly use in percent of seasonal			3.7	0.9	0.1	0.1	0	1.8	12.3	14.2	18.3	19.0	17.7	11.9		

a Includes an undetermined amount of water returned to river by spill.

b Oakdale Irrigation District for season of 1968 maintained plants at miles 37.7L and 39.1L to supplement gravity supply.



TABLE B-5 (Cont.)

DIVERSIONS - TUOLUMNE RIVER  
October 1967 through September 1968

WATER USER	MILE AND BANK ABOVE MOUTH	NUMBER AND SIZE OF PUMP IN INCHES	MONTHLY DIVERSION IN ACRE - FEET											TOTAL DIVERSION OCT.-SEPT. ACRE-FEET		
			OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.		SEPT.	
E. T. Mape	1.3 R	2-14	247	44	14	12		110	628	913	1030	1190	1320	643	6151	
J. V. Steenstrup Estate	1.9 L	a 3-12						68	609	505	431	590	98		2301	
J. V. Steenstrup Estate	2.9 L	1-10 1-12						109	171	280	218	382	93	32	1285	
--GAGING STATION - TUOLUMNE RIVER AT TUOLUMNE CITY (SHILOH BRIDGE)--	3.35															
Bancroft Fruit Farms	5.0 R	1-10	13	3					50	52	44	55	55	22	294	
Della Battestin	5.9 L	1-16	24						124	912	1090	858	682	387	4077	
Western Farms	6.3 L	1-16						49	248	133	181	134			745	
Eugene Boone, Galen Hartwich, and Ted Gonzales	7.1 R	1-10	1						91	60	54	98	62	63	429	
Elmer Hyer b	8.4 R	1-10	5						7	43	41	47	29	9	181	
James A. McCleskey	9.4 L	1-16	6		3	1		2	443	1350	63	678	93	316	2955	
James A. McCleskey	9.7 R	1-16				1			141	112	119	139	162		674	
Homer Couchman	10.2 R	1-14	67						206	169	170	164	170	106	1052	
--CARPENTER ROAD BRIDGE--	12.9															
--U. S. HIGHWAY 99 FREEWAY BRIDGE--	15.55															
--SEVENTH STREET BRIDGE--	15.75															
--SOUTHERN PACIFIC RAILROAD BRIDGE--	15.8															
--U. S. HIGHWAY 99 BRIDGE--	16.05															
--GAGING STATION - TUOLUMNE RIVER AT MODESTO--	16.05															
--DRY CREEK--	16.5 R															
--EAST MODESTO BRIDGE--	19.3															
Jack Gardella	20.3 R	1-10	19	12				5	10	37	48	61	67	51	37	347
--SANTA FE RAILROAD BRIDGE--	21.6															
--SANTA FE ROAD BRIDGE--	21.65															
--GEER AVENUE BRIDGE--	26.0															
Michel Investment Company	28.8 R	1- 8	18							63	83	87	109	82	22	464
Firpo Ranch	30.2 L	1-10	32		1			1		65	101	17	54	64	53	388
--SOUTHERN PACIFIC RAILROAD BRIDGE (OAKDALE BRANCH)--	31.5															
--GAGING STATION - TUOLUMNE RIVER AT HICKMAN BRIDGE--	31.55															
Iva M. Ketcham	39.4 R	1- 8	36							62	61	111	132	142	73	617
Westley N. Sawyer	39.8 L	1- 8	34								47	40	117	91	107	436
--ROBERTS FERRY BRIDGE--	39.9															
Westley N. Sawyer	40.8 L	1-14	37		19					43	89	117	152	104	77	638
Curtner Zanker	45.7 L	1-10								1	99	75	132	55	116	478
Dolling Brothers	46.3 R	1- 8								51	112	92	106	123	90	574
--STATE HIGHWAY 132 BRIDGE--	47.4															
--GAGING STATION - TUOLUMNE RIVER AT LA GRANGE--	50.5															
<u>TUOLUMNE RIVER</u>																
Total			539	59	37	14	6	348	3040	5169	4041	5204	3476	2153	24090	
Average cubic feet per second			9	1	1	0	0	6	51	83	68	85	57	36	33	
Monthly use in percent of seasonal			2.2	0.2	0.2	0.1	0	1.4	12.6	21.5	16.8	21.6	14.4	9.0		

a One 12-inch unit was installed in 1968.

b Formerly listed as Beth Wooten.

TABLE B-5 (Cont.)

DIVERSIONS - DRY CREEK  
October 1967 through September 1968

WATER USER	MILE AND BANK ABOVE MOUTH	NUMBER AND SIZE OF PUMP IN INCHES	MONTHLY DIVERSION IN ACRE - FEET											TOTAL DIVERSION OCT.-SEPT. ACRE-FEET		
			OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.		SEPT.	
--MODESTO-EMPIRE TRACTION COMPANY RAILROAD BRIDGE--	0.7															
--STATE HIGHWAY 132 BRIDGE (YOSEMITE BOULEVARD)--	0.8															
--LA LOMA BRIDGE--	1.2															
--EL VISTA AVENUE BRIDGE--	2.9															
--GAGING STATION - DRY CREEK NEAR MODESTO--	5.4 L															
--CLAUS ROAD BRIDGE--	5.4															
--SANTA FE RAILROAD BRIDGE--	6.4															
--CHURCH STREET BRIDGE--	7.2															
--WELLSFORD ROAD BRIDGE--	8.7															
--ALBERS ROAD BRIDGE--	11.0															
--MODESTO IRRIGATION DISTRICT CANAL CROSSING--	11.1															
Edward Johnson	12.6 R	1- 6									2	57	65	10	134	
Edward Johnson	12.7 R	1- 6										35	10	3	48	
Joe Fagundes	14.7 R	1-10	52	31				1	72	115	117	129	134	100	751	
--OAKDALE-WATERFORD HIGHWAY BRIDGE--	17.4															
<u>DRY CREEK</u>																
Total			52	31	0	0	0	1	72	115	119	221	209	113	933	
Average cubic feet per second			1	1	0	0	0	0	1	2	2	4	3	2	1	
Monthly use in percent of seasonal			5.6	3.3	0	0	0	0	7.7	12.4	12.8	23.7	22.4	12.1		

TABLE B-5 (Cont.)  
 DIVERSIONS - MERCED RIVER  
 October 1967 through September 1968

WATER USER	MILE AND BANK ABOVE MOUTH	NUMBER AND SIZE OF PUMP IN INCHES	MONTHLY DIVERSION IN ACRE - FEET											TOTAL DIVERSION OCT.-SEPT. ACRE- FEET				
			OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.		SEPT.			
--HILLS FERRY BRIDGE--	1.1																	
Stevinson Water District	1.7 R	1-20							223	115	183	259	561	4	10		1355	
Stevinson Water District	3.3 L	1-20	168						694	436	443	337	448	266			2792	
Stevinson Water District	3.8 R	1-18	58						645	441	589	568	511	442			3254	
Milton Gordon	4.3 L	1-16	32			3	1		8	83	72	61	56	48			364	
--GAGING STATION - MERCED RIVER NEAR STEVINSON--	4.6																	
Maria DeAngelis	5.8 L	1-12	31						25	41	82	52	52	99			382	
Stevinson Water District	6.1 L	1-20	44			84	159		695	363	473	453	260	260			2791	
Stevinson Water District	7.7 L	1-20	3					180	419	127	641	624	193	96			2283	
Manuel Clemintino	8.5 L	1-12								14	25	96	45	59			239	
Manuel Clemintino	8.9 L	1-12	7						142	70	69	26	95	102			511	
Samuel B. McCullagh	9.4 L	1- 8	44					105	110	35	158	143	273	209			1077	
Mrs. J. R. Jacinto	9.6 L	1-12						118	46		153		117	127			561	
Mrs. J. B. Silva, E. and J. Gallo Winery Ranch, L. Alves and A. Mattos	10.35L	1-10	37	139	271	3	2	82	161	158	340	361	174	176			1904	
Manuel Freitas	10.9 L	1-12	38					21	68	82	105	131	79	93			617	
R. E. Prusso and John Vierra	10.9 L	1- 8 1-12	41						154	94	97	179	51	133			749	
E. and J. Gallo Winery Ranch	11.6 L	1-18		190	272			209	55	321	396	666	48				2157	
--MILLIKEN BRIDGE--	11.65																	
Anthony L. Calderia	12.5 R	1-12	4														4	
E. and J. Gallo Winery Ranch	12.85L	1-12	1	99	63			18	34		217	202	55	32			721	
J. M. Souza	14.5 L	1-10						65	50	33	85	42	59				334	
E. and J. Gallo Winery Ranch	16.5 L	1-14		1				39			25	55					120	
J. E. Gallo	20.4 L	1- 8		56				62	41	56	130	171	164				680	
--U. S. HIGHWAY 99 BRIDGE--	21.04																	
--SOUTHERN PACIFIC RAILROAD BRIDGE--	21.05																	
Gallo Cattle Company	22.2 R	1- 8 1-16		47				21	49	103	43	382	381	164	176		1366	
Gallo Cattle Company	22.8 R	1-12 1-15		105						102	81	153	151	46	12		650	
Merced River Farms Association	26.3 R	1- 8								51	31	74	82	22	16		276	
--SANTA FE RAILROAD BRIDGE--	27.05																	
W. C. Magneson	27.5 R	1-12	77						34	52	89	90	85	93			520	
--GAGING STATION - MERCED RIVER AT CRESSEY--	27.55																	
--CRESSEY BRIDGE--	27.55																	
Manuel Silva	29.9 R	1- 6 1-10							62	35		35	27	27			186	
Manuel Silva	30.95R	1-12							33	117		65	67	41			323	
Rancho Con Valor	31.1 L	1- 8 1-12	46					41	4	37	24	29	33	56			270	
Manuel Silva	31.4 R							NO DIVERSION										
P. Hilarides	32.2 L	1-12	7									90	29	56			182	
--SHAFER BRIDGE--	32.5																	
Harry P. Schmidt and Sons	33.1 R	1-10							19	76	55	124	107	25			406	
W. F. Bettencourt, P. Hilarides, and Cowel Lime and Cement Co.	36.9 L	Gravity	956	314	201	139	53	70	740	1510	1680	1460	1190	583			8896	
Amsterdam Orchards Incorporated	39.1 L	1-14							122	46		17	99	44			328	
Ratzlaff Brothers	40.2 L	1- 2 1- 4	1						1	26	29	39	57	25	52		230	
--CDX FERRY BRIDGE--	42.1																	
Cowel Ditch	45.3 R	Gravity	3010	1670	1460	650			1880	2870	3090	4120	3150	1610			23510	
--GAGING STATION - MERCED RIVER BELOW SNELLING--	46.2																	
Jorgenson Ditch	46.3	Gravity	1080	522	604	372	447	100	2130	1400	1470	1250	1260	1230			11870	
--SNELLING BRIDGE--	46.4																	
Cook and Dale Ditch	47.0 R	Gravity	938	212	143	112	3	117	1250	1580	1660	1200	987	667			8869	
Ruddle Ditch	47.9 R	Gravity	2570	2140	1940	1900	1510	1190	2150	2560	2540	2870	2840	2560			26770	
Canevaro Ditch	50.0 R	Gravity	140	166	184	83	139	247	298	508	600	681	641	269			3956	
<b>MERCED RIVER</b>																		
Total			9333	5661	5138	3346	2335	2955	12440	13480	16180	17560	13380	9684			111500	
Average cubic feet per second			152	95	84	54	41	48	209	219	272	286	218	163			154	
Monthly use in percent of seasonal			8.4	5.1	4.6	3.0	2.1	2.6	11.2	12.1	14.5	15.7	12.0	8.7				

TABLE B-5 (Cont.)  
 DIVERSIONS - TULE RIVER  
 October 1967 through September 1968

WATER USER	MILE AND BANK BELDW SUCCESS DAM	NUMBER AND SIZE OF PUMP IN INCHES	MONTHLY DIVERSION IN ACRE - FEET											TOTAL DIVERSION OCT.-SEPT. ACRE- FEET	
			OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.		SEPT.
--SUCCESS DAM--	0.0														
--GAGING STATION - TULE RIVER BELOW SUCCESS DAM--	0.35														
Campbell Moreland Ditch	2.4 L	Gravity	734	228			600	494	432	560	651	568	502	509	5278
--PORTER SLOUGH--	2.4 R														
--GAGING STATION - PORTER SLOUGH AT PORTERVILLE (B LANE BRIDGE)--	a(2.4)														
--PIONEER SPILL--	a(3.7R)														
Porter Slough Ditch	a(4.5R)	Gravity	764	5											769
--NEWCOMB AVENUE BRIDGE--	a(6.1)														
Vandalia Ditch	3.1 L	Gravity	154			131	250	70	21	117	243	278	228	127	1619
--SANTA FE RAILROAD BRIDGE--	5.1														
Poplar Ditch	5.8 L	Gravity	4003	38	2247	1341	1322	1314		584	2624	3410	2621	7	19510
--MAIN STREET BRIDGE--	5.9														
--SOUTHERN PACIFIC RAILROAD BRIDGE--	6.0														
Hubbs-Miner Ditch	6.4 R	Gravity	547				19	170	150	162	1028	983	349	21	3429
--STATE HIGHWAY 65 BRIDGE--	6.6														
Rhodes-Fine Ditch	8.4 L	Gravity													
--OLIVE AVENUE BRIDGE--	9.9														
--FRIANT-KERN CANAL CROSSING--	10.5														
Woods-Central Ditch	11.0 L	Gravity			1523	2047	1341				1815	5865	2467		15060
--GAGING STATION - TULE RIVER BELOW PORTERVILLE--	11.8														
--OTTLE BRIDGE--	14.4														
<u>TULE RIVER</u>															
Total			6202	271	3770	3519	3532	2048	603	1423	6361	11100	6167	664	45660
Average cubic feet per second			101	5	61	57	61	33	10	23	107	181	100	11	63
Monthly use in percent of seasonal			13.6	0.6	8.3	7.7	7.7	4.5	1.3	3.1	13.9	24.3	13.5	1.5	

Records furnished by the Tule River Association. Acre-feet values are published as received and not rounded to the criteria used by the Department of Water Resources.

a Figure in parentheses indicates distance along Porter Slough from Tule River.

TABLE 8-6  
 DIVERSIONS AND ACREAGE IRRIGATED - EAST SIDE CANALS AND IRRIGATION DISTRICTS  
 October 1967 through September 1968

WATER USER	DIVERSION												ACREAGE IRRIGATED			
	DCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUNE	JULY	AUG	SEPT	TOTAL	GENERAL	RICE	
<b>Friant-Kern Canal</b>																
<u>San Joaquin River<sup>a</sup></u>																
Total acre-feet diverted	132301	52266	26598	51316	140785	61422	51278	69810	110676	109870	110181	60575	977078	Not Available		
Average cubic feet per second	2152	878	433	835	2448	999	862	1135	1860	1787	1792	1018	1346			
Monthly use in percent of seasonal	13.5	5.3	2.7	5.3	14.4	6.3	5.3	7.1	11.4	11.2	11.3	6.2				
<b>Madera Canal</b>																
Total acre-feet diverted	24249	7349	0	0	14759	8850	0	8356	43432	38420	22461	1740	169616	Not Available		
Average cubic feet per second	394	124	0	0	257	144	0	136	730	625	365	29	234			
Monthly use in percent of seasonal	14.3	4.3	0	0	8.7	5.2	0	4.9	25.6	22.7	13.3	1.0				
<b>Merced Irrigation District</b>																
<u>Merced River</u>																
Main Canal	40590	5276	2642			32633	73743	83087	91312	92032	76240	56712	554267	c	101801	6994
Northside Canal	1920	161	157	101	14	387	2610	4030	3929	4399	4040	3308	25056	c	4452	
Total acre-feet delivered	42510	5437	2799	101	14	33020	76353	87117	95241	96431	80280	60020	579323	b		
Average cubic feet per second	691	91	46	2	0	537	1283	1417	1601	1568	1306	1009	798			
Monthly use in percent of seasonal	7.3	0.9	0.5	0	0	5.7	13.2	15.0	16.4	16.7	13.9	10.4				
<b>Turlock Irrigation District</b>																
<u>Tuolumne River</u>																
Total acre-feet diverted	29000	258	151	132	15890	19750	76220	79750	68430	70750	80980	40960	482271	d	172849	
Average cubic feet per second	472	4	2	2	276	321	1281	1297	1150	1151	1317	688	664	e		
Monthly use in percent of seasonal	6.0	0.1	0	0	3.3	4.1	15.8	16.5	14.2	14.7	16.8	8.5				
<b>Modesto Irrigation District</b>																
Total acre-feet diverted	35151	38	29	27	11632	16209	37068	38238	33508	38798	33193	16171	260062	f	64159	420
Average cubic feet per second	572	1	0	0	202	264	623	622	563	631	540	272	358	g		
Monthly use in percent of seasonal	13.5	0	0	0	4.5	6.2	14.3	14.7	12.9	14.9	12.8	6.2				
<b>Waterford Irrigation District</b>																
Total acre-feet diverted	3778	0	0	0	0	641	5089	4105	4321	5195	4384	3818	31331	h	7166	
Average cubic feet per second	61	0	0	0	0	10	86	67	73	84	71	64	43	i		
Monthly use in percent of seasonal	12.1	0	0	0	0	2.0	16.2	13.1	13.8	16.6	14.0	12.2				
<b>Oakdale Irrigation District</b>																
<u>Stanislaus River</u>																
Northside Canal	10121	0	0	0	0	207	16339	20203	16874	15983	15913	11929	107569	j	23608	
Southside Canal	21415	0	0	0	0	3257	19541	28015	24689	24414	24564	19024	164919	k	34981	
Total acre-feet diverted	31536	0	0	0	0	3464	35880	48218	41563	40397	40477	30953	272488	m	58589	
Average cubic feet per second	513	0	0	0	0	56	603	784	699	657	658	520	375			
Monthly use in percent of seasonal	11.6	0	0	0	0	1.3	13.2	17.7	15.2	14.8	14.8	11.4				
<b>South San Joaquin Irrigation District</b>																
Total acre-feet diverted	16918	826	0	5365	0	1139	45361	40528	37291	38650	46591	22872	255541	n	61587	77
Average cubic feet per second	275	14	0	87	0	19	762	659	627	629	758	384	352			
Monthly use in percent of seasonal	6.6	0.3	0	2.1	0	0.4	17.8	15.9	14.6	15.1	18.2	9.0				

a Data for Madera and Friant-Kern Canals furnished by U. S. Bureau of Reclamation. All other data furnished by individual irrigation districts and published as received.  
 b An additional 200,213 acre-feet of water was pumped from wells  
 c Of this acreage, 3,413 were double cropped. Does not include an undetermined amount of riparian water users acreage.  
 d An additional 154,555 acre-feet of water was pumped from wells.  
 e Of this acreage, 24,464 were double cropped.  
 f An additional 92,367 acre-feet of water was pumped from wells  
 g Of this acreage, 8,960 were double cropped.

h An additional 2,920 acre-feet of water was pumped from wells.  
 i Of this acreage, none were double cropped.  
 j Of this acreage, 645 were double cropped.  
 k Of this acreage, 208 were double cropped.  
 m This acreage also received 43,960 acre-feet of water from wells and controlled drainage.  
 n This acreage also received 32,339 acre-feet of well water, and an undetermined amount of controlled drainage water from Oakdale Irrigation District. Of this acreage, 3,392 were double cropped. Includes 1,207 acres served by subirrigation.

TABLE B-7  
 DELIVERIES FROM CENTRAL VALLEY PROJECT CANALS  
 October 1967 through September 1968

WATER USER	MILE POST FROM CANAL HEAD		MONTHLY DELIVERIES IN ACRE-FEET											TOTAL	
	FROM	TO	OCT.	NOV	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.		SEPT
<u>Delta-Mendota Canal</u>															
State of California (South Bay Aqueduct)	3.54		5439	2340	0	0	0	0	0	0	0	0	0	0	7779
Plain View Water District	4.22	20.96	853	142	7	56	55	641	2313	3333	3599	4316	3053	1767	20135
Carnazzo Land Company, Incorporated	6.96		1	1	1	1	0	1	1	1	1	1	1	1	11
Gordon H. Ball, Incorporated	8.52		0	0	0	0	0	12	7	0	36	103	17	0	175
West Side Irrigation District	14.79		0	0	0	0	0	0	978	1399	500	1237	626	260	5000
Wunderlich Corporation	16.25		5	0	0	0	0	0	0	0	0	0	0	0	5
Hospital Water District	18.06	30.96	971	171	8	112	8	679	3743	3824	3993	4968	2931	1918	23326
Banta-Carbona Irrigation District	20.42		20	65	0	0	0	8	1493	2465	3596	5292	2831	0	15770
Fredrickson & Watson Construction Company	21.48	39.78	15	9	4	0	0	0	0	0	0	0	0	0	28
West Stanislaus Irrigation District	31.31		0	0	0	0	0	101	7376	5404	7638	11557	7101	3082	42259
Kern Canon Water District	31.31	35.08	89	2	197	126	11	216	1385	1011	1425	1762	1438	755	8417
Oel Puerto Water District	35.73	42.51	417	95	3	88	80	956	2329	2378	3574	3262	2346	1502	17030
Western Contracting Corporation	41.49		20	10	0	0	0	0	0	0	0	0	0	0	30
Salado Water District	42.10	46.83	158	32	0	1	2	659	2006	1177	1402	1932	1412	411	9192
Patterson Water District	42.51		56	0	0	0	7	96	1907	801	1366	2386	1147	191	7957
Sunflower Water District	44.23	52.02	186	130	0	0	131	857	3038	1716	2466	2968	2291	1376	15159
Orestimba Water District	46.83	51.41	30	182	0	0	1	549	2907	2069	2685	3362	1874	306	13965
Foothill Water District	51.65	57.46	244	69	0	0	259	400	1475	1600	1325	2302	1888	951	10513
Davis Water District	53.64	56.82	36	46	0	0	175	193	596	669	751	717	400	288	3871
Mustang Water District	56.80	62.76	95	0	1	0	32	951	1210	1266	1381	1581	1518	722	8757
Central California Irrigation District	58.26	76.05	1681	0	0	18	0	3405	9764	11460	11148	11746	11074	2803	63099
Quinto Water District	64.32	67.55	236	3	1	0	0	339	1307	1553	1526	1684	1286	662	8597
Romero Water District	68.03		66	36	0	0	0	96	401	566	643	504	578	424	3314
San Luis Water District	68.99	90.53	2734	2239	1548	1563	5288	11233	9094	10548	13345	13781	8354	4805	84532
San Luis Water District, Municipal and Industrial	69.21	87.48	62	7	0	1	0	4	12	12	20	24	20	21	183
Grasslands Water District	70.00		9414	2181	0	0	0	0	0	0	0	0	0	2418	14013
Sam Namburg Farms	90.53		4	1	1	2	2	1	3	3	4	5	4	4	34
Panoche Water District	93.25	96.70	2436	3892	1719	1268	10869	6864	7238	7434	10193	10693	7912	3014	73532
Eagle Field Water District	93.27	94.57	61	100	0	49	612	79	145	341	598	607	665	182	3439
Ora Loma Water District	95.50	86.62	0	0	0	0	0	0	766	1202	1229	1244	1095	128	5664
West Side Golf Club	95.95		14	6	4	3	5	9	13	21	21	22	20	17	155
Mercy Springs Water District	97.70	99.81	0	0	0	0	161	240	557	1202	1281	2140	1417	667	7665
Widren Water District	102.03		0	0	0	0	0	146	289	458	454	433	402	29	2211
Broadview Water District	102.95		659	210	1164	1328	1628	2150	1479	1872	3306	3077	931	609	18413
U. S. Bureau of Reclamation Construction			0	8	0	0	0	0	0	0	0	0	0	0	8
Firebaugh Canal Company	107.85	109.45	0	0	0	58	1696	0	2355	7274	8126	8461	6490	161	34621
<b>Total</b>			<b>26002</b>	<b>11977</b>	<b>4658</b>	<b>4674</b>	<b>21022</b>	<b>30885</b>	<b>66187</b>	<b>73059</b>	<b>87632</b>	<b>102167</b>	<b>71122</b>	<b>29474</b>	<b>528859</b>
Net Deliveries DMC to Mendota Pool	115.62		67690	35135	2438	12165	48948	78789	105902	115946	148342	173964	150294	92148	1031761
Net Deliveries DMC to O'Neill Forebay	69.30		190	9163	19515	17565	27749	83067	39528	58209	2326	1703	10968	95668	362245
<u>Madera Canal</u>															
Madera Irrigation District	6.10	32.2	13861	8237	0	0	8735	6050	0	6542	27382	23138	7890	0	101835
Adobe Ranch	20.6		206	94	0	0	0	0	0	0	0	24	190	86	600
Chowchilla Water District	35.9		10907	0	0	0	4510	2985	0	0	13543	15479	16346	2222	65992
<b>Total</b>			<b>24974</b>	<b>8331</b>	<b>0</b>	<b>0</b>	<b>13245</b>	<b>9035</b>	<b>0</b>	<b>6542</b>	<b>40925</b>	<b>38641</b>	<b>24426</b>	<b>2308</b>	<b>168427</b>

TABLE 8-7 (Cont.)  
 DELIVERIES FROM CENTRAL VALLEY PROJECT CANALS  
 October 1967 through September 1968

WATER USER	MILE POST FROM CANAL HEAD		MONTHLY DELIVERIES IN 4CRE- FEET												TOTAL
	FROM	TO	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	
Millerton Lake															
Fresno County Water District #18			7	4	2	2	1	2	9	11	16	17	16	13	100
County of Madera			1	1	0	1	0	0	1	1	1	2	1	1	10
Millerton Lake Development Corporation			6	4	1	0	0	0	0	0	0	0	0	0	11
Total			14	9	3	3	1	2	10	12	17	19	17	14	121
Friant-Kern Canal															
Garfield Water District	7.53		181	185	206	48	17	25	409	588	489	504	290	228	3170
Dog Creek Water District	14.8		0	0	0	0	0	0	0	0	0	0	0	0	0
International Water District	14.9		156	0	0	0	0	0	43	51	178	204	226	226	1084
Round Mountain Water District	20.85	21.33	27	16	0	0	0	0	0	0	0	0	0	0	43
Round Mountain Ranch	20.22		0	0	0	0	0	0	0	0	0	0	24	42	66
Trimmer Springs Water District	27.56		63	12	0	0	0	0	0	0	0	0	0	0	75
Consolidated Irrigation District	28.50		16770	0	0	0	9000	0	0	0	0	0	0	0	25770
Last Chance Water Ditch Company	28.50		0	0	0	0	0	0	0	0	0	0	0	0	0
Laguna Irrigation District	28.50		0	0	0	0	0	0	0	0	0	0	0	0	0
Corcoran Irrigation District	28.50		0	0	0	4231	7573	00	0	0	0	0	0	0	11804
Stratford Irrigation District	28.50		0	0	0	0	0	0	0	0	0	0	0	0	0
Tulare Lake Basin Water Storage District	28.50 & 95.64		0	0	0	0	2501	0	0	0	0	0	0	0	2501
Alta Irrigation District	28.50		0	0	0	0	0	0	0	0	0	0	0	0	0
Fresno Irrigation District	28.50		b19659	1692	3074	545	5344	0	0	20478	19151	b2388	b7195	b1609	b81135
Murphy Slough Association	28.50		0	0	0	0	0	0	0	0	0	0	0	0	0
Kings River Water Association	28.50		0	0	0	0	0	0	0	0	0	0	0	0	0
Empire Westside Irrigation District	28.50		0	0	0	0	0	0	0	0	0	0	0	0	0
Kings County Water District	28.50	71.29	942	0	5000	0	15850	0	0	0	0	0	0	0	21792
Orange Cove Irrigation District	35.87	53.31	3326	1434	0	0	0	138	2823	4384	5520	6845	6060	4633	35163
City of Orange Cove	43.44		27	16	11	6	0	8	30	35	46	53	42	33	307
Stone Corral Irrigation District	56.90	64.40	583	177	6	0	46	399	787	930	1426	1714	1571	833	8472
Ivanhoe Irrigation District	65.04	68.13	1837	196	0	0	0	46	293	175	623	1109	1238	2061	7578
Tulare Irrigation District	68.14	71.29	21973	9993	3136	13182	29594	478	0	0	8987	14839	0	0	102182
Lakeside Irrigation Water District	69.42		0	0	171	10983	14148	0	0	0	0	0	0	0	25302
Kaweah-Delta Water Conservation District	69.08	71.29	0	0	0	0	0	0	0	0	0	0	0	0	0
Exeter Irrigation District	72.52	79.24	1811	690	14	0	159	319	1661	1686	1325	1260	1256	1370	11551
Lewis Creek Water District	81.54		87	65	0	0	0	17	33	184	156	188	197	131	1058
Lindsay-Strathmore Irrigation District	85.56		2890	1365	60	63	63	171	2139	3851	4439	5175	4903	4204	c 29323
Lindmore Irrigation District	86.17	91.12	3902	1730	0	0	992	1426	3920	3913	4026	3792	4608	4902	33211
Porterville Irrigation District	93.93	98.62	260	115	16	17	565	1777	1897	1801	2184	2341	2481	1761	15215
Lower Tule Irrigation District	95.67	98.62	19077	12895	3269	10284	24699	9026	0	270	16945	16124	17584	5254	135422
Tea Pot Dome	99.35		496	242	0	0	5	13	425	626	741	891	843	674	4956
Saucelito Irrigation District	98.62	107.37	2061	474	0	315	2333	2147	1499	1695	2900	3178	3082	2412	22096
Cloer Community Service District	101.60		8	8	0	0	6	0	0	0	0	0	0	0	22
Terra Bella Irrigation District	102.65		1668	764	4	0	0	25	1257	2796	3100	3711	3509	2545	19379
Pixley Irrigation District	102.69		2947	2346	309	1232	2442	0	0	0	0	0	0	0	9276
Delano-Earlhart Irrigation District	109.48	118.45	8212	3854	799	760	6561	17793	13233	10830	16078	15598	12809	8846	115373
Alpaugh Irrigation District	112.96		700	0	0	0	700	0	0	0	0	0	0	0	1400
Southern San Joaquin Municipal Utility District	117.44	127.97	5984	2666	470	311	5784	14875	11809	10411	12921	11518	13440	7549	97738
Rag Gulch Water District	117.96		710	145	0	0	506	0	0	0	0	0	0	0	1361
Kern County Water Agency	130.03		d 1238	0	0	0	0	0	0	0	0	0	0	0	1238
Shafter-Wasco Irrigation District	134.42	137.17	2485	1313	133	623	2259	6212	3457	4963	7383	7341	6579	3205	45953
Pacific Gas & Electric Company	150.83		0	0	0	0	0	0	0	0	0	0	0	0	0
Rosedale Rio Bravo Water Storage District	151.0		0	0	0	0	0	0	0	0	0	0	0	0	0
Buena Vista Water Storage District	151.80		0	0	0	0	0	0	0	0	0	0	0	0	0
Arvin-Edison Water Storage District	151.80		8446	9203	7472	6484	7182	6879	5355	781	0	8392	8103	5282	73579
Total			128526	51596	24150	49084	138329	61774	51070	70448	108618	107165	96040	57800	944600

Data furnished by the U. S. Bureau of Reclamation. Acre-feet values are published as received and not rounded to the criteria used by the Department of Water Resources. Deliveries include operational spill.

a Net delivery of -1703 acre-feet results from water being taken from O'Neill Forebay to Delta-Mendota Canal for delivery downstream.

b Includes deliveries to City of Fresno.

c Includes water transported from Wutchumna Ditch.

d Includes deliveries to Gilbreath Brothers Duck Club.

TABLE B-8  
 DELIVERIES FROM CALIFORNIA AQUEDUCT<sup>a</sup>  
 October 1967 through September 1968

WATER USER	MONTHLY DELIVERIES IN ACRE-FEET												TOTAL
	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	
	<u>North San Joaquin Division</u>												
South Bay Aqueduct	3110	3268	6339	7991	3539	6692	9667	10291	10814	11986	11792	9444	94933
Oak Flat Water District	0	0	0	0	0	113	572	532	925	615	272	55	3084
<b>Total</b>	<b>3110</b>	<b>3268</b>	<b>6339</b>	<b>7991</b>	<b>3539</b>	<b>6805</b>	<b>10239</b>	<b>10823</b>	<b>11739</b>	<b>12601</b>	<b>12064</b>	<b>9499</b>	<b>98017</b>
	<u>O'Neill Forebay</u>												
San Luis Water District Total	45	6	6	7	6	292	155	331	523	367	292	45	2075
	<u>San Luis Division</u>												
San Luis Water District	0	0	0	0	0	0	0	0	86	30	0	0	116
Panoche Water District	0	0	0	0	0	126	164	353	2444	4049	2731	275	10142
Westlands Water District	0	121	974	1552	2666	6800	11955	17147	22026	29537	23323	14362	130463
Industrial Pipelines Intermountain, Inc.	0	0	0	0	0	0	79	27	7	0	0	0	113
<b>Total</b>	<b>0</b>	<b>121</b>	<b>974</b>	<b>1552</b>	<b>2666</b>	<b>6926</b>	<b>12198</b>	<b>17527</b>	<b>24563</b>	<b>33616</b>	<b>26054</b>	<b>14637</b>	<b>140834</b>
	<u>South San Joaquin Division</u>												
Tulare Lake Basin Water Storage District	0	0	0	0	0	0	0	0	0	0	0	3357	3357
Dudley Ridge Water District	0	0	0	0	2982	4036	1287	1692	4759	5607	4481	164	25008
Kern County Water Agency	0	0	0	56	745	3357	1235	4848	10281	13921	10864	3604	48911
<b>Total</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>56</b>	<b>3727</b>	<b>7393</b>	<b>2522</b>	<b>6540</b>	<b>15040</b>	<b>19528</b>	<b>15345</b>	<b>7125</b>	<b>77276</b>
	<u>Coastal Branch</u>												
Devils Den Water District	0	0	0	0	872	1088	400	640	1300	1342	1019	0	6661
Kern County Water Agency	0	0	0	485	4109	5818	5081	7187	12389	13053	13196	6224	67542
<b>Total</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>485</b>	<b>4981</b>	<b>6906</b>	<b>5481</b>	<b>7827</b>	<b>13689</b>	<b>14395</b>	<b>14215</b>	<b>6224</b>	<b>74203</b>
Delta Pumping Plant to California Aqueduct	6588	4544	10292	26968	2724	70895	87984	79129	16911	12720	47466	108315	474536

a Does not include operational losses or changes in storage.



TABLE B-9  
 IMPORTS AND EXPORTS  
 October 1967 through September 1968

WATER USER	IN ACRE-FEET												TOTAL	
	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.		
					<u>Imports from Delta</u>									
California Aqueduct (a)				10690	330	61540	74910	67760	6442	615	35630	104600	362500	
Delta-Mendota Canal (b)	92100	54990	26300	39250	98980	201800	224100	256100	250000	291300	239900	214000	1989000	
Total Import from Delta	92100	54990	26300	49940	99310	263300	299000	323900	256400	291900	275500	318600	2351000	
					<u>Exports from Tuolumne River</u>									
City and County of San Francisco (c)	9451	4288	18823	1482	2253	14329	25341	26396	20975	21070	20414	19511	184333	

Data for Delta-Mendota Canal furnished by U. S. Bureau of Reclamation. Data for Tuolumne River exports furnished by City and County of San Francisco; acre-feet values are published as received and not rounded to the criteria used by the Department of Water Resources.

- (a) Water delivered to San Luis Division including deliveries to Oak Flat Water District.
- (b) Water pumped at Tracy Pumping Plant and adjusted for deliveries to South Bay Aqueduct.
- (c) Includes water delivered to Lawrence Radiation Laboratory.

TABLE B-10

DAILY MEAN GAGE HEIGHT  
(IN FEET)

WATER YEAR	STATION NO.	STATION NAME
1968	C03110	TULARE LAKE

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1													1
2													2
3													3
4													4
5													5
6													6
7													7
8													8
9													9
10													10
11													11
12													12
13													13
14													14
15													15
16													16
17													17
18													18
19													19
20													20
21													21
22													22
23													23
24													24
25													25
26													26
27													27
28													28
29													29
30													30
31													31

DRY

MAXIMUM INSTANTANEOUS GAGE HEIGHTS

- E - ESTIMATED
- NR - NO RECORD
- NF - NO FLOW

DATE	TIME	GAGE HT.	DATE	TIME	GAGE HT.	DATE	TIME	GAGE HT.	DATE	TIME	GAGE HT.

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD		DATUM OF GAGE			
LATITUDE	LONGITUDE	1/4 SEC. T. & R. M.D.B.&M.	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		ZERO ON GAGE	REF. DATUM
			CFS	GAGE HT.	DATE			FROM	TO		
30 03 10	119 49 35			196.8	6-28-41		FEB 37-DATE	1937		0.00	USCGS

Station located 2.2 miles southwest of Chatom Ranch, 6 miles southwest of Corcoran on south end of El Rico Bridge. Tulare Lake receives water from Kings, Kaweah, and Tule Rivers during high-water periods and occasionally from Kern River, Deer Creek, and several small intermittent streams. Elevation at lowest point of lake bed is now about 177 feet. U. S. Geological Survey datum. Records furnished by Tulare Lake Basin Water Storage District and the Boswell Company.

TABLE B-10 (Cont.)

WATER YEAR	STATION NO.	STATION NAME
1968	B07885	SAN JOAQUIN RIVER BELOW FRIANT

**DAILY MEAN GAGE HEIGHT**  
(IN FEET)

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1	2.05	1.85	1.86	1.71	1.77	1.66	1.71	2.23	2.05	2.28	2.41	2.36	1
2	2.05	1.83	1.86	1.71	1.76	1.66	1.71	2.04	2.10	2.34	2.38	2.36	2
3	2.06	1.78	1.85	1.71	1.75	1.66	1.72	2.04	2.20	2.39	2.36	2.36	3
4	2.01	1.78	1.85	1.72	1.75	1.66	1.72	1.97	2.36	2.39	2.36	2.34	4
5	1.97	1.79	1.80	1.73	1.75	1.66	1.71	1.88	2.37	2.39	2.36	2.31	5
6	1.97	1.79	1.66	1.73	1.76	1.66	1.72	1.88	2.37	2.39	2.36	2.27	6
7	1.97	1.79	1.65	1.74	1.76	1.66	1.72	1.86	2.37	2.39	2.36	2.22	7
8	1.97	1.79	1.64	1.74	1.76	1.68	1.72	1.78	2.37	2.39	2.37	2.22	8
9	1.93	1.79	1.65	1.74	1.77	1.67	1.72	1.78	2.30	2.39	2.37	2.22	9
10	1.90	1.80	1.66	1.75	1.77	1.67	1.72	1.85	2.26	2.39	2.40	2.22	10
11	1.90	1.80	1.67	1.75	1.77	1.66	1.73	1.94	2.26	2.38	2.43	2.22	11
12	1.90	1.80	1.67	1.75	1.76	1.67	1.73	1.94	2.26	2.38	2.43	2.22	12
13	1.90	1.80	1.68	1.75	1.77	1.69	1.74	1.94	2.25	2.38	2.43	2.22	13
14	1.90	1.82	1.69	1.76	1.78	1.68	1.73	1.98	2.25	2.38	2.43	2.22	14
15	1.90	1.82	1.71	1.76	1.77	1.68	1.73	2.08	2.23	2.38	2.39	2.22	15
16	1.90	1.82	1.72	1.76	1.78	1.69	1.73	2.07	2.22	2.38	2.37	2.22	16
17	1.90	1.83	1.73	1.77	1.79	1.70	1.73	2.07	2.22	2.32	2.37	2.22	17
18	1.90	1.83	1.75	1.78	1.78	1.70	1.74	2.06	2.22	2.30	2.37	2.22	18
19	1.90	1.84	1.76	1.79	1.77	1.69	1.85	2.06	2.19	2.29	2.38	2.22	19
20	1.90	1.83	1.76	1.79	1.76	1.68	1.99	2.03	2.17	2.29	2.38	2.22	20
21	1.90	1.83	1.77	1.79	1.77	1.68	2.00	1.99	2.17	2.29	2.38	2.22	21
22	1.90	1.83	1.78	1.78	1.77	1.68	2.00	1.99	2.17	2.37	2.38	2.22	22
23	1.90	1.83	1.78	1.80	1.77	1.69	2.19	1.99	2.17	2.41	2.37	2.23	23
24	1.90	1.83	1.79	1.81	1.76	1.69	2.31	1.98	2.17	2.43	2.37	2.22	24
25	1.87	1.83	1.79	1.80	1.75	1.69	2.46	1.98	2.17	2.46	2.37	2.22	25
26	1.84	1.83	1.79	1.78	1.74	1.70	2.61	1.98	2.17	2.46	2.37	2.22	26
27	1.84	1.83	1.79	1.78	1.73	1.70	2.72	1.98	2.23	2.46	2.37	2.20	27
28	1.84	1.84	1.77	1.77	1.73	1.70	2.73	1.98	2.28	2.46	2.37	2.17	28
29	1.85	1.85	1.69	1.76					2.28	2.43	2.37	2.17	29
30	1.85	1.86	1.70	1.76		1.69	2.53	1.96	2.28	2.41	2.36	2.18	30
31	1.85		1.70	1.77		1.69		1.96		2.41	2.36		31

MAXIMUM INSTANTANEOUS GAGE HEIGHTS

DATE	TIME	GAGE HT.	DATE	TIME	GAGE HT.	DATE	TIME	GAGE HT.	DATE	TIME	GAGE HT.
4-28-68	1300	2.74	7-24-68	2000	2.46						
6-4-68	1900	2.37	8-10-68	1300	2.43						
7-2-68	1450	2.39									

E — ESTIMATED  
NR — NO RECORD  
NF — NO FLOW

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD		DATUM OF GAGE			
LATITUDE	LONGITUDE	1/4 SEC. T. & R. M.D.B.&M.	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		ZERO ON GAGE	REF. DATUM
			CFS	GAGE HT.	DATE			FROM	TO		
36 59 04	119 43 24	SW 7 11S 21E	77200	23.8	12-11-37	OCT 07-DATE		1938	---	294.00	USGS

Station located 2 miles downstream from Friant Dam and 1.5 miles downstream from Cottonwood Creek. Flow regulated by Millerton Lake beginning in 1944, and by other upstream reservoirs. Records furnished by U. S. Geological Survey. Drainage area is 1,675 square miles.

TABLE B-10 (Cont.)

DAILY MEAN GAGE HEIGHT  
(IN FEET)

WATER YEAR	STATION NO.	STATION NAME
1968	B07575	SAN JOAQUIN RIVER ABOVE SAND SLOUGH

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1	101.40	100.54	100.38	101.42	101.30	101.84	100.62	100.96	100.62	100.53	NF	100.87	1
2	NF	100.49	100.37	101.38	101.56	101.98	100.63	101.01	100.79	100.61	100.43	100.79	2
3	101.34	100.47	100.37	101.34	101.48	101.02	100.65	100.83	100.68	100.66	100.69	100.61	3
4	101.13	100.46	100.37	101.31	101.42	100.56	100.66	101.00	100.60	100.77	100.83	100.73	4
5	100.75	100.46	NF	101.28	101.34	100.71	100.68	100.78	100.62	100.64	101.04	100.73	5
6	100.60	100.45	NF	101.26	101.20	100.56	100.83	100.77	100.60	NF	101.01	100.66	6
7	100.58	100.45	NF	101.23	100.88	100.64	100.87	100.73	100.57	100.48	100.87	100.76	7
8	100.77	100.43	NF	101.21	100.62	100.73	100.92	100.72	100.56	100.47	100.60	100.81	8
9	100.78	100.43	NF	101.16	100.49	100.61	100.87	100.72	100.56	100.55	100.62	100.73	9
10	100.78	100.43	NF	101.15	100.45	100.58	100.97	100.68	100.67	100.67	100.64	100.63	10
11	100.64	100.42	NF	101.15	100.48	100.65	100.93	100.67	100.58	100.71	100.57	100.46	11
12	100.64	100.42	NF	101.40	100.54	100.62	100.74	100.75	100.44	100.57	100.66	NF	12
13	100.68	100.42	NF	101.47	100.69	100.60	100.67	100.71	100.52	100.58	100.63	NF	13
14	100.72	100.39	NF	101.41	100.69	100.62	100.86	100.82	100.69	100.11	100.74	100.74	14
15	100.76	100.40	NF	101.38	100.56	100.66	100.97	100.76	100.71	100.39	100.61	100.81	15
16	100.91	100.39	NF	101.33	100.64	100.78	101.05	100.69	100.70	NF	100.47	100.80	16
17	100.96	100.39	NF	101.28	100.71E	100.93	100.84	100.69	100.77	NF	100.37	100.76	17
18	100.99	100.39	101.89	101.23	100.70E	100.81	100.68	100.74	100.66	NF	100.52	100.75	18
19	101.24	100.39	103.12	101.18	100.70E	100.80	100.53	100.79	100.48	NF	100.59	100.80	19
20	101.29	100.40	103.12	101.18	100.70E	100.78	100.54	100.64	NF	NF	100.57	100.73	20
21	101.29	100.39	102.80	101.39	100.70E	100.58	100.71	100.59	NF	NF	100.54	100.69	21
22	101.39	100.39	102.48	101.46	100.70E	100.52	100.97	100.64	NF	NF	100.48	100.76	22
23	101.40	100.38	102.24	101.47	101.22	100.54	100.84	100.54	NF	NF	NF	100.83	23
24	101.36	100.37	102.04	101.46	101.58	100.88	100.61	100.37	NF	NF	NF	100.66	24
25	101.41	100.37	101.87	101.54	101.87	100.85	100.68	100.61	NF	NF	NF	100.62	25
26	101.44	100.37	101.79	101.42	101.46	100.86	100.71	100.63	NF	NF	NF	100.60	26
27	101.30	NF	101.73	101.46	101.22	100.87	100.61	100.65	NF	NF	NF	100.54	27
28	101.13	NF	101.65	101.50	101.12	100.64	100.61	100.72	NF	NF	NF	100.80	28
29	100.93	100.37	101.58	101.55	101.02	100.53	100.68	100.63	NF	100.72	100.52	100.75	29
30	100.74	100.37	101.51	101.42		100.53	100.78	100.76	100.51	100.78	100.58	100.60	30
31	100.58		101.46	101.27		100.52		100.78		100.63	100.77		31

MAXIMUM INSTANTANEOUS GAGE HEIGHTS

E — ESTIMATED  
NR — NO RECORD  
NF — NO FLOW

DATE	TIME	GAGE HT.	DATE	TIME	GAGE HT.	DATE	TIME	GAGE HT.	DATE	TIME	GAGE HT.
10-25-67	2300	101.52	1-29-68	1545	101.58						
12-19-67	1815	103.16	2- 2-68	1345	101.61						
1-25-68	2000	101.56	3- 1-68	2100	102.57						

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD		DATUM OF GAGE			
LATITUDE	LONGITUDE	1/4 SEC. T. & R. M.D.B.&M.	OF RECORD			DISCHARGE	GAGE HEIGHT DNLY	PERIOD		ZERO ON GAGE	REF. DATUM
			CFS	GAGE HT.	DATE			FROM	TO		
37 06 36	120 35 24	NE31 9S 13E		110.51	4-26-67	OCT 61-SEP 62	OCT 62-DATE	1961		0.00	USCGS

Station located 5 miles northwest of Santa Rita Bridge and 5 miles west of El Nido on left bank of the San Joaquin River .5 mile above confluence with Eastside Bypass.

TABLE B-10 (Cont.)

DAILY MEAN GAGE HEIGHT  
(IN FEET)

WATER YEAR	STATION NO.	STATION NAME
1968	B07400	SAN JOAQUIN RIVER NEAR STEVINSON

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1	63.62	62.15	63.63	62.49	62.35	62.07	61.60	62.00	61.45	61.31	61.26	61.67	1
2	63.66	62.11	63.59	62.46	62.28	62.53	61.65	61.88	61.39	61.34	61.30	61.67	2
3	63.68	62.08	63.51	62.44	62.25	62.86	62.34	61.76	61.37	61.47	61.34	61.71	3
4	63.77	62.04	63.47	62.29	62.40	62.21	62.80	61.74	61.36	61.42	61.29	61.62	4
5	63.66	61.99	63.43	62.18	62.30	61.98	62.66	61.70	61.41	61.28	61.38	61.55	5
6	63.61	61.98	63.42	62.13	62.20	61.85	62.19	61.72	61.38	61.21	61.61	61.57	6
7	63.49	62.00	63.07	62.14	62.13	61.78	61.78	61.73	61.36	61.16	61.79	61.68	7
8	63.35	62.00	63.21	62.53	62.05	61.82	61.71	61.69	61.37	61.14	61.56	61.71	8
9	63.40	61.98	63.20	62.91	61.87	62.13	61.69	61.58	61.36	61.24	61.38	61.75	9
10	63.32	61.97	63.19	62.92	61.75	62.38	61.58	61.53	61.38	61.18	61.34	61.89	10
11	63.18	61.95	63.02	62.88	61.70	62.87	61.56	61.78	61.39	61.24	61.29	62.00	11
12	63.12	61.92	62.45	62.81	61.67	62.97	61.53	62.29	61.33	61.28	61.30	62.16	12
13	63.04	61.88	62.31	62.62	61.70	63.03	61.56	62.98	61.55	61.28	61.33	62.20	13
14	63.12	61.87	62.28	62.48	61.73	63.11	61.60	62.92	61.39	61.30	61.35	62.19	14
15	63.05	61.87	62.25	62.48	61.70	62.66	61.57	62.71	61.37	61.30	61.46	62.20	15
16	63.06	61.82	62.18	62.48	61.71	62.81	61.60	62.46	61.43	61.32	61.60	62.24	16
17	63.04	61.96	62.13	62.40	61.79	62.91	61.56	62.36	61.47	61.29	61.78	62.28	17
18	62.95	61.96	62.12	62.32	62.00	63.10	61.53	62.30	61.37	61.31	61.81	62.28	18
19	62.90	62.04	62.18	62.31	63.10	63.15	61.56	62.18	61.47	61.33	61.88	62.09	19
20	62.87	62.14	62.99	62.26	63.41	63.04	61.43	62.07	61.47	61.31	61.77	62.06	20
21	62.85	62.24	63.39	62.18	63.37	62.88	61.68	62.17	61.37	61.34	61.70	61.97	21
22	62.75	62.54	63.32	62.14	63.50	62.52	61.88	62.19	61.33	61.36	61.70	61.89	22
23	62.64	62.86	63.16	62.18	63.50	62.30	62.05	62.11	61.29	61.42	61.75	61.92	23
24	62.81	63.07	62.99	62.25	63.18	62.18	61.88	62.06	61.32	61.32	61.75	61.93	24
25	62.70	63.33	62.85	62.24	62.87	61.75	61.68	62.05	61.30	61.33	61.74	61.81	25
26	62.62	63.46	62.74	62.19	62.55	61.63	61.55	62.09	61.30	61.30	61.80	61.85	26
27	62.48	63.45	62.67	62.17	62.37	61.60	61.80	62.06	61.27	61.33	61.78	61.75	27
28	62.36	63.42	62.64	62.12	62.22	61.57	61.98	62.01	61.29	61.39	61.68	61.55	28
29	62.30	63.40	62.60	62.13	62.13	61.58	62.13	61.84	61.23	61.41	61.68	61.47	29
30	62.35	63.50	62.56	62.17	61.54	61.54	62.17	61.58	61.32	61.44	61.66	61.54	30
31	62.23		62.53	62.31				61.50		61.33	61.73		31

MAXIMUM INSTANTANEOUS GAGE HEIGHTS

E — ESTIMATED  
NR — NO RECORD  
NF — NO FLOW

DATE	TIME	GAGE HT.	DATE	TIME	GAGE HT.	DATE	TIME	GAGE HT.	DATE	TIME	GAGE HT.
10-4-67	2100	63.79	2-22-68	2000	63.64						
12-1-67	2015	63.66									
12-21-67	1200	63.41									

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD		DATUM OF GAGE			
LATITUDE	LONGITUDE	1/4 SEC. T. & R. M.D.B.&M.	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		ZERO ON GAGE	REF. DATUM
			CFS	GAGE HT.	DATE			FROM	TO		
37 17 42	120 51 00	26 7S 10E	13300	75.00	4-26-67	OCT 61-DATE	MAY 61-SEP 61	1961		0.00	USCGS

Station located on bridge 2.3 miles south of Stevinson on Lander Avenue.

TABLE B-10 (Cont.)

DAILY MEAN GAGE HEIGHT  
(IN FEET)

WATER YEAR	STATION NO.	STATION NAME
1968	B07375	SAN JOAQUIN RIVER AT FREMONT FORD BRIDGE

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1	56.52	55.26	56.81	55.72	55.78	55.97	55.73	55.74	55.11	55.08	55.39	55.62	1
2	56.62	55.25	56.92	55.72	55.75	55.97	55.96	55.62	55.12E	55.10	55.36	55.71	2
3	56.85	55.29	56.92	55.69	55.75	56.44	56.37	55.58	55.16E	54.96	55.37	55.64	3
4	57.01	55.26	56.91	55.63	55.86	56.04	56.79	55.60	55.16E	54.88	55.21	55.53	4
5	56.91	55.24	56.86	55.56	55.86	55.90	56.69	55.62	55.15E	54.86	55.16	55.44	5
6	56.76	55.22	56.83	55.50	55.78	55.89	56.35	55.75	55.19E	54.85	55.37	55.42	6
7	56.55	55.23	56.63	55.48	55.68	55.83	56.11	55.68	55.15E	54.91	55.37	55.45	7
8	56.34	55.14	56.66	55.80	51.89	55.89	56.03	55.54	55.15E	54.93	55.29	55.50	8
9	56.35	55.14	56.69	56.30	55.63	55.97	55.91	55.46	55.26E	54.93	55.14	55.53	9
10	56.22	55.22	56.66	56.52	55.57	56.29	55.76	55.46	55.36E	55.01	55.09	55.74	10
11	56.09	55.24	56.57	56.53	55.52	56.49	55.61	55.50	55.32E	55.16	55.16	55.74	11
12	56.03	55.23	56.19	56.51	55.51	56.59	55.61	55.79	55.28E	55.23	55.26	55.75	12
13	55.84	55.20	56.06	56.36	55.53	56.67	55.53	56.20	55.25E	55.09	55.27	55.70	13
14	55.82	55.18	56.00	56.22	55.57	56.75	55.64	56.35	55.21E	55.17	55.40	55.70	14
15	55.78	55.13	55.99	56.20	55.54	56.69	55.73	56.34	55.21E	55.21	55.40	55.70	15
16	55.87	55.10	55.89	56.21	55.55	56.74	55.82	56.36	55.21E	55.09	55.52	55.63	16
17	55.94	55.19	55.80	56.15	55.61	56.93	55.74	56.12	55.27E	54.93	55.59	55.74	17
18	55.88	55.21	55.75	56.03	55.78	57.02	55.79	55.88	55.20E	54.86	55.60	55.74	18
19	55.78	55.30	55.79	55.94	56.45	57.10	55.83	55.76	55.17E	54.85	55.47	55.67	19
20	55.74	55.43	56.12	55.91	56.86	56.93	55.75	55.89	55.17	54.85	55.64	55.60	20
21	55.75	55.74	56.61	55.86	56.88	56.67	55.78	55.79	55.13	54.89	55.59	55.49	21
22	55.83	55.79	56.59	55.81	56.91	56.44	55.89	55.81	55.09	54.93	55.60	55.52	22
23	55.73	55.95	56.45	55.82	56.97	56.33	55.78	55.66	55.00	54.90	55.59	55.55	23
24	55.85	56.03	56.20	55.85	56.79	56.32	55.83	55.61	54.95	54.85	55.63	55.77	24
25	55.80	56.17	56.04	55.85	56.54	56.05	55.63	55.54	54.96	54.87	55.75	55.70	25
26	55.75	56.30	55.94	55.83	56.31	55.91	55.66	55.64	54.90	54.82	55.73	55.48	26
27	55.67	56.37	55.93	55.77	56.26	55.86	55.69	55.67	54.86	54.89	55.77	55.36	27
28	55.50	56.41	55.94	55.71	56.14	55.81	55.77	55.63	54.87	55.06	55.74	55.30	28
29	55.48	56.50	55.90	55.67	56.04	55.74	55.90	55.42	54.89	55.16	55.77	55.25	29
30	55.42	56.62	55.85	55.61		55.66	55.78	55.27	54.90	55.42	55.76	55.21	30
31	55.31		55.74	55.70		55.62		55.15		55.47	55.62		31

MAXIMUM INSTANTANEOUS GAGE HEIGHTS

DATE	TIME	GAGE HT.	DATE	TIME	GAGE HT.	DATE	TIME	GAGE HT.	DATE	TIME	GAGE HT.
10- 4-67	1000	57.04	3-19-68	0700	57.15						
12- 3-67	1000	56.94									
2-23-68	0245	57.00									

E - ESTIMATED

NR - NO RECORD

NF - NO FLOW

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD		DATUM OF GAGE			
LATITUDE	LONGITUDE	1/4 SEC. T. & R. M.D.B.&M.	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		ZERO ON GAGE	REF. DATUM
			CFS	GAGE HT.	DATE			FROM	TO		
37 18 35	120 55 45		5910a	71.14	4-6-58	MAR 37-DATE		1944	1957	-3.73	USCGS
				67.37b				1957	1959	-3.77	USCGS
			18900c	71.5	3-7-38			1959		0.00	USCGS
				67.7 d							

Station located 30 feet below Fremont Ford Bridge, 4.5 miles west of Stevinson, 6.7 miles upstream from the Merced River. Records furnished by U. S. Geological Survey. Drainage area is approximately 8,090 square miles. Flow records are published in U. S. Geological Survey report "Surface Water, Records of California".

a Maximum discharge of 5,910 cfs is only for San Joaquin River channel for the period 1944 to date.

b Reflects present datum.

c During periods of high flow (above stage of approximately 61 feet) some water bypasses the station through three overflow channels known as North, Middle, and South Mud Sloughs. Maximum discharge of 18,900 cfs is for the combined flow of the San Joaquin River and the three channels of Mud Slough. This information taken from Department of Water Resources Bulletin No. 16, Flood Flows and Stages, 1954-56.

d Reflects present datum.

TABLE B-10 (Cont.)

WATER YEAR	STATION NO.	STATION NAME
1968	B05170	MERCED RIVER BELOW SNELLING

**DAILY MEAN GAGE HEIGHT**  
(IN FEET)

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1	6.10	5.93	7.02	7.69	7.51	6.20	6.12	6.18	6.18	6.11	6.16	5.85	1
2	6.14	5.97	7.05	7.72	8.09	6.08	6.12	6.16	6.14	6.15	6.04	5.98	2
3	6.11	6.26	7.02	7.69	8.18	6.02	6.07	6.03	6.15	6.12	6.03	5.98	3
4	6.23	6.15	7.07	7.70	8.19	5.97	5.95	6.08	6.18	6.02	5.99	5.93	4
5	6.22	6.12	7.09	7.70	7.63	6.16	5.80	6.13	6.21	6.00	6.00	6.06	5
6	6.05	6.30	7.08	7.47	7.42	6.20	5.88	6.19	6.31	6.04	6.04	5.97	6
7	6.03	7.00	7.27	7.68	9.10	6.17	5.88	6.18	6.24	6.05	5.95	5.98	7
8	5.91	7.18	7.54	8.08	9.27	6.36	5.79	6.15	6.29	6.03	6.05	6.05	8
9	5.84	7.29	7.54	7.72	9.26	6.16	5.81	6.11	6.28	5.97	6.04	5.83	9
10	5.76	6.97	7.55	7.29	9.04	6.16	5.95	6.08	6.28	5.97	6.03	5.59	10
11	5.86	6.52	7.54	7.53	7.63	6.16	6.07	6.12	6.28	6.07	6.07	5.36	11
12	5.92	6.47	7.57	7.32	6.42	6.20	6.03	6.14	6.28	6.18	6.05	5.18	12
13	5.88	6.44	7.58	6.47	6.18	6.22	6.08	6.08	6.17	6.17	6.16	5.23	13
14	5.92	6.43	7.62	6.22	6.16	6.18	6.05	6.19	6.17	6.17	6.12	5.22	14
15	5.94	6.40	7.60	6.58	6.18	6.13	6.06	6.22	6.20	6.20	6.08	5.42	15
16	6.62	6.36	7.56	7.21	6.18	6.22	6.09	6.16	6.15	6.26	6.03	5.56	16
17	7.43	6.33	7.58	7.25	6.22	6.26	6.15	6.19	6.10	6.20	5.90	5.48	17
18	8.38	6.30	7.60	7.27	6.22	6.04	5.94	6.14	6.12	6.39	5.91	5.09	18
19	8.52	6.32	7.61	7.25	6.21	6.05	6.08	6.08	6.21	6.28	5.94	5.14	19
20	8.53	6.31	7.61	6.48	6.24	6.16	6.02	6.13	6.12	6.21	5.88	5.32	20
21	8.53	6.78	7.56	6.27	6.25	6.16	6.16	6.11	6.17	6.16	5.88	5.46	21
22	8.52	6.99	7.59	6.49	6.22	6.14	6.08	5.98	6.16	6.25	5.93	5.10	22
23	8.50	6.97	7.59	7.18	6.11	6.16	5.86	6.09	6.13	6.29	5.94	5.23	23
24	8.18	6.96	7.56	7.24	5.93	6.15	5.79	6.07	6.13	6.17	5.98	5.10	24
25	8.18	6.93	7.61	7.24	6.08	6.18	5.97	6.08	6.15	6.16	5.98	5.28	25
26	8.15	6.99	7.58	7.25	6.09	6.18	5.96	6.16	6.15	6.19	5.99	5.21	26
27	8.14	7.00	7.59	6.48	6.12	6.08	5.96	6.17	6.18	6.18	6.05	5.50	27
28	8.19	6.99	7.58	6.25	6.12	5.96	5.98	6.16	6.20	6.18	6.10	5.34	28
29	7.23	7.02	7.57	6.78	6.13	5.94	6.05	6.15	6.21	6.26	6.07	5.41	29
30	6.02	6.74	7.63	7.32		6.07	6.24	6.20	6.19	6.20	5.96	5.57	30
31	5.92		7.71	7.68		6.08		6.18		6.24	5.96		31

MAXIMUM INSTANTANEOUS GAGE HEIGHTS

	DATE	TIME	GAGE HT.	DATE	TIME	GAGE HT.		DATE	TIME	GAGE HT.	DATE	TIME	GAGE HT.
E - ESTIMATED	10-17-67	1330	8.68	2- 8-68	1230	9.34							
NR - NO RECORD	10-20-67	1615	8.68	2-11-68	1515	8.83							
NF - NO FLOW	1-31-68	1500	10.20										

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD		DATUM OF GAGE			
LATITUDE	LONGITUDE	1/4 SEC. T. & R. M.D.B.&M.	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		ZERO ON GAGE	REF. DATUM
			CFS	GAGE HT.	DATE			FROM	TO		
37 30 06	120 27 03	NE17 5S 14E	14500	17.10	1-7-65	NOV 58-DATE		1958		221.12	USGS

Station located 0.2 mile downstream from Merced-Snelling highway bridge, 1.4 miles southwest of Snelling. Flow regulated by Exchequer powerplant and McSwain Dam. Prior to November 1958, records available for a site 3.6 miles downstream. Merced Irrigation District Main Canal and several small gravity diversions are upstream from station.

TABLE B-10 (Cont.)

DAILY MEAN GAGE HEIGHT  
(IN FEET)

WATER YEAR	STATION NO.	STATION NAME
1968	B05155	MERCED RIVER AT CRESSEY

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1	10.48E	11.24E	11.12	12.11	12.27	10.35	10.31	9.89E	10.07	10.01	9.84	10.01	1
2	10.48E	10.29	11.34	12.18	12.29	10.40	10.42	9.89E	10.04	9.93	9.89	10.00	2
3	10.48E	10.23	11.33	12.15	12.70	10.30	10.34	9.89E	10.09	9.81	9.93	9.97	3
4	10.24	10.44	11.31	12.16	12.81	10.23	10.24	9.89E	9.98	9.84	10.00	9.94	4
5	10.35	10.42	11.36	12.15	12.76	10.13	10.21	9.96E	9.93	9.86	10.05	9.87	5
6	10.29	10.39	11.36	12.15	11.71	10.27	10.13	9.96E	9.98	9.87	10.03	9.85	6
7	10.53E	10.56	11.39	11.87	12.77	10.35	10.10	9.96E	10.03	9.81	9.98	9.95	7
8	10.48E	11.18	11.71	12.14	14.13	10.43	10.09	10.03E	10.12	9.78	9.94	9.92	8
9	10.48E	11.46	11.91	12.61	14.28	10.73	10.04	10.03E	10.14	9.81	9.81	9.95	9
10	10.43E	11.54	11.93	12.23	14.19	10.60	9.98	10.03E	10.12	9.72	9.85	10.02	10
11	10.43E	11.16	11.96	11.48	13.14	10.46	9.94	10.10E	10.05	9.56	9.82	9.99	11
12	10.37E	10.81	11.94	12.06	11.78	10.41	9.95	10.10E	9.98	9.59	9.82	9.94	12
13	10.07	10.72	11.97	11.50	10.83	10.46	9.98	10.10E	10.02	9.66	9.84	9.91	13
14	10.06	10.67	12.06	10.81	10.54	10.52	10.06	10.16E	9.98	9.87	9.83	9.94	14
15	10.37E	10.68	12.05	10.65	10.47	10.44	10.11	10.16E	9.94	9.96	9.91	10.00	15
16	10.37E	10.64	12.00	11.13	10.45	10.44	10.03	10.16E	9.94	9.85	9.95	10.00	16
17	11.90E	10.59	11.98	11.51	10.54	10.98	9.90	10.32	9.95	9.87	9.91	10.01	17
18	12.73E	10.57	12.02	11.57	10.56	10.88	9.91E	10.31	9.93	9.93	9.89	9.94	18
19	13.22E	10.60	12.05	11.61	10.64	10.50	9.82E	10.28	9.87	9.99	9.96	9.84	19
20	13.45E	10.62	12.04	11.39	10.61	10.37	9.82E	10.28	9.90	10.04	9.99	9.82	20
21	13.45E	10.58	12.01	10.77	10.95	10.42	9.91E	10.24	9.86	10.06	10.03	9.85	21
22	13.45E	11.04	11.99	10.57	10.94	10.43	9.99E	10.15	9.88	10.08	10.01	9.92	22
23	13.45E	11.25	12.02	10.91	10.70	10.39	9.99E	10.10	9.95	10.01	10.06	9.98	23
24	13.45E	11.26	12.01	11.47	10.53	10.38	9.91E	10.09	9.96	9.91	10.10	10.02	24
25	12.98E	11.25	12.00	11.46	10.34	10.37	9.91E	10.08	9.87	9.88	10.07	10.05	25
26	12.98E	11.27	12.04	11.50	10.34	10.36	9.91E	10.00	9.82	9.88	10.08	10.02	26
27	12.98E	11.29	11.99	11.41	10.36	10.38	9.91E	10.02	9.87	9.89	10.13	10.07	27
28	12.98E	11.31	12.01	10.79	10.36	10.33	9.91E	10.06	9.86	9.87	10.08	10.04	28
29	12.98E	11.32	12.01	10.53	10.36	10.22	9.91E	10.06	9.86	9.85	9.95	9.97	29
30	12.47E	11.38	11.99	11.20	10.17	10.17	9.91E	10.06	9.91	9.86	9.98	9.94	30
31	11.90E		12.11	11.71		10.22		10.05		9.87	10.06		31

MAXIMUM INSTANTANEOUS GAGE HEIGHTS

E — ESTIMATED  
NR — NO RECORD  
NF — NO FLOW

DATE	TIME	GAGE HT.	DATE	TIME	GAGE HT.	DATE	TIME	GAGE HT.	DATE	TIME	GAGE HT.
10-22-67	0945	13.28	2-9-68	2100	14.32						
1-9-68	0800	13.03									
2-1-68	0300	13.41									

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD		DATUM OF GAGE			
LATITUDE	LONGITUDE	1/4 SEC. T. & R. M.D.B.&M.	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		ZERO ON GAGE	REF. DATUM
			CFS	GAGE HT.	DATE			FROM	TO		
37 25 28	120 39 47	SW 9 6S 12E	34400	22.67	12-4-50	JUL 41-DATE	APR 41-JUL 41	1950	1962	96.24	USCGS
				32.67a	12-4-50			1962		86.24	USCGS

Station located 150 feet downstream from McSwain Bridge, immediately north of Cressey. Prior to May 20, 1960, station located 250 feet upstream from bridge.

a Reflects present datum.



TABLE B-10 (Cont.)

WATER YEAR	STATION NO.	STATION NAME
1968	B07300	SAN JOAQUIN RIVER NEAR NEWMAN

**DAILY MEAN GAGE HEIGHT**  
(IN FEET)

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1	50.34	49.73	51.03	50.62	50.52	49.59	49.11	48.83	48.13	48.07	48.34E	48.68	1
2	50.43	49.50	51.01	50.76	50.66	49.55	49.53	48.75	48.15	48.04	48.34E	48.81	2
3	50.50	49.34	51.11	50.70	50.85	49.81	49.75	48.77	48.28	48.03	48.34E	48.81E	3
4	50.64	49.25	51.12	51.01	51.10	49.60	50.05	48.76	48.23	47.96	48.34E	48.70E	4
5	50.63	49.29	51.04	51.09	51.21	49.41	50.02	48.81	48.29	48.00	48.42E	48.62	5
6	50.53	49.32	50.99	51.05	51.08	49.34	49.71	48.98	48.17	47.87	48.41	48.64	6
7	50.46	49.33	50.96	50.99	50.50	49.34	49.42	48.91	48.21	47.96	48.42	48.57	7
8	50.37	49.34	50.94	51.12	51.31	49.53	49.40	48.82	48.19	48.06	48.32	48.63	8
9	50.25	49.63	51.12	51.40	52.17	49.73	49.23	48.85	48.36	47.94	48.29	48.64	9
10	50.21	49.87	51.20	51.71	52.39	49.98	49.16	48.80	48.46	47.87	48.24	48.80	10
11	50.15	49.97	51.19	51.57	52.34	50.08	49.02	48.90	48.37	47.98	48.27	48.83	11
12	50.09	49.79	51.01	51.26	51.46	50.09	48.97	48.98	48.36	48.02	48.35	48.87	12
13	49.90	49.56	50.83	51.33	50.55	50.13	48.84	49.33	48.19	47.97	48.32	48.80	13
14	49.77	49.50	50.76	50.99	50.00	50.20	48.87	49.43	48.22	48.05	48.33	48.83	14
15	49.81	49.50	50.79	50.67	49.68	50.26	49.04	49.54	48.20	48.10	48.46	48.68	15
16	49.91	49.53	50.76	50.51	49.56	50.24	49.04	49.61	48.17	48.05	48.58	48.66	16
17	49.83	49.57	50.70	50.63	49.61	50.40	48.93	49.37	48.35	47.91	48.67	48.67	17
18	49.95	49.59	50.68	50.72	49.75	50.57	48.82	49.31	48.16	47.89	48.74	48.70	18
19	50.57	49.68	50.71	50.68	50.08	50.57	48.95	49.13	48.02	47.94	48.70	48.70	19
20	51.23	49.79	50.84	50.65	50.52	50.35	48.96	49.16	48.04	48.05	48.83	48.68	20
21	51.43	50.03	51.13	50.48	50.59	50.16	48.87	49.04	48.04	48.08	48.87	48.69	21
22	51.54	50.07	51.15	50.18	50.72	49.94	49.03	49.02	48.08	48.17	48.79	48.71	22
23	51.53	50.30	51.05	50.02	50.79	49.81	48.92	48.90	48.03	48.15	48.82	48.71	23
24	51.60	50.45	50.91	50.14	50.59	49.78	48.95	48.78	48.02	47.94	48.76	48.91	24
25	51.47	50.45	50.78	50.37	50.34	49.67	48.86	48.73	47.99	47.90	48.90	48.87	25
26	51.25	50.47	50.70	50.37	50.03	49.41	48.91	48.74	47.84	47.89	48.94	48.70	26
27	51.22	50.52	50.74	50.38	49.88	49.24	48.95	48.77	47.84	47.84	48.87	48.53	27
28	51.15	50.55	50.74	50.26	49.78	49.19	48.88	48.70	47.69	48.01	48.79	48.44	28
29	51.12	50.67	50.70	49.91	49.66	49.22	48.94	48.49	47.81	48.14E	48.74	48.51	29
30	51.04	50.83	50.65	49.73	49.73	49.10	48.84	48.31	47.86	48.30E	48.71	48.43	30
31	50.22		50.58	50.06		49.05		48.27		48.42E	48.58		31

MAXIMUM INSTANTANEOUS GAGE HEIGHTS

DATE	TIME	GAGE HT.	DATE	TIME	GAGE HT.	DATE	TIME	GAGE HT.	DATE	TIME	GAGE HT.
10-24-67	1945	51.67									
1-10-68	0345	51.78									
2-10-68	1145	52.41									

E — ESTIMATED  
NR — NO RECORD  
NF — NO FLOW

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD		DATUM OF GAGE			
LATITUDE	LONGITUDE	1/4 SEC. T. & R. M.D.B.&M.	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		ZERD ON GAGE	REF. DATUM
			CFS	GAGE HT.	DATE			FROM	TD		
37 21 02	120 58 34	SW 3 7S 9E	33000a	18.50	3-7-38	APR 12-DATE		1912		47.24	USCGS
				65.81b				1959	1959	47.31	USCGS
										0.00	USCGS

Station located 300 feet downstream from bridge on Hills Ferry Road, 500 feet downstream from the Merced River, 3.5 miles northeast of Newman. Records furnished by U. S. Geological Survey. Drainage area is 9,990 square miles. This station equipped with DWR radio telemeter. Flow records are published in the U. S. Geological Survey report "Surface Water Records of California".

- a During periods of high flow the Merced River overflows into Merced River Slough bypassing this station on the San Joaquin River. The maximum discharge of record (33,000 cfs) includes flow in Merced River Slough.
- b Reflects present datum.

TABLE B-10 (Cont.)

**DAILY MEAN GAGE HEIGHT**  
(IN FEET)

WATER YEAR	STATION NO.	STATION NAME
1968	B07250	SAN JOAQUIN RIVER AT CROWS LANDING BRIDGE

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1	40.50	39.98	40.85	40.55	40.27	39.59	39.22	38.99	38.44	38.27	38.60	38.84	1
2	40.58	39.71	40.89	40.65	40.58	39.56	39.67	38.94	38.33	38.29	38.49	39.01	2
3	40.58	39.52	40.94	40.69	40.62	39.67	39.78	38.93	38.46	38.36	38.61	38.97	3
4	40.67	39.38	41.00	40.83	40.88	39.64	40.03	38.94	38.46	38.32	38.62	38.87	4
5	40.76	39.36	40.95	40.98	41.02	39.45	40.12	39.02	38.48	38.30	38.67	38.82	5
6	40.66	39.39	40.90	41.00	41.00	39.35	39.93	39.17	38.46	38.17	38.71	38.88	6
7	40.61	39.40	40.90	40.93	40.57	39.33	39.58	39.22	38.53	38.15	38.74	38.75	7
8	40.47	39.38	40.87	40.96	40.76	39.67	39.60	39.13	38.58	38.34	38.66	38.80	8
9	40.42	39.55	40.96	41.18	41.72	39.72	39.43	39.09	38.60	38.32	38.66	38.92	9
10	40.33	39.76	41.07	41.53	42.10	39.82	39.19	39.06	38.82	38.22	38.63	38.99	10
11	40.27	39.89	41.10	41.49	42.15	39.94	39.07	39.12	38.76	38.22	38.60	39.01	11
12	40.20	39.84	41.04	41.22	41.63	40.00	39.02	39.12	38.66	38.35	38.68	39.00	12
13	40.12	39.65	40.83	41.22	40.77	40.07	38.93	39.40	38.49	38.32	38.65	38.94	13
14	40.00	39.56	40.76	41.01	40.17	40.22	38.97	39.60	38.54	38.32	38.69	39.04	14
15	39.97	39.54	40.75	40.71	39.82	40.35	39.14	39.60	38.48	38.45	38.72	38.96	15
16	40.03	39.54	40.75	40.51	39.66	40.27	39.11	39.67	38.42	38.44	38.79	38.92	16
17	39.95	39.57	40.68	40.50	39.66	40.38	39.10	39.48	38.63	38.38	38.88	38.81	17
18	39.88	39.60	40.66	40.64	39.74	40.54	39.01	39.37	38.56	38.26	39.04	38.82	18
19	40.30	39.64	40.65	40.62	39.94	40.61	39.02	39.31	38.29	38.27	39.01	38.79	19
20	40.92	39.73	40.72	40.59	40.31	40.38	39.08	39.31	38.23	38.30	39.02	38.84	20
21	41.20	39.91	40.98	40.50	40.45	40.31	39.03	39.24	38.27	38.43	39.08	38.88	21
22	41.34	39.99	41.07	40.24	40.54	40.13	39.11	39.22	38.34	38.45	39.04	38.90	22
23	41.36	40.12	41.01	40.05	40.63	39.92	39.12	39.10	38.33	38.56	39.04	38.97	23
24	41.39	40.30	40.89	40.03	40.53	39.80	39.12	39.01	38.25	38.35	38.97	39.12	24
25	41.41	40.34	40.78	40.25	40.33	39.74	39.07	38.99	38.26	38.22	39.11	39.11	25
26	41.17	40.37	40.68	40.31	40.07	39.52	39.07	38.96	38.16	38.23	39.24	38.94	26
27	41.11	40.39	40.68	40.29	39.87	39.34	39.09	39.03	38.08	38.22	39.17	38.79	27
28	41.06	40.44	40.69	40.26	39.79	39.25	39.09	38.93	38.03	38.26	39.11	38.67	28
29	41.04	40.53	40.67	39.98	39.67	39.30	39.07	38.79	38.05	38.43	38.98	38.76	29
30	40.99	40.67	40.61	39.82	39.22	39.22	38.98	38.58	38.03	38.47	38.94	38.71	30
31	40.47		40.56	39.92		39.20		38.49		38.57	38.83		31

MAXIMUM INSTANTANEOUS GAGE HEIGHTS

E - ESTIMATED  
NR - NO RECORD  
NF - NO FLOW

DATE	TIME	GAGE HT.	DATE	TIME	GAGE HT.	DATE	TIME	GAGE HT.	DATE	TIME	GAGE HT.
10-25-67	0300	41.48	2-11-68	1100	42.15						
12-11-67	1000	41.12									
1-10-68	1200	41.60									

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD		DATUM OF GAGE				
LATITUDE	LONGITUDE	1/4 SEC. T. & R. M.D.B.&M.	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		ZERO ON GAGE	REF. DATUM	
			CFS	GAGE HT.	DATE			FROM	TO			
37 26 52	121 00 44	NW 8 6S 9E		61.9	4- 7-58	OCT 65-DATE	41-SEP 65		1959	1959	0.00	USED
				58.4 <sub>a</sub>	4- 7-58				1959		0.00	USGS
			16700 <sub>b</sub>	56.69	4-27-67				1959		3.51	USED

Station located at Crows Landing Road Bridge, 4.3 miles northeast of Crows Landing.

a Reflects present datum.  
b Maximum discharge since station was rated in October 1965.

TABLE B-10 (Cont.)

DAILY MEAN GAGE HEIGHT  
(IN FEET)

WATER YEAR	STATION NO.	STATION NAME
1968	B04175	TUOLUMNE RIVER AT LA GRANGE BRIDGE

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1	67.05	71.59	70.68E	69.76	69.51	70.91	67.39	67.18	67.28	67.17	67.10	67.21	1
2	67.05	71.95	70.42	70.12	68.01	70.11	67.39	67.18	67.27	67.18	67.11	67.20	2
3	67.16	71.53	70.08	70.25	67.47	70.29	67.38	67.18	67.31	67.17	67.15	67.22	3
4	67.87	71.47	70.63	70.33	67.42	71.32	67.38	67.18	67.28	67.14	67.33	67.25	4
5	68.20	71.15	70.64	70.49	68.39	71.16	67.37	67.18	67.26	67.14	67.29	67.20	5
6	67.69	71.42	70.75	69.89	68.44	71.18	67.37	67.18	67.27	67.14	67.29	67.21	6
7	67.27	71.58	70.86	69.76	68.32	71.04	67.36	67.18	67.27	67.12	67.39	67.11	7
8	67.24	71.62	70.87	70.25	68.39	70.97	67.35	67.18	67.27	67.13	67.34	66.94	8
9	67.24	71.62	70.42	70.12	68.46	70.58	67.36	67.19	67.26	67.14	67.28	66.92	9
10	67.23	71.63	70.18	69.89	67.93	70.09	67.36	67.18	67.26	67.17	67.27	66.92	10
11	67.26	71.56	71.04	69.92	67.82	70.76	67.36	67.20	67.28	67.14	67.27	66.93	11
12	67.26	71.36	71.19	69.81	68.63	70.74	67.35	67.21	67.25	67.13	67.27	66.93	12
13	67.25	71.47	71.46	69.70	69.60	70.61	67.37	67.21	67.25	67.13	67.26	66.94	13
14	68.47	71.60	71.28	69.71	69.42	70.46	67.36	67.18	67.38	67.12	67.25	66.91	14
15	67.78	71.56	71.09	69.73	69.21	70.40	67.35	67.29	67.31	67.12	67.25	66.90	15
16	68.75	71.17	70.79	69.77	68.93	70.30	67.44	67.15	67.25	67.12	67.25	66.89	16
17	68.80	70.97	70.54	69.76	68.43	69.90	67.28	67.14	67.24	67.12	67.24	66.90	17
18	68.79	70.78	70.86	69.75	67.74	70.89	67.17	67.13	67.17	67.13	67.24	66.96	18
19	68.85	70.65	70.37	69.72	68.49	71.42	67.18	67.11	67.17	67.13	67.24	66.96	19
20	68.94	71.13	70.32	69.62	69.31	71.21	67.18	67.13	67.16	67.12	67.23	66.94	20
21	68.63	70.94	70.31	68.18	70.62	70.92	67.18	67.17	67.15	67.11	67.23	66.94	21
22	68.09	70.53	70.11	69.56	71.75	69.75	67.18	67.16	67.14	67.11	67.23	66.95	22
23	69.30	69.97	69.81	69.68	72.25	69.09	67.18	67.17	67.14	67.12	67.23	66.95	23
24	70.60	70.36E	69.79	69.57	71.93	68.85	67.18	67.27	67.14	67.11	67.22	66.95	24
25	70.94	70.11E	69.80	69.60	71.94	69.43	67.18	67.17	67.17	67.11	67.22	66.95	25
26	71.15	70.45E	69.82	69.46	71.60	69.32	67.18	67.12	67.15	67.11	67.22	66.96	26
27	70.23	70.75E	69.82	69.37	71.48	68.67	67.18	67.13	67.13	67.11	67.22	66.92	27
28	70.13	70.83E	69.84	69.35	71.51	67.95	67.21	67.17	67.13	67.11	67.21	66.92	28
29	71.39	71.11E	69.79	69.77	71.50	68.32	67.19	67.19	67.15	67.09	67.32	66.91	29
30	71.81	70.97E	69.78	69.76		67.43	67.19	67.35	67.19	67.11	67.32	66.92	30
31	71.91		69.77	69.44		67.38		67.31		67.10	67.22		31

MAXIMUM INSTANTANEOUS GAGE HEIGHTS

DATE	TIME	GAGE HT.	DATE	TIME	GAGE HT.	DATE	TIME	GAGE HT.	DATE	TIME	GAGE HT.
12-12-67	2130	72.48	2-22-68	1430	72.66						
12-13-67	2015	72.46	2-23-68	0830	72.66						
12-14-67	2145	72.44	2-25-68	1530	72.65						

E - ESTIMATED  
NR - NO RECORD  
NF - NO FLOW

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD		DATUM OF GAGE			
LATITUDE	LONGITUDE	1/4 SEC. T. & R. M.D.B.&M.	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		ZERO ON GAGE	REF DATUM
			CFS	GAGE HT.	DATE			FRDM	TO		
37 39 59	120 27 40	NW20 3S 14E	48200	188.0	12- 8-50	OCT 36-SEP 60		1937		0.00	USGS
						OCT 61-DATE					

Station located at highway bridge, immediately north of La Grange. Flow regulated by La Grange and Don Pedro Dams. Diversions to Modesto and Owens Canals are above La Grange Dam. Drainage area is 1,540 square miles.

TABLE B-10 (Cont.)

WATER YEAR	STATION NO.	STATION NAME
1968	B04150	TUOLUMNE RIVER AT HICKMAN BRIDGE

**DAILY MEAN GAGE HEIGHT**  
(IN FEET)

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1	68.53	72.04	71.50	70.32	70.16	71.74	68.61	68.38	68.37	68.38	68.39	68.50	1
2	68.48	71.91	71.14	70.38	69.43	70.81	68.51	68.35	68.35	68.37	68.40	68.49	2
3	68.45	71.87	70.84	70.72	68.95	70.66	68.49	68.39	68.35	68.37	68.40	68.46	3
4	68.45	71.96	70.78	70.87	68.60	71.59	68.48	68.40	68.36	68.38	68.40	68.47	4
5	68.58	71.73	71.12	70.94	68.54	71.71	68.48	68.41	68.39	68.38	68.44	68.49	5
6	68.86	71.71	71.22	70.88	69.28	71.76	68.47	68.40	68.42	68.37	68.44	68.53	6
7	68.78	72.03	71.34	70.43	69.20	71.58	68.47	68.39	68.40	68.35	68.43	68.51	7
8	68.54	72.07	71.38	70.45	69.10	71.61	68.45	68.37	68.39	68.36	68.45	68.48	8
9	68.48	72.06	71.23	70.81	69.23	71.48	68.45	68.38	68.36	68.36	68.50	68.49	9
10	68.46	72.10	70.86	70.67	69.15	70.83	68.46	68.37	68.36	68.35	68.48	68.48	10
11	68.43	72.07	71.02	70.47	68.82	70.94	68.46	68.37	68.36	68.39	68.46	68.48	11
12	68.44	71.88	71.61	70.50	68.76	71.29	68.47	68.39	68.37	68.39	68.47	68.47	12
13	68.46	71.87	71.85	70.34	69.83	71.31	68.47	68.42	68.37	68.38	68.48	68.48	13
14	68.47	72.08	71.92	70.27	70.14	71.09	68.46	68.43	68.37	68.39	68.50	68.48	14
15	69.17	72.04	71.74	70.32	70.01	70.98	68.46	68.44	68.37	68.40	68.51	68.48	15
16	68.88	71.86	71.46	70.32	69.65	70.92	68.45	68.45	68.40	68.37	68.50	68.49	16
17	69.47	71.52	71.17	70.34	69.52	70.73	68.45	68.45	68.39	68.36	68.49	68.48	17
18	69.49	71.38	71.36	70.32	69.15	70.82	68.45	68.44	68.37	68.34	68.50	68.48	18
19	69.49	71.25	71.11	70.30	68.84	72.04	68.43	68.43	68.36	68.34	68.52	68.49	19
20	69.54	71.33	70.90	70.27	69.56	71.68	68.42	68.42	68.37	68.34	68.52	68.49	20
21	69.52	71.62	70.85	69.67	71.08	71.65	68.41	68.41	68.37	68.37	68.51	68.50	21
22	69.25	71.14	70.85	69.47	71.50	70.58	68.42	68.39	68.37	68.37	68.49	68.51	22
23	69.05	70.90	70.49	70.25	72.99	70.12	68.42	68.38	68.37	68.37	68.49	68.51	23
24	70.74	70.69	70.37	70.23	72.40	69.73	68.41	68.39	68.37	68.36	68.50	68.50	24
25	70.97	71.02	70.36	70.13	72.48	69.55	68.41	68.40	68.35	68.37	68.55	68.49	25
26	71.37	70.75	70.34	70.06	72.26	70.07	68.42	68.40	68.34	68.36	68.57	68.50	26
27	71.06	71.00	70.38	70.04	72.00	69.78	68.41	68.40	68.34	68.34	68.53	68.50	27
28	70.51	71.36	70.39	69.94	72.02	69.14	68.41	68.40	68.36	68.34	68.52	68.51	28
29	70.91	71.35	70.39	70.02	72.01	68.95	68.40	68.39	68.37	68.36	68.53	68.51	29
30	72.00	71.56	70.35	70.32		69.14	68.39	68.38	68.37	68.33	68.53	68.51	30
31	72.16		70.34	70.33		68.60		68.38		68.35	68.54		31

MAXIMUM INSTANTANEOUS GAGE HEIGHTS

	DATE	TIME	GAGE HT.	DATE	TIME	GAGE HT.	DATE	TIME	GAGE HT.	DATE	TIME	GAGE HT.
E -- ESTIMATED	11-07-67	0430	72.58	2-25-68	2245	72.90						
NR -- NO RECORD	12-14-67	0445	72.79	3-08-68	0345	72.49						
NE -- NO FLOW	2-23-68	1730	73.14									

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD		DATUM OF GAGE			
LATITUDE	LONGITUDE	1/4 SEC. T. & R. M.D.B.&M.	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		ZERO ON GAGE	REF. DATUM
			CFS	GAGE HT.	DATE			FROM	TO		
37 38 10	120 45 14	NW34 3S 11E	59000	96.2	12-8-50	JUL 32-OCT 36 JAN 37-MAR 37 JUL 37-FEB 38 JUL 38-DEC 38 MAR 39-DATE		1932		0.00	USCGS

Station located at Hickman-Waterford road bridge, immediately south of Waterford. Flow regulated by reservoirs and powerplants. In August 1964, this station was moved approximately one-quarter mile downstream to a point immediately upstream of the new Hickman-Waterford road bridge.

TABLE B-10 (Cont.)

DAILY MEAN GAGE HEIGHT  
(IN FEET)

WATER YEAR	STATION NO.	STATION NAME
1968	B04130	DRY CREEK NEAR MODESTO

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1	68.36	67.59	67.88	67.86	68.60	68.07	68.56	68.32	68.27	68.02	68.08	68.34	1
2	68.37	67.53	67.89	67.86	68.67	67.99	69.23	68.35	68.18	67.93	68.08	68.50	2
3	68.52	67.55	67.88	67.88	68.34	67.94	68.77	68.31	68.17	67.88	68.04	68.45	3
4	68.55	67.55	67.86	67.87	68.11	67.90	68.27	68.39	68.07	67.90	68.10	68.53	4
5	68.39	67.51	67.89	67.86	67.98	67.86	68.12	68.42	68.07	67.95	68.18	68.57	5
6	68.29	67.52	67.95	67.85	67.89	67.84	68.12	68.33	68.16	67.99	68.18	68.50	6
7	68.29	67.52	67.92	67.85	67.86	67.85	68.23	68.33	68.20	67.98	68.17	68.45	7
8	68.34	67.53	67.93	67.85	67.83	68.10	68.28	68.34	68.28	67.99	68.12	68.38	8
9	68.40	67.51	67.91	67.85	67.82	71.24	68.26	68.32	68.30	68.12	68.21	68.30	9
10	68.43	67.56	67.88	67.87	67.81	69.81	68.28	68.31	68.35	68.19	68.16	68.26	10
11	68.37	67.55	67.87	67.87	67.83	68.91	68.56	68.22	68.28	68.06	68.13	68.23	11
12	68.42	67.52	67.87	67.86	67.83	68.48	68.53	68.22	68.33	67.99	68.21	68.21	12
13	68.38	67.48	67.86	67.86	67.88	68.28	68.50	68.25	68.14	68.06	68.14	68.33	13
14	68.36	67.92	67.88	67.85	67.97	68.29	68.37	68.22	68.10	68.09	68.21	68.43	14
15	68.28	67.90	67.97	67.88	67.97	69.12	68.21	68.38	68.12	68.18	68.24	68.38	15
16	68.25	67.90	67.90	68.04	67.97	68.80	68.13	68.39	68.02	68.19	68.24	68.37	16
17	68.28	67.91	67.87	67.96	67.99	71.35	68.02	68.35	68.07	68.10	68.25	68.37	17
18	68.45	67.93	67.88	67.89	68.82	71.28	67.95	68.29	68.15	68.07	68.25	68.32	18
19	68.52	67.98	67.88	67.86	69.91	69.39	68.08	68.26	68.10	68.15	68.33	68.29	19
20	68.71	68.05	67.87	67.84	68.98	68.73	68.18	68.27	68.07	68.21	68.38	68.23	20
21	68.89	68.13	67.87	67.83	71.68	68.45	68.42	68.36	68.03	68.19	68.42	68.27	21
22	68.74	68.05	67.85	67.83	71.89	68.28	68.45	68.43	68.03	68.22	68.54	68.35	22
23	68.56	68.00	67.84	67.83	69.96	68.17	68.47	68.51	67.94	68.00	68.44	68.42	23
24	68.92	67.93	67.84	67.83	69.08	68.11	68.53	68.36	67.95	67.93	68.38	68.44	24
25	68.73	67.90	67.86	67.82	68.71	68.06	68.56	68.41	67.91	68.02	68.58	68.36	25
26	68.77	67.88	67.86	67.81	68.45	68.02	68.49	68.35	67.96	68.10	68.58	68.36	26
27	68.83	67.86	67.87	67.81	68.35	67.99	68.49	68.32	68.01	68.12	68.48	68.43	27
28	68.73	67.85	67.87	67.82	68.32	68.48	68.40	68.26	67.98	68.06	68.53	68.56	28
29	68.08	67.85	67.86	67.83	68.18	68.42	68.46	68.31	68.05	68.08	68.41	68.45	29
30	67.93	67.87	67.86	67.86	68.30	68.30	68.39	68.21	68.09	68.03	68.41	68.55	30
31	67.77		67.86	68.43		68.31		68.16		68.14	68.42		31

MAXIMUM INSTANTANEOUS GAGE HEIGHTS

E - ESTIMATED  
NR - NO RECORD  
NF - NO FLOW

DATE	TIME	GAGE HT.	DATE	TIME	GAGE HT.	DATE	TIME	GAGE HT.	DATE	TIME	GAGE HT.
2-21-68	1130	72.83	3-17-68	2015	73.50						
2-22-68	1200	72.63									
3- 9-68	1130	72.67									

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD		DATUM OF GAGE			
LATITUDE	LONGITUDE	1/4 SEC. T. & R. M.D.B.&M.	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		ZERO ON GAGE	REF. DATUM
			CFS	GAGE HT.	DATE			FROM	TO		
37 39 26	120 55 19	SE24 3S 9E	7710	88.04	12-23-55	MAR 41-DATE		1941		0.00	USCGS

Station located 0.1 mile downstream from Claus Road bridge, 4 miles east of Modesto. Tributary to Tuolumne River. June 1930 to March 1941, records available for a site 2.5 miles downstream. Station is operated under a cooperative agreement between the Department of Water Resources and the Modesto Irrigation District. Drainage area is 192.3 square miles.

TABLE B-10 (Cont.)

DAILY MEAN GAGE HEIGHT  
(IN FEET)

WATER YEAR	STATION NO.	STATION NAME
1968	B04120	TUOLUMNE RIVER AT MODESTO

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1	41.49	43.64	42.60E	42.13	42.07	42.89E	41.55	41.25	41.20	41.18	41.15	41.20	1
2	41.46	43.34	42.56E	42.13	42.07	42.72E	41.69	41.24	41.18	41.16	41.15	41.19	2
3	41.45	43.49	42.41E	42.27	41.63	42.47E	41.45	41.25	40.76	41.15	41.13	41.18	3
4	41.45	43.27	42.28E	42.36	41.47	42.10E	41.37	41.25	41.17	41.17	41.13	41.18	4
5	41.44	43.17	42.37E	42.41	41.35	42.68E	41.37	41.26	41.20	41.16	41.15	41.19	5
6	41.54	42.87	42.40E	42.49	41.49	42.76E	41.36	41.26	41.22	41.21	41.14	41.19	6
7	41.61	43.19	42.47E	42.24	41.62	42.80E	41.38	41.23	41.19	41.17	41.14	41.19	7
8	41.55	43.35	42.56E	42.15	41.58	42.85E	41.38	41.23	41.21	41.18	41.12	41.17	8
9	41.48	43.34	42.56E	42.35	41.59	42.80E	41.31E	41.22	41.21	41.19	41.15	41.16	9
10	41.42	43.34	42.44E	42.34	41.62	42.68E	41.30E	41.22	41.21	41.22	41.15	41.16	10
11	41.42	43.35	42.32E	42.22	41.48	42.40E	41.30E	41.21	41.20	41.18	41.14	41.16	11
12	41.40	43.23	42.47E	42.21	41.41	42.68E	41.28E	39.75	41.22	41.19	41.16	41.15	12
13	41.40	43.03	42.64E	42.17	41.64	42.70	41.28E	41.02	41.18	41.20	41.14	41.15	13
14	41.43	43.23	42.76E	42.12	42.01	42.62	41.27E	41.23	41.18	41.20	41.13	41.18	14
15	41.67	43.29	42.76E	42.14	42.00	42.56	41.28E	41.24	41.18	41.18	41.16	41.19	15
16	41.66	43.23	42.68E	42.14	41.92	42.55	41.27E	40.82	41.18	41.17	41.15	41.19	16
17	41.78	42.89	42.56E	42.15	41.85	42.67	41.28E	41.24	41.19	41.12	41.15	41.18	17
18	41.86	42.73	42.47E	42.15	41.72	42.59	41.27E	41.24	41.19	41.12	41.15	41.16	18
19	41.89	42.63	42.71E	42.13	41.72	43.09	41.28E	40.83	41.17	41.14	41.19	41.16	19
20	41.91	42.54E	42.47	42.12	41.75	43.10	41.27E	41.23	41.18	41.12	41.18	41.17	20
21	41.94	42.54E	42.42	42.05	42.39	42.95	41.28E	41.22	41.17	41.12	41.18	41.16	21
22	41.89	42.54E	42.41	41.67	42.86	42.69	41.27E	41.23	41.17	41.16	41.19	41.16	22
23	41.72	42.47E	42.30	42.01	43.50E	42.30	41.28E	40.83	41.16	41.14	41.20	41.17	23
24	42.01	42.40E	42.18	42.09	43.79E	42.02	41.28	41.23	41.17	41.13	41.17	41.18	24
25	42.45	42.40E	42.16	42.06	43.44E	41.89	41.29	41.25	41.15	41.13	41.20	41.16	25
26	42.69	42.36E	42.15	42.05	43.44E	42.05	41.28	41.24	41.16	41.13	41.21	41.17	26
27	42.83	42.32E	42.16	42.01	43.05E	42.04	41.30	41.22	41.15	41.11	41.20	41.18	27
28	42.43	42.40E	42.16	41.97	42.98E	41.88	41.26	41.22	41.17	41.11	41.20	41.20	28
29	42.37	42.47E	42.16	41.95	42.94E	41.70	41.27	40.79	41.16	41.11	41.19	41.20	29
30	43.02	42.56E	42.15	42.13		41.72	41.26	41.22	41.20	41.10	41.19	41.20	30
31	43.51		42.14	42.20		41.56		41.20		41.10	41.19		31

MAXIMUM INSTANTANEOUS GAGE HEIGHTS

E - ESTIMATED  
NR - NO RECORD  
NF - NO FLOW

DATE	TIME	GAGE HT.	DATE	TIME	GAGE HT.	DATE	TIME	GAGE HT.	DATE	TIME	GAGE HT.
11-3-67	1100	43.73									
2-23-68	--	45.10									
3-19-68	2100	43.39									

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD		DATUM OF GAGE			
LATITUDE	LONGITUDE	1/4 SEC. T. & R. M.D.B.&M.	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		ZERO ON GAGE	REF. DATUM
			CFS	GAGE HT.	DATE			FROM	TO		
37 37 38	120 59 20	SW33 3S 9E	57000	69.19	12-9-50	JAN 95-DEC 96 MAR 40-DATE	78- 84 91- 94	1940		0.00	USCGS

Station located at U. S. Highway 99 Bridge. Records furnished by U. S. Geological Survey. Flow records are published by the U. S. Geological Survey report "Surface Water Records of California". Drainage area is 1,884 square miles. This station equipped with DWR radio telemeter.

TABLE B-10 (Cont.)

**DAILY MEAN GAGE HEIGHT**  
(IN FEET)

WATER YEAR	STATION NO.	STATION NAME
1968	B04105	TUOLUMNE RIVER AT TUOLUMNE CITY

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1	25.21	29.20	28.02	26.16	26.09	28.60	24.42	23.53	23.23	23.15	23.17	23.28	1
2	25.08	29.03	27.87	26.13	25.95	28.06	24.88	23.47	23.27	23.13	23.24	23.25	2
3	25.02	29.12	27.41	26.31	25.16	27.02	24.46	23.50	23.19	23.11	23.19	23.19	3
4	25.01	28.86	26.98	26.64	24.61	26.38	24.14	23.48	23.23	23.12	23.17	23.13	4
5	24.95	28.76	27.16	26.82	24.27	28.01	24.07	23.61	23.20	23.12	23.20	23.16	5
6	25.01	28.42	27.41	27.00	24.20	28.13	24.12	23.59	23.32	23.17	23.21	23.27	6
7	25.27	28.54	27.57	26.69	24.62	28.20	24.07	23.51	23.30	23.13	23.26	23.35	7
8	25.25	28.85	27.73	26.27	24.59	28.32	24.09	23.52	23.32	23.08	23.22	23.36	8
9	25.04	28.92	27.77	26.47	24.52	28.28	23.95	23.52	23.36	23.08	23.21	23.31	9
10	24.90	28.93	27.41	26.72	24.62	28.20	23.90	23.47	23.35	23.11	23.26	23.28	10
11	24.82	28.94	27.00	26.52	24.50	27.15	23.81	23.47	23.37	23.07	23.23	23.29	11
12	24.81	28.87	27.52	26.34	24.24	27.37	23.81	23.47	23.32	23.07	23.18	23.27	12
13	24.77	28.61	28.09	26.29	24.28	27.67	23.78	23.46	23.30	23.11	23.10	23.28	13
14	24.81	28.68	28.49	26.14	25.25	27.58	23.78	23.45	23.25	23.13	23.11	23.32	14
15	24.96	28.88	28.48	26.13	25.59	27.38	23.72	23.41	23.22	23.10	23.18	23.38	15
16	25.48	28.85	28.23	26.11	25.50	27.34	23.68	23.42	23.20	23.13	23.22	23.35	16
17	25.34	28.50	27.83	26.12	25.28	27.32	23.65	23.43	23.25	23.18	23.26	23.30	17
18	25.70	28.11	27.48	26.12	24.99	27.61	23.63	23.43	23.25	23.13	23.28	23.23	18
19	25.81	27.88	27.67	26.09	24.97	27.50	23.64	23.46	23.18	23.13	23.29	23.29	19
20	25.84	27.70	27.29	26.04	24.76	28.13	23.63	23.42	23.20	23.20	23.32	23.27	20
21	25.91	27.98	27.02	25.98	25.67	27.82	23.63	23.36	23.23	23.18	23.32	23.24	21
22	25.92	28.08	26.94	25.29	27.65	27.54	23.68	23.40	23.21	23.12	23.36	23.29	22
23	25.65	27.56	26.82	25.33	28.79	26.87	23.63	23.43	23.17	23.11	23.40	23.22	23
24	25.57	27.05	26.45	25.88	29.83	26.13	23.59	23.46	23.16	23.06	23.26	23.17	24
25	27.01	27.13	26.30	25.87	29.35	25.68	23.65	23.36	23.14	23.10	23.37	23.21	25
26	27.63	27.21	26.26	25.82	29.32	25.66	23.64	23.42	23.10	23.11	23.40	23.22	26
27	28.15	26.92	26.24	25.72	28.96	25.94	23.70	23.37	23.12	23.12	23.37	23.27	27
28	27.67	27.46	26.26	25.67	28.69	25.64	23.62	23.36	23.11	23.12	23.38	23.34	28
29	27.20	27.69	26.25	25.55	28.63	25.09	23.58	23.30	23.10	23.03	23.39	23.37	29
30	27.96	27.89	26.23	25.83		24.89	23.58	23.30	23.19	23.06	23.32	23.31	30
31	28.93		26.18	26.24		24.83		23.27		23.11	23.25		31

MAXIMUM INSTANTANEOUS GAGE HEIGHTS

E - ESTIMATED

NR - NO RECORD

NF - NO FLOW

DATE	TIME	GAGE HT.	DATE	TIME	GAGE HT.	DATE	TIME	GAGE HT.	DATE	TIME	GAGE HT.
11-2-67	0015	29.26	2-24-68	0700	30.03						
11-3-67	1800	29.24									
11-11-67	1900	29.12									

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD		DATUM OF GAGE			
LATITUDE	LONGITUDE	1/4 SEC. T. & R. M.D.B.&M.	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		ZERO ON GAGE	REF. DATUM
			CFS	GAGE HT.	DATE			FROM	TO		
37 36 12	121 07 50	NW 7 4S 8E		46.65	12-9-50	30-DATE		1960	1959	0.00	USED
				43.15a	12-9-50			1960		0.00	USCGS
			8880b	38.50	4-23-67			1960		3.50	USED

Station located at highway bridge, 3.35 miles above mouth. Backwater at times, from the San Joaquin River, affects the stage-discharge relationship. Drainage area is 1,896 square miles.

a Reflects present datum.

b Maximum discharge since Department of Water Resources began operation of station in April 1966.

TABLE B-10 (Cont.)

DAILY MEAN GAGE HEIGHT  
(IN FEET)

WATER YEAR	STATION NO.	STATION NAME
1968	B07040	SAN JOAQUIN RIVER AT MAZE ROAD BRIDGE

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1	17.22	19.26	18.91	17.63	17.30	18.58	16.11	14.51	14.11	13.94	14.06	14.67	1
2	17.22	19.09	18.95	17.62	17.27	18.33	16.56	14.52	14.27	13.85	14.07	14.73	2
3	17.31	18.90	18.76	17.70	17.12	17.70	16.63	14.53	14.25	13.85	14.08	14.66	3
4	17.31	18.77	18.53	17.92	16.75	17.45	16.36	14.57	14.21	13.88	14.16	14.58	4
5	17.35	18.66	18.45	18.14	16.66	17.86	16.25	14.75	14.20	13.83	14.23	14.52	5
6	17.42	18.50	18.68	18.30	16.62	18.12	16.17	14.83	14.27	13.87	14.22	14.59	6
7	17.49	18.40	18.72	18.30	16.79	18.11	15.94	14.80	14.33	13.79	14.22	14.71	7
8	17.54	18.64	18.82	17.98	16.64	18.30	15.71	14.83	14.30	13.85	14.14	14.88	8
9	17.44	18.70	18.84	17.96	16.81	18.33	15.48	14.78	14.40	13.90	14.10	14.82	9
10	17.08	18.82	18.79	18.32	17.25	18.44	15.20	14.65	14.48	13.92	14.25	14.73	10
11	16.86	18.91	18.55	18.40	17.43	17.85	15.01	14.78	14.47	13.89	14.28	14.71	11
12	16.88	18.93	18.54	18.25	17.31	17.76	14.87	14.85	14.26	13.83	14.31	14.82	12
13	16.82	18.77	18.83	18.12	16.96	18.03	14.90	15.03	14.24	13.82	14.27	14.85	13
14	16.76	18.65	18.87	17.96	16.90	18.08	14.90	15.20	14.17	13.94	14.22	14.82	14
15	16.81	18.78	18.97	17.79	16.95	17.99	15.06	15.10	14.06	13.99	14.18	14.94	15
16	17.18	18.80	18.97	17.63	16.78	18.04	14.87	15.07	14.05	14.02	14.19	14.98	16
17	16.98	18.66	18.80	17.53	16.59	18.08	14.77	15.01	14.14	14.02	14.23	14.87	17
18	17.08	18.42	18.59	17.54	16.46	18.34	14.77	14.91	14.16	13.87	14.50	14.84	18
19	17.16	18.37	18.57	17.54	16.37	18.32	14.59	14.85	14.08	13.78	14.58	14.73	19
20	17.42	18.31	18.52	17.48	16.38	18.94	14.63	15.00	13.92	13.75	14.63	14.76	20
21	17.74	18.36	18.32	17.43	16.85	18.91	14.65	14.90	14.08	13.82	14.78	14.74	21
22	18.00	18.62	18.35	17.14	18.04	18.85	14.74	14.80	14.07	14.03	14.94	14.78	22
23	17.96	18.40	18.36	16.75	18.68	18.29	14.81	14.69	14.12	14.08	14.95	14.85	23
24	17.74	18.19	18.14	17.04	19.58	17.76	14.83	14.77	14.15	14.00	14.80	14.88	24
25	18.35	18.05	17.93	17.13	19.47	17.38	14.87	14.68	14.08	13.89	14.82	14.82	25
26	18.72	18.27	17.84	17.18	19.31	17.09	14.79	14.70	13.92	13.93	15.03	14.86	26
27	18.99	18.12	17.77	17.14	19.08	16.97	14.71	14.72	13.91	13.92	15.06	14.89	27
28	18.98	18.21	17.79	17.05	18.77	16.81	14.81	14.56	13.92	13.91	14.99	14.79	28
29	18.60	18.61	17.78	16.91	18.64	16.27	14.82	14.36	13.83	14.02	15.03	14.85	29
30	18.60	18.70	17.75	16.89		16.09	14.70	14.29	13.92	13.96	14.91	14.88	30
31	19.20		17.67	17.28		16.23		14.17		14.03	14.76		31

MAXIMUM INSTANTANEOUS GAGE HEIGHTS

E - ESTIMATED  
NR - NO RECORD  
NF - NO FLOW

DATE	TIME	GAGE HT.	DATE	TIME	GAGE HT.	DATE	TIME	GAGE HT.	DATE	TIME	GAGE HT.
10-28-67	0530	19.12	2-24-68	1700	19.72						
11- 1-67	0530	19.28									
12-16-67	0230	19.07									

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD		DATUM OF GAGE			
LATITUDE	LONGITUDE	1/4 SEC. T. & R. M.D.B.&M.	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		ZERO ON GAGE	REF. DATUM
			CFS	GAGE HT.	DATE			FROM	TO		
37 38 28	121 13 37	SW 29 3S 7E		39.8	12- 9-50	JAN 50-MAR 52	SEP 43-DEC 49	1943	1959	0.00	USED
				36.4 <sup>a</sup>	12- 9-50		APR 52-SEP 65		1959	0.00	USCGS
			22660 <sup>b</sup>	32.65	4-29-67	OCT 65-DATE			1959	3.41	USED

Station located at State Highway 132 Bridge, 13 miles west of Modesto, two miles upstream from mouth of the Stanislaus River. Gage height discharge relation affected by backwater from the Stanislaus River during high flows in the Stanislaus.

a Reflects present datum.  
b Maximum discharge since station was rated in October 1965.



TABLE B-10 (Cont.)

DAILY MEAN GAGE HEIGHT  
(IN FEET)

WATER YEAR	STATION NO.	STATION NAME
1968	B03175	STANISLAUS RIVER AT ORANGE BLOSSOM BRIDGE

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1	1.62	2.84	4.28	4.17	2.28	2.14	5.19	1.50	1.40	1.28	1.38	1.38	1
2	1.63	2.82	4.27	4.17	2.18	1.94	5.28	1.46	1.36	1.26	1.38	1.38	2
3	1.68	2.82	4.27	4.16	2.25	1.90	4.43	1.45	1.34	1.26	1.38	1.36	3
4	1.66	2.83	4.26	4.17	2.17	1.88	4.24	1.47	1.38	1.30	1.43	1.37	4
5	1.73	2.84	4.29	4.16	2.22	1.88	3.91	1.49	1.38	1.30	1.47	1.36	5
6	1.84	2.78	4.28	4.16	2.18	1.88	3.41	1.47	1.41	1.30	1.45	1.33	6
7	1.85	2.78	4.26	4.16	2.22	1.86	3.19	1.45	1.42	1.31	1.45	1.28	7
8	1.86	2.82	4.19	4.16	2.17	2.43	2.82	1.50	1.48	1.32	1.46	1.28	8
9	1.88	2.82	4.19	4.16	2.19	2.05	2.08	1.49	1.42	1.32	1.41	1.31	9
10	1.87	2.82	4.18	4.22	2.20	1.90	1.97	1.53	1.39	1.33	1.38	1.32	10
11	1.87	2.83	3.91	4.18	2.22	1.90	1.95	1.42	1.42	1.34	1.42	1.30	11
12	1.88	2.83	2.59	3.85	2.20	1.89	1.85	1.42	1.44	1.34	1.40	1.28	12
13	1.90	2.84	2.07	3.13	2.18	2.01	1.66	1.43	1.38	1.35	1.48	1.31	13
14	1.89	2.84	4.05	3.13	2.15	2.06	1.54	1.42	1.30	1.36	1.44	1.32	14
15	1.91	2.87	4.18	3.22	2.12	1.96	1.52	1.39	1.32	1.36	1.44	1.33	15
16	1.92	3.09	4.18	3.17	2.19	2.32	1.53	1.36	1.30	1.37	1.45	1.34	16
17	1.95	4.14	4.18	3.17	2.40	2.42	1.53	1.34	1.33	1.38	1.43	1.33	17
18	1.94	4.27	4.20	2.91	2.38	2.02	1.63	1.34	1.34	1.38	1.42	1.30	18
19	2.26	4.31	4.18	2.89	2.24	1.93	1.68	1.40	1.28	1.39	1.43	1.24	19
20	2.69	4.32	4.16	2.88	2.70	2.02	1.70	1.42	1.27	1.39	1.41	1.27	20
21	2.79	4.32	4.15	2.87	2.60	3.78	1.65	1.42	1.27	1.39	1.44	1.27	21
22	2.78	4.32	4.16	2.84	2.37	3.79	1.63	1.49	1.28	1.39	1.45	1.32	22
23	2.74	4.31	4.16	3.10	2.28	3.88	1.65	1.52	1.26	1.38	1.45	1.36	23
24	2.87	4.31	4.15	3.04	2.27	4.02	1.62	1.51	1.26	1.40	1.43	1.35	24
25	2.84	4.30	4.15	2.99	2.25	3.98	1.61	1.44	1.23	1.43	1.47	1.36	25
26	2.86	4.30	4.15	2.38	2.24	3.85	1.61	1.40	1.24	1.39	1.48	1.33	26
27	2.94	4.30	4.15	2.19	2.24	3.09	1.59	1.38	1.26	1.38	1.46	1.34	27
28	2.82	4.28	4.15	2.19	2.17	3.28	1.55	1.38	1.28	1.36	1.48	1.33	28
29	2.83	4.28	4.12	2.18	2.22	5.12	1.54	1.42	1.27	1.37	1.44	1.36	29
30	2.82	4.29	4.05	2.21		5.06	1.57	1.43	1.26	1.37	1.39	1.33	30
31	2.82		4.09	2.52		5.04		1.38		1.36	1.38		31

MAXIMUM INSTANTANEOUS GAGE HEIGHTS

DATE	TIME	GAGE HT.	DATE	TIME	GAGE HT.	DATE	TIME	GAGE HT.	DATE	TIME	GAGE HT.
3-29-68	0115	5.19									
4-1-68	1950	5.74									

E — ESTIMATED  
NR — NO RECORD  
NE — NO FLOW

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD		DATUM OF GAGE			
LATITUDE	LONGITUDE	1/4 SEC. T. & R. M.D.B.&M.	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		ZERO ON GAGE	REF. DATUM
			CFS	GAGE HT.	DATE			FROM	TO		
37 47 18	120 45 41	SW 4 2S 11E	62000	31.8	12-23-55	JUN 28-DEC 39				117.21	USCGS
						APR 40-DATE					

Station located at bridge, 5.0 miles east of Oakdale. Flow regulated by reservoirs and powerplants. Drainage area is 1,020 square miles. Equipped with radio telemeter.

TABLE B-10 (Cont.)

DAILY MEAN GAGE HEIGHT  
(IN FEET)

WATER YEAR	STATION NO.	STATION NAME
1968	B03125	STANISLAUS RIVER AT RIPON

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1	39.88	38.79	41.56	41.18	38.79	37.69	42.98	37.07	36.64	36.45	36.32	36.59	1
2	39.94	38.78	41.53	41.28	38.30	37.63	43.38	37.10	36.72	36.55	36.34	36.63	2
3	40.03	38.74	41.52	41.27	38.07	37.46	43.09	37.19	36.67	36.40	36.30	36.52	3
4	40.16	38.76	41.54	41.30	38.04	37.35	41.84	37.07	36.58	36.38	36.48	36.57	4
5	39.90	38.81	41.58	41.30	37.95	37.30	41.45	37.04	36.62	36.43	36.72	36.71	5
6	39.90	38.78	41.59	41.30	37.95	37.26	40.98	37.04	36.90	36.39	36.73	36.64	6
7	39.83	38.73	41.58	41.29	37.91	37.25	40.22	36.92	36.64	36.44	36.57	36.49	7
8	39.98	38.67	41.56	41.28	37.92	37.42	39.99	36.89	36.86	36.47	36.42	36.38	8
9	40.12	38.67	41.44	41.29	37.87	38.13	39.61	36.86	36.83	36.32	36.33	36.33	9
10	39.40	38.72	41.42	41.33	37.86	37.68	38.71	36.88	36.68	36.35	36.31	36.28	10
11	39.00	38.75	41.41	41.39	37.86	37.34	38.35	36.84	36.64	36.31	36.33	36.33	11
12	38.85	38.76	40.96	41.32	37.84	37.24	38.00	36.90	36.60	36.26	36.28	36.42	12
13	39.03	38.75	39.53	40.75	37.84	37.23	37.83	36.92	36.79	36.48	36.39	36.38	13
14	38.95	38.77	38.82	39.80	37.82	37.24	37.63	37.14	36.74	36.47	36.28	36.27	14
15	38.99	38.78	40.61	39.68	37.76	37.68	37.49	37.01	36.63	36.45	36.39	36.29	15
16	38.91	38.80	41.19	39.71	37.73	37.96	37.46	36.83	36.87	36.27	36.30	36.39	16
17	38.94	39.16	41.27	39.61	37.82	38.52	37.26	36.81	36.75	36.25	36.37	36.41	17
18	39.24	40.62	41.35	39.56	37.96	38.67	37.24	36.83	36.63	36.25	36.42	36.51	18
19	39.49	41.09	41.38	39.26	38.02	38.04	37.20	36.80	36.65	36.22	36.45	36.52	19
20	39.79	41.26	41.34	39.16	37.85	37.80	37.30	36.77	36.47	36.29	36.48	36.60	20
21	40.22	41.35	41.31	39.09	38.39	37.72	37.38	36.79	36.42	36.40	36.41	36.54	21
22	40.34	41.42	41.30	39.04	38.40	39.74	37.35	36.89	36.47	36.37	36.66	36.77	22
23	39.77	41.44	41.31	39.04	38.08	40.37	37.28	36.94	36.80	36.26	36.61	36.74	23
24	39.31	41.45	41.31	39.34	37.89	41.07	37.23	37.08	36.71	36.39	36.56	36.74	24
25	39.27	41.45	41.29	39.28	37.82	41.33	37.16	36.83	36.55	36.28	36.52	36.61	25
26	39.22	41.46	41.29	39.17	37.78	41.12	37.14	36.82	36.62	36.31	36.55	36.63	26
27	39.27	41.47	41.29	38.57	37.76	40.82	37.02	36.81	36.64	36.39	36.56	36.57	27
28	39.43	41.49	41.29	38.23	37.74	40.05	37.17	36.65	36.40	36.49	36.52	36.67	28
29	39.22	41.49	41.28	38.12	37.68	40.25	37.38	36.63	36.34	36.43	36.49	36.70	29
30	38.99	41.54	41.24	38.12	38.12	42.43	37.09	36.73	36.35	36.39	36.46	36.53	30
31	38.91		41.11	38.51		42.75		36.66		36.40	36.49		31

MAXIMUM INSTANTANEOUS GAGE HEIGHTS

E -- ESTIMATED  
NR -- NO RECORD  
NF -- NO FLOW

DATE	TIME	GAGE HT.	DATE	TIME	GAGE HT.	DATE	TIME	GAGE HT.	DATE	TIME	GAGE HT.
12- 5-67	2345	41.62	4- 2-68	2230	43.69						
1-11-68	1415	41.41									
3-25-68	0615	41.51									

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD		DATUM OF GAGE			
LATITUDE	LONGITUDE	1/4 SEC. T. & R. M.D.B.&M.	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		ZERO ON GAGE	REF. DATUM
			CFS	GAGE HT.	DATE			FROM	TO		
37 43 50	121 06 35	SE29 2S 8E	62500	63.25	12-24-55	APR 40-DATE		1940		0.00	USGS

Station located 15 feet downstream from the Southern Pacific Railroad Bridge, 1.0 mile southeast of Ripon. Records furnished by U. S. Geological Survey. Flow records are published in U. S. Geological Survey report "Surface Water Records of California". Drainage area is 1,075 square miles.

TABLE B-10 (Cont.)

DAILY MEAN GAGE HEIGHT  
(IN FEET)

WATER YEAR	STATION NO.	STATION NAME
1968	B03115	STANISLAUS RIVER AT KOETITZ RANCH

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1	30.91	29.69	32.24	31.79	29.49	28.41	33.65	27.94	27.32	27.28	27.19	27.53	1
2	30.92	29.64	32.22	31.91	29.09	28.41	33.93	28.03	27.43	27.26	27.14	27.47	2
3	31.07	29.61	32.19	31.92	28.82	28.26	34.02	28.14	27.50	27.18	27.25	27.40	3
4	31.24	29.61	32.20	31.95	28.75	28.12	32.87	28.06	27.25	27.16	27.55	27.42	4
5	31.12	29.66	32.23	31.95	28.68	28.05	32.48	28.12	27.24	27.44	27.54	27.50	5
6	31.07	29.63	32.25	31.96	28.65	28.02	31.89	27.98	27.88	27.32	27.54	27.51	6
7	31.06	29.59	32.23	31.95	28.64	28.02	31.19	27.85	27.68	27.21	27.50	27.43	7
8	31.12	29.51	32.22	31.93	28.62	28.18	30.88	27.78	27.65	27.33	27.39	27.36	8
9	31.17	29.49	32.11	31.93	28.59	28.71	30.51	27.83	27.75	27.22	27.28	27.34	9
10	30.66	29.52	32.07	31.96	28.58	28.60	29.55	27.89	27.46	27.23	27.17	27.18	10
11	30.17	29.55	32.05	32.02	28.58	28.18	29.14	27.78	27.34	27.37	27.20	27.50	11
12	29.94	29.56	31.79	31.99	28.55	28.02	28.80	27.84	27.44	27.36	27.10	27.53	12
13	29.98	29.54	30.58	31.64	28.55	28.00	28.63	27.88	27.41	27.36	27.19	27.50	13
14	29.99	29.56	29.62	30.68	28.54	27.98	28.50	27.98	27.53	27.38	27.05	27.23	14
15	29.98	29.57	30.85	30.43	28.53	28.30	28.41	27.92	27.50	27.52	26.84	27.36	15
16	29.92	29.57	31.72	30.42	28.47	28.69	28.18	27.87	27.72	27.22	26.87	27.45	16
17	30.12	29.79	31.87	30.33	28.58	29.11	28.03	27.86	27.48	27.15	27.32	27.48	17
18	30.25	30.92	31.96	30.27	28.58	29.62	28.04	27.59	27.48	27.03	27.47	27.44	18
19	30.47	31.67	32.01	30.01	28.79	29.03	28.07	27.78	27.42	27.07	27.52	27.48	19
20	30.76	31.89	31.98	29.87	28.62	28.82	28.06	27.70	27.18	27.08	27.43	27.39	20
21	31.10	32.00	31.96	29.80	28.94	28.75	28.42	27.64	27.29	27.32	27.48	27.50	21
22	31.39	32.08	31.94	29.73	29.13	30.10	28.35	27.81	27.41	27.22	27.63	27.72	22
23	30.97	32.12	31.95	29.69	28.92	31.06	28.10	27.84	27.74	27.12	27.63	27.68	23
24	30.52	32.13	31.95	29.94	28.67	31.58	28.10	28.08	27.68	27.08	27.66	27.52	24
25	30.43	32.15	31.95	29.93	28.62	32.08	27.93	27.89	27.49	27.15	27.69	27.65	25
26	30.27	32.17	31.93	29.88	28.53	31.95	27.86	27.60	27.39	27.23	27.52	27.93	26
27	30.27	32.18	31.93	29.41	28.50	31.64	27.77	27.75	27.57	27.28	27.53	27.83	27
28	30.47	32.19	31.93	29.02	28.48	31.17	28.19	27.54	27.54	27.36	27.41	27.75	28
29	30.33	32.18	31.93	28.85	28.43	30.88	28.30	27.58	27.25	27.28	27.46	27.75	29
30	30.08	32.23	31.92	28.85	28.55	32.81	27.98	27.44	27.28	27.12	27.37	27.72	30
31	29.87		31.79	29.08		33.35		27.46		27.13	27.43		31

MAXIMUM INSTANTANEOUS GAGE HEIGHTS

E - ESTIMATED  
NR - NO RECORD  
NF - NO FLOW

DATE	TIME	GAGE HT.	DATE	TIME	GAGE HT.	DATE	TIME	GAGE HT.	DATE	TIME	GAGE HT.
11-30-67	2030	32.24	4- 3-68	0420	34.34						
12- 6-67	0050	32.28									
3-25-68	1115	32.17									

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD		DATUM OF GAGE			
LATITUDE	LDNGITUDE	1/4 SEC. T. & R. M.D.B.&M.	DF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		ZERO ON GAGE	REF. DATUM
			CFS	GAGE HT.	DATE			FROM	TD		
37 41 57	121 10 08	SW 2 3S 7E				OCT 62-DATE	MAR 50-SEP 62	1950	1951	0.00	USED
								1951		0.00	USED
								1951		3.60	USCS

Station located on left bank 9.35 miles upstream from mouth, 0.6 mile northwest of Bacon and Gates road junction, 3.7 miles southwest of Ripon.

TABLE B-10 (Cont.)

DAILY MEAN GAGE HEIGHT  
(IN FEET)

WATER YEAR	STATION NO.	STATION NAME
1968	B07020	SAN JOAQUIN RIVER NEAR VERNALIS

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1	13.79	15.29	15.33	14.17	13.40	14.22	13.16	10.29	9.64	9.50	9.54	10.31	1
2	13.80	15.17	15.37	14.19	13.33	14.05	13.52	10.25	9.77	9.38	9.60	10.31	2
3	13.84	14.96	15.24	14.25	13.17	13.49	13.70	10.33	9.88	9.40	9.61	10.22	3
4	13.88	14.87	15.04	14.41	12.80	13.16	13.31	10.35	9.75	9.42	9.76	10.17	4
5	13.93	14.75	14.92	14.59	12.70	13.40	13.09	10.55	9.73	9.42	9.90	10.10	5
6	13.96	14.63	15.13	14.72	12.65	13.65	12.92	10.66	9.86	9.42	9.84	10.22	6
7	14.03	14.52	15.15	14.78	12.76	13.66	12.53	10.57	9.88	9.38	9.76	10.30	7
8	14.08	14.69	15.23	14.49	12.67	13.88	12.24	10.53	9.83	9.38	9.70	10.45	8
9	14.10	14.75	15.23	14.45	12.73	13.97	11.90	10.43	9.98	9.37	9.63	10.48	9
10	13.70	14.84	15.20	14.73	13.11	14.14	11.50	10.38	10.08	9.38	9.68	10.30	10
11	13.32	14.93	14.99	14.82	13.30	13.60	11.15	10.48	9.95	9.38	9.83	10.21	11
12	13.30	14.96	14.90	14.71	13.21	13.41	10.93	10.64	9.80	9.37	9.83	10.35	12
13	13.30	14.86	15.02	14.59	12.94	13.62	10.89	10.77	9.72	9.42	9.75	10.39	13
14	13.28	14.70	14.88	14.30	12.82	13.68	10.89	10.96	9.80	9.51	9.74	10.41	14
15	13.30	14.82	15.01	14.05	12.86	13.62	11.00	10.93	9.76	9.66	9.70	10.52	15
16	13.54	14.85	15.23	13.91	12.70	13.74	10.70	10.77	9.68	9.62	9.71	10.58	16
17	13.50	14.78	15.16	13.80	12.54	13.81	10.52	10.67	9.82	9.56	9.68	10.44	17
18	13.50	14.67	15.02	13.78	12.43	14.13	10.57	10.60	9.70	9.44	10.00	10.38	18
19	13.58	14.81	14.96	13.75	12.37	14.06	10.39	10.58	9.67	9.33	10.13	10.27	19
20	13.78	14.83	14.96	13.67	12.35	14.55	10.36	10.66	9.45	9.32	10.18	10.25	20
21	14.04	14.85	14.78	13.62	12.68	14.64	10.43	10.47	9.60	9.36	10.31	10.28	21
22	14.36	15.10	14.78	13.39	13.71	14.66	10.60	10.41	9.54	9.58	10.50	10.35	22
23	14.47	15.00	14.79	13.00	14.28	14.48	10.59	10.34	9.68	9.56	10.56	10.44	23
24	14.27	14.81	14.63	13.24	15.08	14.11	10.60	10.44	9.81	9.46	10.43	10.45	24
25	14.39	14.63	14.45	13.34	15.10	13.85	10.66	10.42	9.59	9.38	10.43	10.45	25
26	14.80	14.84	14.36	13.36	14.93	13.63	10.56	10.33	9.44	9.42	10.60	10.50	26
27	15.15	14.72	14.32	13.30	14.74	13.51	10.46	10.40	9.47	9.47	10.60	10.62	27
28	15.23	14.72	14.35	13.13	14.44	13.24	10.61	10.21	9.55	9.50	10.48	10.51	28
29	14.91	15.09	14.32	12.97	14.29	12.70	10.66	10.00	9.43	9.60	10.58	10.53	29
30	14.74	15.16	14.30	12.95		12.84	10.51	9.90	9.44	9.49	10.44	10.57	30
31	15.20		14.23	13.33		13.15		9.73		9.43	10.27		31

MAXIMUM INSTANTANEOUS GAGE HEIGHTS

E - ESTIMATED  
NR - NO RECORD  
NF - NO FLOW

DATE	TIME	GAGE HT.	DATE	TIME	GAGE HT.	DATE	TIME	GAGE HT.	DATE	TIME	GAGE HT.
12-	2-67	0600	15.42								
2-	24-68	2100	15.26								

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD		DATUM OF GAGE			
LATITUDE	LONGITUDE	1/4 SEC. T. & R. M.D.B.&M.	DF RECDRD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		ZERO ON GAGE	REF. DATUM
			CFS	GAGE HT.	DATE			FROM	TO		
37 40 34	121 15 55		79000	27.75	12- 9-50	JUL 22-DEC 23		1931	1959	8.4	USED
				32.81a	12- 9-50	JAN 24-FEB 25					
						JUN 25-OCT 28		1931	1959	5.06	USCG
						MAY 29-DATE		1959		0.00	USCG

Station located 20 feet downstream from the Durham Ferry Highway Bridge, 3 miles downstream from the Stanislaus River 3.4 miles northeast of Vernalis. Records furnished by U. S. Geological Survey. Drainage area is approximately 13,540 square miles. This station equipped with DWR radio telemeter.

a Reflects present datum.

TABLE B-11

CORRECTIONS AND REVISIONS  
TO  
PREVIOUSLY PUBLISHED REPORTS

This table shows corrections and revisions to surface water measurement data of the Bulletin No. 130 series and Bulletin No. 23 series not previously published in Bulletin No. 130-66, Volume IV.

For other corrections and revisions to previously published reports dating back to 1924, refer to page 160, Table B-11, Bulletin No. 130-66, Volume IV.

TABLE B-11

CORRECTIONS AND REVISIONS TO PREVIOUSLY PUBLISHED REPORTS

LOCATION OF ERROR			ITEM	CHANGE	
PAGE	MILE & BANK	NAME		FROM	TO
132		Bulletin No. 23-58 Surface Water Flow for <u>1958</u> Table 149 San Joaquin River at Whitehouse	July acre-feet Water Year Total	247300 1292000	24730 1069000
B-19		Bulletin No. 130-63 Hydrologic Data <u>1963</u> Volume IV, San Joaquin Valley Table B-9 Miami Creek near Oakhurst	Maximum Discharge 1963 Water Year	1140E	804
B-29		Table B-19 Bear Creek near Cathay	Maximum Discharge 1963 Water Year	1140E	804
B-29		Table B-19 Bear Creek near Cathay	Maximum Discharge flow 1963 Water gage ht. Year	3850E 9.98	4170E 10.07
B-29		Table B-19 Bear Creek near Cathay	Maximum Discharge flow of record gage ht.	3850E 9.98	4170E 10.07
B-98	8 (12.00- 13.75)	Table B-87 Tranquillity Irrigation District	Diversions	204	204
			Oct.		
			Nov.		
			Dec.		
			Jan.		52
			Feb.	1777	2005
			March	4066	4112
			April		383
			May		2291
			June		7200
			July	557	7454
			Aug.	6306	6659
			Sept.	1414	1414
			Total	14324	31774
68		Bulletin No. 130-64 Hydrologic Data <u>1964</u> Volume IV, San Joaquin Valley Table B-4 Miami Creek near Oakhurst	Maximum Discharge of record	1140E	804
78		Table B-4 Bear Creek near Catheys Valley	Maximum Discharge flow of record gage ht.	3850E 9.98	4170E 10.07
61		Bulletin No. 130-65 Hydrologic Data <u>1965</u> Volume IV, San Joaquin Valley Table B-5 Miami Creek near Oakhurst	Maximum Discharge of record	1140E	804
72		Table B-5 Bear Creek near Catheys Valley	Maximum Discharge flow of record gage ht. date	4166E 9.97 1-7-65	4170E 10.07 2-1-63
82		Table B-5 Orestimba Creek near Crows Landing	Daily Mean Discharge		
			Jan. 8	0.0	B NR
			9	0.0	A NR
			10	0.0	C NR
			11	0.0	K NR
			12	0.0	W NR
			13	0.0	A NR
			14	0.0	T NR
			15	0.0	E NR
			16	0.0	R NR
			17	0.0	NR
115	112.55R	Table B-7 Diversions - San Joaquin River	L. A. Thompson	Delete	Entire Line
117	233.63L	Table B-7 United Packing Company	Diversions Total	omitted in 1965	700
76		Bulletin No. 130-66 Hydrologic Data <u>1966</u> Volume IV, San Joaquin Valley Table B-4 Bear Creek near Catheys Valley	Maximum Discharge flow of record gage ht. date	4166E 9.97 1-7-65	4170E 10.07 2-1-63
78		Table B-4 Burns Creek at Hornitos	Maximum Discharge 1966 Water Year	1330E	2020E

TABLE B-11 (Cont.)

## CORRECTIONS AND REVISIONS TO PREVIOUSLY PUBLISHED REPORTS

LOCATION OF ERROR			ITEM	CHANGE	
PAGE	MILE & BANK	NAME		FROM	TO
130		Table B-7 Turlock Irrigation District	Total acre-feet diverted - January	18033	1833
			Average cubic feet per second	293	29.8
			Monthly use in percent of seasonal	3.5	0.4
			Total Diversion	516577	500377
			Average cubic feet per second	714	691
133		Table B-9 Exports from Tuolumne River	Total acre-feet		
			Oct.	15655	15696
			Nov.	12685	12721
			Dec.	14987	15023
			Jan.	7812	7851
			Feb.	11913	11946
			March	15566	12607
			April	11060	11106
			May	15208	15260
			June	18388	18438
			July	21398	21462
			Aug.	21312	21379
			Sept.	19498	19552
			Total	185482	183041
		Bulletin No. 130-67 Hydrologic Data 1967 Volume IV, San Joaquin Valley			
122	255.34R	Table B-6 Sycamore Island Stock Ranch 5	Diversions		
			Sept.	40	17
			Total	278	255





APPENDIX C  
GROUND WATER MEASUREMENT




INTRODUCTION

The Department of Water Resources cooperates with the U. S. Geological Survey, U. S. Bureau of Reclamation, irrigation and water storage districts, and other local agencies for the systematic observation of ground water levels. The Department obtains approximately 13,000 water level measurements annually on some 7,500 wells in the San Joaquin Valley. The period of record for these wells varies from one to over 40 years. In preparation of the ground water maps most of the spring well measurements were used. However, because significant trends in water level fluctuations can be indicated by a representative sample, a selection was made of approximately 550 wells for reporting of actual measurements.


This appendix presents ground water measurement data on these 550 wells for the period October 1, 1967, through September 30, 1968. These wells were selected as being representative of all the wells measured in the area and are designated as selected wells. Their selection is based on a number of factors, including areal distribution, length of water level record, frequency of measurements, conformity with respect to water level fluctuation in the ground water basin or area in a confined aquifer, or in a zone of shallow depth, and availability of a log, mineral analyses, and production record.

Two numbering systems are used by the Department to facilitate processing of water level measurement data. The two systems are the Region and Basin Designation and the State Well Numbering System as described below.

The regions used in this report are geographic areas defined in Section 13040 of the Water Code. That portion of California covered by this volume comprises the southern portion of Central Valley Region No. 5. A decimal system of the form 0-00.00 has been selected according to geographic regions, ground water basins, and district or area as follows:



The State Well Numbering System is based on township, range, and section subdivisions of the Public Land Survey. The number of a well, assigned in accordance with this system, is referred to as the State Well Number, as illustrated below:



This number identifies and locates the well. In the example, the well is in Township 13 South, Range 19 East, Tract K of Section 16, located in the Mount Diablo Base and Meridian. A section is divided into 40-acre tracts as follows:

D	C	B	A
E	F	G	H
M	L	K	J
N	P	Q	R

Sequence numbers in a tract are generally assigned in chronological order. The example designates the first well to be assigned a number in Tract K.

Figure C-1. FLUCTUATION OF AVERAGE WATER LEVEL IN SELECTED AREAS






Figure C-1 (Continued). FLUCTUATION OF AVERAGE WATER LEVEL IN SELECTED AREAS

ELEVATION IN FEET - U.S.C. & G.S. DATUM


**ALTA GROUND WATER AREA**  
 AREA 190.93 SQUARE MILES  
 AVERAGE GROUND SURFACE ELEVATION 331'



**IVANHOE GROUND WATER AREA**  
 AREA 17.37 SQUARE MILES  
 AVERAGE GROUND SURFACE ELEVATION 383'



**OUTSIDE IVANHOE GROUND WATER AREA**  
 AREA 76.65 SQUARE MILES  
 AVERAGE GROUND SURFACE ELEVATION 345'



**MILL CREEK GROUND WATER AREA**  
 AREA 128.25 SQUARE MILES  
 AVERAGE GROUND SURFACE ELEVATION 305'






Figure C-1 (Continued). FLUCTUATION OF AVERAGE WATER LEVEL IN SELECTED AREAS

ELEVATION IN FEET - U.S.C. & G.S. DATUM

**TULARE GROUND WATER AREA**  
**AREA 121.07 SQUARE MILES**  
**AVERAGE GROUND SURFACE ELEVATION 363'**



**ELK BAYOU GROUND WATER AREA**  
**AREA 67.6 SQUARE MILES**  
**AVERAGE GROUND SURFACE ELEVATION 295'**



**LINDSAY-EXETER GROUND WATER AREA**  
**AREA 136.43 SQUARE MILES**  
**AVERAGE GROUND SURFACE ELEVATION 377'**





Figure C-1 (Continued). FLUCTUATION OF AVERAGE WATER LEVEL IN SELECTED AREAS


**TULE RIVER GROUND WATER AREA**

AREA 156.6 SQUARE MILES  
AVERAGE GROUND SURFACE ELEVATION 339'



**LOWER DEER CREEK GROUND WATER AREA**

AREA 162.22 SQUARE MILES  
AVERAGE GROUND SURFACE ELEVATION 297'



**MIDDLE DEER CREEK GROUND WATER AREA**

AREA 54.28 SQUARE MILES  
AVERAGE GROUND SURFACE ELEVATION 480'




Figure C-1 (Continued). FLUCTUATION OF AVERAGE WATER LEVEL IN SELECTED AREAS






Figure C-1 (Continued). FLUCTUATION OF AVERAGE WATER LEVEL IN SELECTED AREAS

ELEVATION IN FEET U.S.C. & G.S. DATUM

**ROSEDALE GROUND WATER AREA**  
**AREA 78.88 SQUARE MILES**  
 AVERAGE GROUND SURFACE ELEVATION 363'



**ARVIN-EDISON GROUND WATER AREA**  
**AREA 205.18 SQUARE MILES**  
 AVERAGE GROUND SURFACE ELEVATION 543'




Figure C-2. FLUCTUATION OF WATER LEVELS IN SELECTED WELLS






Figure C-2 (Continued). FLUCTUATION OF WATER LEVELS IN SELECTED WELLS

**SEMITROPIC WATER STORAGE DISTRICT-  
DEEP ZONE (5-22.43)  
WELL 27S/23E-IR4, M.D.B. & M.  
GROUND SURFACE ELEVATION 267'**



**SEMITROPIC WATER STORAGE DISTRICT-  
SHALLOW ZONE (5-22.43)  
WELL 27S/23E-IR1, M. D. B. & M.  
GROUND SURFACE ELEVATION 267'**



**MERCED IRRIGATION DISTRICT  
(5-22.09)  
WELL 7S/11E-1H1, M. D. B. & M.  
GROUND SURFACE ELEVATION 118'**





Figure C-2 (Continued). FLUCTUATION OF WATER LEVELS IN SELECTED WELLS

ELEVATION IN FEET - U.S.C. & G.S. DATUM

**FRESNO IRRIGATION DISTRICT (5-22.15)**  
**WELL 13S/19E-9Q1, M.D.B. & M.**  
 GROUND SURFACE ELEVATION 288'



**NORTH KERN WATER STORAGE DISTRICT (5-22.37)**  
**WELL 27S/25E-22A1, M.D.B. & M.**  
 GROUND SURFACE ELEVATION 392'





Figure C-2 (Continued). FLUCTUATION OF WATER LEVELS IN SELECTED WELLS

ELEVATION IN FEET - U.S.C. & G.S. DATUM

**LOWER TULE RIVER IRRIGATION DISTRICT (5-22.30)**  
**WELL 21S/26E-7AI, M.D.B. & M.**  
 GROUND SURFACE ELEVATION 330'



**OAKDALE IRRIGATION DISTRICT (5-22.06)**  
**WELL 2S/10E-33JI, M.D.B. & M.**  
 GROUND SURFACE ELEVATION 167'





Figure C-2 (Continued). FLUCTUATION OF WATER LEVELS IN SELECTED WELLS

ELEVATION IN FEET - U.S.C. & G.S. DATUM

**SOUTHERN SAN JOAQUIN MUNICIPAL UTILITY DISTRICT (5-22.36)**  
**WELL 25S/26E-28H2, M.D.B. & M.**  
 GROUND SURFACE ELEVATION 414'



**AVENAL-Mc KITTRICK AREA (5-22.44)**  
**WELL 25S/19E-20Q2 M.D.B. & M.**  
 GROUND SURFACE ELEVATION 480'






Figure C-2 (Continued). FLUCTUATION OF WATER LEVELS IN SELECTED WELLS



**MODESTO IRRIGATION DISTRICT (5-22.07)**  
**WELL 3S/8E-22C2, M.D.B. & M.**  
 GROUND SURFACE ELEVATION 64'



**TURLOCK IRRIGATION DISTRICT (5-22.08)**  
**WELL 5S/9E-4A1, M.D.B. & M.**  
 GROUND SURFACE ELEVATION 70'





Figure C-2 (Continued). FLUCTUATION OF WATER LEVELS IN SELECTED WELLS

ELEVATION  
IN FEET - U.S.C. & G.S. DATUM

**SHAFTER-WASCO IRRIGATION DISTRICT (5-22.38)**  
**WELL 27S/24E-35C1, M.D.B. & M.**  
GROUND SURFACE ELEVATION 316'



**DELTA-MENDOTA AREA-SHALLOW ZONE (5-22.11)**  
**WELL 3S/6E-18N1, M.D.B. & M.**  
GROUND SURFACE ELEVATION 99'







Figure C-2 (Continued). FLUCTUATION OF WATER LEVELS IN SELECTED WELLS

ELEVATION IN FEET U.S.C. & G.S. DATUM

**ALPAUGH-ALLENSWORTH AREA (5-22.34)**  
**WELL 24S/23E-21B2, M.D.B. & M.**  
 GROUND SURFACE ELEVATION 206'



**MENDOTA-HURON AREA (5-22.47)**  
**WELL 17S/16E-24R1, M.D.B. & M.**




Figure C-2 (Continued). FLUCTUATION OF WATER LEVELS IN SELECTED WELLS





Figure C-2 (Continued). FLUCTUATION OF WATER LEVELS IN SELECTED WELLS

ELEVATION IN FEET - U.S.C.&G.S. DATUM

**KERN RIVER DELTA AREA (5-22.40)**  
**WELL 30S/26E-27A1, M.D.B.&M.**  
 GROUND SURFACE ELEVATION 339'



**STONE CORRAL IRRIGATION DISTRICT (5-22.22)**  
**WELL 16S/26E-32R1, M.D.B.&M.**  
 GROUND SURFACE ELEVATION 405'





Figure C-2 (Continued). FLUCTUATION OF WATER LEVELS IN SELECTED WELLS

ELEVATION IN FEET - U.S.C. & G.S. DATUM

**CONSOLIDATED IRRIGATION DISTRICT (5-22.18)**  
**WELL 16S/20E-22N1, M.D.B. & M.**  
 GROUND SURFACE ELEVATION 247'



**SAUCELITO IRRIGATION DISTRICT (5-22.32)**  
**WELL 22S/26E-15J1, M.D.B. & M.**  
 GROUND SURFACE ELEVATION 371'




Figure C-2 (Continued). FLUCTUATION OF WATER LEVELS IN SELECTED WELLS





Figure C-2 (Continued). FLUCTUATION OF WATER LEVELS IN SELECTED WELLS

ELEVATION IN FEET - U.S.C.&G.S. DATUM

**FRESNO SLOUGH AREA (5-22.17)**  
**WELL 17S/18E-23A2, M.D.B.&M.**  
 GROUND SURFACE ELEVATION 200'



**EXETER IRRIGATION DISTRICT (5-22.26)**  
**WELL 18S/27E-29D1, M.D.B.&M.**  
 GROUND SURFACE ELEVATION 446'




Figure C-2 (Continued). FLUCTUATION OF WATER LEVELS IN SELECTED WELLS







Figure C-2 (Continued). FLUCTUATION OF WATER LEVELS IN SELECTED WELLS








Figure C-2 (Continued). FLUCTUATION OF WATER LEVELS IN SELECTED WELLS





TABLE C-1

CHANGE IN AVERAGE GROUND WATER LEVEL  
IN DISTRICTS OR AREAS IN THE SAN JOAQUIN VALLEY  
Spring 1967 - Spring 1968

Ground Water Districts or Areas		Number of Wells Considered in Analysis <sup>a/</sup>	Change in Feet
Name	Number		
San Joaquin Valley	5-22.00		
Tracy Area	5-22.04	13	- 1.0
Oakdale Irrigation District	5-22.06		+ 2.0
Modesto Irrigation District	5-22.07		+ 0.6
Turlock Irrigation District	5-22.08		+ 0.2
Merced Irrigation District	5-22.09		- 0.7
El Nido Irrigation District	5-22.10		- 3.6
Delta-Mendota Area	5-22.11	467	+ 1.0
Chowchilla Water District	5-22.12		+ 4.9
Madera Irrigation District	5-22.13		+ 5.9
West Chowchilla-Madera Area	5-22.14		+ 0.5
Fresno Irrigation District	5-22.15		+ 4.0
City of Fresno	5-22.16	58	+ 1.6
Fresno Slough Area	5-22.17		- 0.5
Consolidated Irrigation District	5-22.18		+ 8.0
Alta Irrigation District	5-22.19		+ 8.8
Lower Kings River Area	5-22.20		
Shallow Zone			+ 3.6
Deep Zone			+ 5.7
Orange Cove Irrigation District	5-22.21	95	+ 2.3
Stone Corral Irrigation District	5-22.22	9	- 0.5
Ivanhoe Irrigation District	5-22.23		+ 4.3
Kaweah-Delta Water Conservation District	5-22.24		+12.1
Tulare Irrigation District	5-22.25		+15.6
Exeter Irrigation District	5-22.26		+ 4.2
Lindsay-Strathmore Irrigation District	5-22.27	20	+ 4.9
Lindmore Irrigation District	5-22.28		+11.0
Porterville Irrigation District	5-22.29		+10.4
Lower Tule River Irrigation District	5-22.30		
Shallow Zone			+15.2
Deep Zone			+19.1
Vandalia Irrigation District	5-22.31	4	+ 6.4
Saucelito Irrigation District	5-22.32		
Shallow Zone			+12.0
Deep Zone			+ 6.8
Pixley Irrigation District	5-22.33		
Shallow Zone			+12.1
Deep Zone			+ 8.7

TABLE C-1 (Cont.)

CHANGE IN AVERAGE GROUND WATER LEVEL  
IN DISTRICTS OR AREAS IN THE SAN JOAQUIN VALLEY  
Spring 1967 - Spring 1968

Ground Water Districts or Areas		Number of Wells Considered in Analysis <sup>a/</sup>	Change in Feet
Name	Number		
San Joaquin Valley (Continued)			
Alpaugh-Allensworth Area	5-22.34		
Shallow Zone			+ 0.1
Deep Zone			+ 9.4
Delano-Earlimart Irrigation District	5-22.35		
Shallow Zone			+ 5.9
Deep Zone			+ 8.6
Southern San Joaquin Municipal Utility District	5-22.36		
Shallow Zone			+ 6.2
Deep Zone			+15.7
North Kern Water Storage District	5-22.37		
Shallow Zone			- 2.7
Deep Zone			+ 7.9
Shafter-Wasco Irrigation District	5-22.38		
Shallow Zone			+13.4
Deep Zone			+ 1.5
City of Bakersfield	5-22.39	21	- 2.4
Kern River Delta Area	5-22.40		
Shallow Zone			+13.9
Deep Zone			+ 3.9
Edison-Maricopa Area	5-22.41		
Deep Zone			+10.9
Buena Vista Water Storage District	5-22.42		+ 2.1
Semitropic Water Storage District	5-22.43		
Shallow Zone			+ 1.1
Deep Zone			- 8.1
Avenal-McKittrick Area	5-22.44	22	+ 0.9
Tulare Lake-Lost Hills Area	5-22.45	9	+37.6
Corcoran Irrigation District	5-22.46		
Shallow Zone			- 0.5
Deep Zone			+31.8
Mendota-Huron Area	5-22.47		
Deep Zone			- 3.4 <sup>b/</sup>
Poso Soil Conservation District	5-22.48		+ 1.4
San Luis Canal Company	5-22.49		- 0.9
Terra Bella Irrigation District	5-22.50	3	- 0.4
Merced Bottoms	5-22.54		- 0.6
Centerville Bottoms Area	5-22.64		+ 1.7
Garfield Water District	5-22.65	21	+ 6.3

TABLE C-1 (Cont.)

CHANGE IN AVERAGE GROUND WATER LEVEL  
IN DISTRICTS OR AREAS IN THE SAN JOAQUIN VALLEY  
Spring 1967-- Spring 1968

Ground Water Districts or Areas		Number of Wells Considered in Analysis <sup>a/</sup>	Change in Feet
Name	Number		

## San Joaquin Valley (Continued)

Kings County Water District	5-22.66		
Shallow Zone			+ 8.9
Deep Zone			+ 7.5
Pleasant Valley Area	5-22.69	9	- 5.4

<sup>a/</sup> Average changes were determined by planimetering ground water contour maps. Where numbers appear changes were computed by numerical averages.

<sup>b/</sup> Average change determined from water level measurements made during December 1966 and December 1967.

TABLE C-2

CHANGE IN AVERAGE GROUND WATER LEVEL FROM  
1921 TO 1951 AND 1951 TO 1968  
IN 18 GROUND WATER AREAS IN THE SAN JOAQUIN VALLEY

Name of Ground Water Area	Area in square miles	Irrigation and Other Water Districts Included in the Ground Water Area	Net change in water level 1921-51 <sup>a/</sup> in feet	Net change in water level 1951-68 <sup>b/</sup> in feet
Madera	342.6	Madera Irrigation District and Chowchilla Water District	- 24.1 <sup>c/</sup>	- 15.6
Fresno	404.0	Fresno Irrigation District and City of Fresno	- 22.4	- 16.6
Consolidated	243.0	Consolidated Irrigation District	- 19.0	+ 4.8
Centerville Bottoms	18.1	-----	+ 1.0	- 1.9
Alta	190.9	Alta Irrigation District	- 17.2 <sup>c/</sup>	+ 7.1
Ivanhoe	17.4	Ivanhoe Irrigation District	- 55.9	+ 29.8
Outside Ivanhoe	76.6	Stone Corral Irrigation District and a portion of Alta Irrigation District	- 28.5	- 7.3
Mill Creek	128.2	Portions of Kings County Water District and Kaweah Delta Water Conservation District	- 31.1	- 5.4
Tulare	121.1	Tulare Irrigation District	- 59.1	+ 7.8
Elk Bayou	67.6	Portion of Kaweah Delta Water Conservation District	- 47.8	+ 2.7
Lindsay-Exeter	136.4	Exeter Irrigation District, Lindsay-Strathmore Irrigation District, and Lindmore Irrigation District	- 77.7	+ 64.1
Tule River	156.6	Porterville Irrigation District, portions of Lower Tule River Irrigation District, and Saucelito Irrigation District	- 62.5	+ 34.7
Lower Deer Creek	162.2	Portions of Lower Tule River Irrigation District, Saucelito Irrigation District, and Delano-Earlimart Irrigation District	-106.7	+ 7.5 <sup>e/</sup> + 3.1 <sup>f/</sup>
Middle Deer Creek	54.6	Terra Bella Irrigation District	- 61.8	- 12.3 <sup>e/</sup> - 40.8 <sup>f/</sup>
Delano-Earlimart	140.0	Portions of Delano-Earlimart Irrigation District and Southern San Joaquin Municipal Utility District	-133.8	+ 19.3 <sup>e/</sup> + 12.6 <sup>f/</sup>
McFarland-Shafter	306.0	North Kern Water Storage District, Shafter-Wasco Irrigation District, and a portion of Southern San Joaquin Municipal Utility District	- 99.0	+ 3.9 <sup>e/</sup> - 21.4 <sup>f/</sup>
Rosedale	78.9	-----	- 36.3	- 44.5 - 11.4 <sup>g/</sup>
Arvin-Edison	205.2	Arvin-Edison Water Storage District	- 69.9 <sup>d/</sup>	- 15.2 <sup>f/</sup>

<sup>a/</sup> 1951 was the first year of substantial deliveries from the Friant-Kern Canal.

<sup>b/</sup> Fall 1951 to spring 1968.

<sup>c/</sup> Fall 1929 to fall 1951.

<sup>d/</sup> Fall 1941 to fall 1951.

<sup>e/</sup> Unconfined aquifer, spring 1961 to spring 1968, only one aquifer reported prior to 1961.

<sup>f/</sup> Pressure surface, spring 1961 to spring 1968, only one aquifer reported prior to 1961.

<sup>g/</sup> Pressure surface, spring 1963 to spring 1968, only one aquifer reported prior to 1963.

## GROUND WATER LEVELS AT WELLS

An explanation of the column headings and the code symbols follows:

State Well Number--refer to the explanation under Introduction, page 141.

Ground surface elevation represents the elevation in feet above mean sea level (U.S.G.S. and U.S.C. & G.S. datum) of the ground surface at the well. Elevations are usually taken from topographic maps and the accuracy is controlled by topographic standards.

Date is the date the depth measurement was made. Where 00 appears in the date, day of measurement is unknown.

Ground surface to water surface in feet is the measured depth in feet from the ground surface to the water surface in the well.

Other code symbols used in this column are as follows:

## NO MEASUREMENT

- |                             |                             |
|-----------------------------|-----------------------------|
| 0. Measurement discontinued | 5. Unable to locate well    |
| 1. Pumping                  | 6. Well has been destroyed  |
| 2. Pump house locked        | 7. Special                  |
| 3. Tape hung up             | 8. Casing leaking or wet    |
| 4. Can't get tape in casing | 9. Temporarily inaccessible |

The words FLOW and DRY are shown in this column to indicate a flowing or dry well.

Water surface elevation is the elevation in feet above mean sea level (U.S.G.S. and U.S.C. & G.S. datum) of the water surface in the well. It was derived by machine computation by subtraction of the depth measurement from the reference point elevation.

Agency supplying data represents the code numbers for the agencies supplying water level data.

In this list of water levels, the agency furnishing the measurement is noted. The agencies and code numbers assigned to them are as follows:

<u>Agency Code</u>	<u>Agency</u>
5000	U. S. Geological Survey
5001*	U. S. Bureau of Reclamation
5050	Department of Water Resources
5121	Kern County Water Agency
5129	Kaweah Delta Water Conservation District
5200	City of Fresno
5518	South San Joaquin Irrigation District
5520	Oakdale Irrigation District
5521	Modesto Irrigation District
5524	Turlock Irrigation District
5525	Merced Irrigation District
5529	Poso Soil Conservation District
5631	Fresno Irrigation District
5636	Consolidated Irrigation District
5637	Alta Irrigation District
5640	Buena Vista Water Storage District
5700	Kern County Land Company

\*A large amount of data listed under this agency code has been gathered by irrigation and water districts and compiled by the Bureau of Reclamation for transmittal to the Department of Water Resources.

TABLE C-3

GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
CENTRAL VALLEY REGION						OAKDALE IRRIGATION DISTRICT					
SAN JOAQUIN VALLEY						5-22.00					
TRACY AREA						5-22.04					
1S/05E-31R02 M	4.0	10-02-67	3.3	0.7	5050	2S/11E-31N01 M	192.0	3-00-68	74.1	117.9	5520
		11-01-67	3.8	0.2		2S/12E-31K01 M	190.0	3-00-68	41.5	148.5	5520
		12-06-67	3.6	0.4		3S/10E-15A01 M	152.0	11-01-67	49.6	102.4	5520
		1-05-68	3.5	0.5				11-30-67	47.7	104.3	
		2-05-68	2.9	1.1				1-02-68	46.8	105.2	
		3-01-68	2.6	1.4				1-31-68	46.4	105.6	
		4-05-68	2.9	1.1				2-39-68	46.1	105.9	
		5-01-68	3.1	0.9				3-29-68	45.9	106.1	
		6-05-68	2.8	1.2				4-30-68	47.7	104.3	
		7-03-68	3.1	0.9				5-31-68	49.9	102.1	
		8-06-68	3.5	0.5				7-01-68	NM-1		
		9-03-68	3.6	0.4				8-01-68	NM-1		
								9-03-68	55.7	96.3	
2S/05E-15N02 M	32.0	10-02-67	11.9	20.1	5050	3S/11E-18D01 M	162.0	3-00-68	54.0	108.0	5520
		11-01-67	11.8	20.2		MODESTO IRRIGATION DISTRICT					
		12-06-67	10.1	21.9		5-22.07					
		1-02-68	11.0	21.0		2S/08E-25P01 M	94.0	3-03-68	34.6	59.4	5521
		2-05-68	9.9	22.1		2S/09E-30F01 M	93.0	10-04-67	24.4	68.6	5050
		3-01-68	10.3	21.7				11-03-67	26.1	66.9	
		4-05-68	10.8	21.2				12-05-67	26.9	66.1	
		5-01-68	11.8	20.2				1-02-68	27.4	65.6	
		6-03-68	10.6	21.4				2-05-68	28.4	64.6	
		7-03-68	10.7	21.3				3-01-68	28.9	64.1	
		8-06-68	11.3	20.7				4-05-68	29.2	63.8	
		9-03-68	11.5	20.5				5-01-68	27.5	65.5	
3S/06E-06N01 M	77.2	10-02-67	11.5	65.7	5050			6-06-68	28.9	64.1	
		11-01-67	9.8	67.4				7-08-68	28.5	64.5	
		12-06-67	9.2	68.0				8-06-68	27.9	65.1	
		1-05-68	9.8	67.4				9-03-68	28.8	64.2	
		2-05-68	9.9	67.3		2S/09E-31G01 M	100.3	3-03-68	29.7	70.6	5521
		3-01-68	9.8	67.4		3S/07E-12C01 M	47.0	10-04-67	5.9	41.1	5050
		4-05-68	9.9	67.3				11-03-67	7.2	39.8	
		5-01-68	9.9	67.3				12-05-67	8.7	38.3	
		6-05-68	8.8	68.4				1-02-68	9.1	37.9	
		7-08-68	8.1	69.1				2-05-68	9.1	37.9	
		8-06-68	8.2	69.0				3-01-68	9.1	37.9	
		9-03-68	8.8	68.4				4-05-68	9.2	37.8	
OAKDALE IRRIGATION DISTRICT						5-22.06					
1S/09E-16J01 M	119.0	11-01-67	60.3	58.7	5520			5-01-68	8.2	38.8	
		11-30-67	60.0	59.0				6-06-68	8.7	38.3	
		1-02-68	59.9	59.1				7-08-68	8.5	38.5	
		1-31-68	59.6	59.4				8-06-68	6.6	40.4	
		2-29-68	59.8	59.2				9-03-68	6.7	40.3	
		3-29-68	59.6	59.4		3S/07E-35A02 M	40.0	10-02-67	4.7	35.3	5050
		4-30-68	61.4	57.6				11-01-67	3.0	37.0	
		5-31-68	61.5	57.5				12-06-67	5.8	34.2	
		7-01-68	66.0	53.0				1-02-68	6.4	33.6	
		8-01-68	67.6	51.4				2-05-68	6.5	33.5	
		9-03-68	61.4	57.6				3-01-68	6.3	33.7	
1S/09E-36A01 M	145.0	3-00-68	50.2	94.8	5520			4-05-68	7.0	32.4	
1S/10E-19L01 M	146.5	11-01-67	50.8	95.7	5520			5-01-68	5.0	35.0	
		11-30-67	51.1	95.4				6-03-68	5.3	34.7	
		1-02-68	51.4	95.1				7-08-68	5.8	34.2	
		1-31-68	51.6	94.9				8-06-68	5.1	34.9	
		2-29-68	51.6	94.9				9-03-68	5.2	34.8	
		3-29-68	51.9	94.6		3S/08E-03A02 M	73.0	10-04-67	19.2	53.8	5050
		4-30-68	52.2	94.3				11-03-67	19.0	54.0	
		5-31-68	52.5	94.0				12-05-67	19.5	53.5	
		7-01-68	NM-1					1-02-68	19.8	53.2	
		8-01-68	NM-1					2-05-68	20.2	52.8	
		9-03-68	NM-1					3-01-68	20.2	52.8	
1S/10E-28J01 M	193.0	3-00-68	81.4	111.6	5520			4-05-68	20.7	52.3	
2S/09E-26F01 M	132.0	11-01-67	52.4	79.6	5520			5-01-68	22.6	50.4	
		11-30-67	51.5	80.5				6-06-68	23.1	49.9	
		1-02-68	51.4	80.6				7-08-68	23.9	49.1	
		1-31-68	52.0	80.0				8-06-68	24.4	48.6	
		2-29-68	52.5	79.5				9-03-68	25.1	47.9	
		3-29-68	NM-1			3S/08E-22C02 M	64.0	10-02-67	14.4	49.6	5050
		4-30-68	NM-1					11-01-67	16.1	47.9	
		5-31-68	NM-1					12-06-67	15.7	48.3	
		7-01-68	NM-1					1-02-68	14.0	50.0	
		8-01-68	NM-1					2-05-68	13.9	50.1	
		9-03-68	NM-1					3-01-68	13.8	50.2	
2S/10E-04H01 M	185.5	11-01-67	76.3	109.2	5520			4-05-68	13.1	50.9	
		11-30-67	75.8	109.7				5-01-68	13.3	50.7	
		1-02-68	75.3	110.2				6-03-68	13.1	50.9	
		1-31-68	75.4	110.1				7-08-68	13.6	50.4	
		2-29-68	75.6	109.9				8-06-68	14.1	49.9	
		3-29-68	75.6	109.9				9-03-68	15.0	49.0	
		4-30-68	77.1	108.4		3S/08E-24C02 M	74.0	3-03-68	22.7	51.3	5521
		5-31-68	NM-1			3S/09E-08D01 M	92.5	3-03-68	26.1	66.4	5521
		7-01-68	NM-1			3S/09E-21A01 M	99.2	3-03-68	39.5	59.7	5521
		8-01-68	NM-1			3S/09E-26F01 M	100.0	10-02-67	43.5	56.5	5050
		9-03-68	NM-1					11-03-67	42.6	57.4	
2S/10E-33J01 M	165.0	3-00-68	72.0	93.0	5520			12-05-67	44.2	55.8	
2S/11E-29B01 M	218.0	11-01-67	94.0	124.0	5520			1-02-68	43.2	56.8	
		11-30-67	92.1	125.9				2-01-68	42.9	57.1	
		1-02-68	91.2	126.8				3-05-68	43.6	56.4	
		1-31-68	90.7	127.3				4-01-68	42.8	57.2	
		2-29-68	90.4	127.6				5-03-68	43.4	56.6	
		3-29-68	90.2	127.8				6-03-68	44.2	55.3	
		4-30-68	92.8	125.2				7-08-68	44.5	55.5	
		5-31-68	94.5	123.5				8-07-68	45.2	54.8	
		7-01-68	96.9	121.1				9-05-68	45.3	54.7	
		8-01-68	97.7	120.3		3S/09E-30P01 M	82.5	3-03-68	NM-0		5521
		9-03-68	98.6	119.4							

**TABLE C-3(Cont.)**  
**GROUND WATER LEVELS AT WELLS**

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	
MODESTO IRRIGATION DISTRICT						TURLOCK IRRIGATION DISTRICT						
			5-22-07					5-22-08				
3S/10E-06G01 M	133.1	3-03-68		33.5	99.6	521	6S/11E-08R01 M	115.0	3-05-68	11.7	103.3	5524
3S/10E-29K01 M	119.2	3-03-68		45.1	74.1	521	6S/11E-09N01 M	118.0	3-00-68	NM-0		5524
3S/10E-32G01 M	123.0	3-03-68		55.8	67.2	521	MERCED IRRIGATION DISTRICT					
3S/10E-33E01 M	120.0	10-02-67		53.4	66.6	5050	6S/14E-32N01 M	178.1	3-00-68	16.4	161.7	5525
		11-03-67		52.7	67.3		7S/10E-01N01 M	90.7	3-00-68	8.5	82.2	5525
		12-05-67		53.2	66.8		7S/11E-01H01 M	118.0	10-02-67	12.6	105.4	5050
		1-02-68		53.3	66.7			10-30-67	12.7	105.3		
		2-01-68		53.9	66.1			12-01-67	11.9	106.1		
		3-05-68		54.3	65.7			1-03-68	12.0	106.0		
		4-01-68		55.0	65.0			2-02-68	12.1	105.9		
		5-03-68		57.7	62.3			3-12-68	12.5	105.5		
		6-03-68		60.0	60.0			3-27-68	12.5	105.5		
		7-08-68		58.6	61.4			5-06-68	15.1	102.9		
		8-07-68		59.2	60.8			5-31-68	16.1	101.9		
		9-04-68		59.2	60.8			6-27-68	16.6	101.4		
4S/08E-03F01 M	63.0	3-03-68		16.9	46.1	5521		8-05-68	16.5	101.5		
TURLOCK IRRIGATION DISTRICT												
			5-22-08					9-03-68	16.0	102.0		
4S/08E-22R01 M	55.0	10-02-67		6.2	48.8	5050		9-30-68	17.5	100.5		
		11-02-67		7.0	48.0		7S/11E-13N01 M	106.6	3-00-68	5.5	101.1	5525
		12-05-67		7.5	47.5		7S/12E-12D01 M	144.0	10-02-67	12.1	135.9	5050
		1-02-68		7.7	47.3			10-30-67	12.7	135.3		
		2-01-68		8.6	46.4			12-01-67	14.1	133.9		
		3-05-68		8.6	46.4			1-03-68	14.3	133.7		
		4-01-68		8.7	46.3			2-02-68	14.4	132.6		
		5-03-68		8.0	47.0			3-12-68	15.5	132.5		
		6-03-68		8.4	46.6			3-27-68	15.0	133.0		
		7-08-68		8.5	46.5			5-06-68	14.1	129.9		
		8-07-68		7.6	47.4			5-31-68	13.9	130.1		
		9-05-68		7.0	48.0			6-27-68	14.4	129.6		
4S/08E-27D01 M	55.0	3-05-68		9.5	45.5	5524		8-05-68	13.0	131.0		
4S/09E-21A02 M	82.0	2-00-68		NM-0		5524		9-03-68	14.0	130.0		
4S/10E-21R01 M	109.0	3-05-68		9.9	99.1	5524		9-30-68	15.7	128.3		
4S/11E-29N01 M	131.0	3-05-68		DRY		5524	7S/12E-12R01 M	147.3	3-00-68	15.0	132.3	5525
4S/11E-31R01 M	128.6	3-05-68		12.1	116.5	5524	7S/13E-16N01 M	151.9	3-00-68	13.8	138.1	5525
5S/08E-01N01 M	53.0	3-05-68		7.2	45.8	5524	7S/13E-26D01 M	155.8	10-02-67	8.9	146.9	5050
5S/08E-10A01 M	49.7	3-05-68		12.6	37.1	5524		10-30-67	9.3	146.5		
5S/09E-04A01 M	70.0	10-02-67		4.8	65.2	5050		12-01-67	10.6	145.2		
		11-03-67		6.7	63.3			1-03-68	10.7	145.1		
		12-05-67		7.0	63.0			2-02-68	11.9	143.9		
		1-04-68		6.6	63.4			3-12-68	11.9	143.9		
		2-05-68		6.4	63.6			3-27-68	11.1	144.7		
		3-04-68		6.2	63.8			5-06-68	12.6	143.2		
		4-05-68		5.2	64.8			5-31-68	14.6	141.2		
		5-03-68		4.1	65.9			6-27-68	15.9	139.9		
		6-03-68		10.9	55.1			8-05-68	17.2	138.6		
		7-08-68		15.2	54.8			9-03-68	17.6	138.2		
		8-05-68		9.4	60.6			9-30-68	17.1	138.7		
		9-05-68		10.2	59.8		7S/14E-16R01 M	187.5	3-00-68	15.6	171.9	5525
5S/09E-14R01 M	75.0	3-05-68		6.8	68.2	5524	8S/12E-01D01 M	120.2	3-00-68	6.6	113.6	5525
5S/09E-24N01 M	75.0	3-05-68		5.6	69.4	5524	8S/13E-09R01 M	135.0	3-00-68	6.7	128.3	5525
5S/09E-28A01 M	63.4	3-05-68		5.1	58.3	5524	8S/14E-01A01 M	196.8	3-00-68	13.7	183.1	5525
5S/09E-34J01 M	64.0	10-03-67		13.7	50.3	5050	EL NIDO IRRIGATION DISTRICT					
		11-03-67		6.9	57.1							
		12-05-67		5.8	58.2		9S/13E-14R01 M	133.0	2-00-68	NM-0		5525
		1-04-68		6.0	58.0		9S/14E-20B01 M	152.0	2-07-68	81.0	71.0	5525
		2-05-68		5.8	58.2		DELTA-MENDOTA AREA					
		3-04-68		5.7	58.3							
		4-05-68		14.5	49.5							
		5-03-68		14.8	49.2		2S/04E-16H01 M	78.0	10-09-67	19.0	59.0	5001
		6-03-68		21.0	43.0			3-20-68	8.0	70.0		
		7-08-68		17.9	46.1		2S/04E-28A01 M	187.0	10-09-67	NM-9		5001
		8-05-68		17.6	46.4			3-20-68	NM-8			
		9-05-68		22.4	41.6		2S/05E-32A01 M	76.0	10-10-67	18.8	57.2	5001
5S/10E-19R01 M	82.9	3-05-68		6.0	76.9	5524		3-22-68	21.4	54.6		
5S/10E-21R01 M	92.0	3-05-68		8.3	83.7	5524	3S/05E-08R02 M	195.7	10-10-67	NM-8		5001
5S/11E-06J02 M	124.0	10-03-67		11.8	112.2	5050		3-22-68	NM-9			
		11-06-67		9.4	114.6		3S/05E-25Q01 M	207.0	10-11-67	113.4	93.6	5001
		12-04-67		8.8	115.2			3-22-68	114.0	93.0		
		1-05-68		10.2	113.8		3S/05E-26K01 M	212.1	10-11-67	117.6	94.5	5001
		2-05-68		7.6	116.4			3-22-68	118.0	94.1		
		3-05-68		7.6	116.4		3S/06E-16Q01 M	80.0	10-18-67	87.4	-7.4	5001
		4-04-68		11.5	112.5			3-22-68	58.4	21.6		
		5-02-68		12.8	111.2		3S/06E-18N01 M	99.3	10-18-67	8.6	90.7	5001
		6-06-68		14.1	109.9			3-22-68	11.4	87.9		
		7-08-68		13.8	100.2		3S/06E-25D01 M	63.5	10-18-67	NM-2		5001
		8-05-68		15.7	108.3			3-22-68	NM-0			
		9-06-68		15.4	108.6		4S/06E-04H01 M	163.3	10-12-67	137.5	25.8	5001
5S/11E-21N01 M	125.0	3-05-68		9.9	115.1	5524		3-22-68	112.0	51.3		
5S/11E-30A01 M	117.0	3-05-68		13.4	103.6	5524	4S/06E-09R01 M	166.3	10-12-67	NM-1		5001
5S/12E-31N01 M	150.0	2-00-68		NM-0		5524		3-22-68	112.1	54.2		
6S/09E-15R01 M	60.0	3-05-68		6.7	53.3	5524	4S/07E-27M01 M	68.0	10-17-67	23.1	44.9	5001
6S/10E-21A01 M	85.6	3-05-68		4.5	81.1	5524		3-19-68	23.5	44.5		
6S/10E-28D01 M	83.6	3-05-68		11.2	72.4	5524						



TABLE C-3(Cont.)

## GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
DELTA-MENDOTA AREA			5-22-11			DELTA-MENDOTA AREA			5-22-11		
5S/07E-13K01 M	107.0	10-20-67 3-06-68	53.3 NM-2	53.7	5001	12S/12E-25D02 M	177.0	10-17-67 4-02-68	8.7 8.0	168.3 169.0	5001
5S/07E-14D01 M	130.4	10-20-67 3-06-68	NM-1 76.6	53.8	5001	12S/13E-10N01 M	144.0	10-16-67 4-02-68	DRY DRY		5001
5S/08E-06K01 M	58.7	3-00-68	NM-0		5001	CHOWCHILLA WATER DISTRICT			5-22-12		
6S/07E-12P01 M	248.3	10-09-67 3-12-68	12.6 12.1	235.7 236.2	5050	9S/14E-25R01 M	185.0	2-19-68	62.0	123.0	5001
6S/08E-12L01 M	64.3	3-00-68	NM-0		5001	9S/15E-22R02 M	216.5	10-23-67 11-27-67 12-20-67 1-24-68 2-27-68 3-19-68 4-23-68 5-21-68 6-25-68 7-24-68 8-22-68 9-19-68	110.7 107.0 103.9 97.0 92.9 90.0 NM-1 NM-1 NM-1 NM-1 NM-1 NM-1	105.8 109.5 112.6 119.5 123.6 126.5	5001
6S/08E-16M01 M	129.5	10-09-67 3-12-68	NM-4 58.8	70.7	5050	9S/15E-25J02 M	230.0	2-23-68	42.1	187.9	5001
6S/08E-27J01 M	114.5	10-09-67 3-12-68	46.6 46.4	67.9 68.1	5050	9S/16E-22R01 M	267.0	10-23-67 11-28-67 12-20-67 1-24-68 2-27-68 3-17-68 4-23-68 5-21-68 6-25-68 7-24-68 8-22-68 9-19-68	40.2 40.0 39.9 40.0 40.3 41.5 41.2 44.4 43.7 44.5 44.5 45.6	226.8 227.0 227.1 227.0 226.7 225.5 225.8 222.6 223.3 222.5 222.5 221.4	5001
6S/08E-29J01 M	190.0	10-09-67 3-12-68	111.9 108.2	78.1 81.8	5050	9S/17E-21L01 M	320.0	2-00-68	NM-0		5001
7S/08E-22L01 M	127.9	10-09-67 3-18-68	45.8 NM-3	82.1	5050	9S/17E-35J01 M	320.0	2-00-68	86.3	233.7	5001
7S/09E-04R01 M	65.6	10-13-67 3-18-68	17.7 NM-7	47.9	5050	9S/18E-33Q01 M	365.0	2-00-68	NM-8		5001
7S/09E-26N01 M	68.4	10-11-67 3-19-68	7.0 6.0	61.4 62.4	5050	10S/14E-01A01 M	179.0	4-19-68 5-21-68 6-25-68 7-24-68 8-22-68 9-19-68	69.0 NM-1 NM-1 NM-1 NM-1 NM-1	110.0	5001
8S/08E-01N01 M	123.2	10-13-67 3-20-68	13.5 22.8	109.7 100.4	5050	10S/14E-08B03 M	147.0	10-24-67 11-28-67 12-20-67 1-24-68 2-27-68 3-19-68 4-23-68 5-21-68 6-25-68 7-24-68 8-22-68 9-19-68	82.5 77.4 74.1 71.9 70.5 75.5 71.5 77.3 80.5 91.3 96.5 98.7 90.0	64.5 69.6 72.9 75.1 76.5 71.5 69.7 66.5 55.7 50.5 48.3 57.0	5001
8S/08E-15J01 M	172.8	10-13-67 3-20-68	NM-9 NM-0		5050	10S/14E-24R01 M	167.0	4-19-68 5-21-68 6-25-68 7-24-68 8-22-68 9-19-68	73.9 74.7 NM-1 NM-1 96.3 88.0	93.1 92.3	5001
8S/09E-26H01 M	75.0	10-11-67 3-19-68	41.5 15.7	33.5 59.3	5050	10S/15E-02Q01 M	212.5	4-19-68 5-21-68 6-25-68 7-24-68 8-22-68 9-19-68	86.0 90.1 109.9 NM-1 NM-1 113.0	126.5 122.4 102.6	5001
8S/09E-26H03 M	75.0	10-11-67 3-19-68	7.4 1.9	67.6 73.1	5050	10S/15E-23K01 M	195.5	2-20-68	62.7	132.8	5001
8S/10E-21L04 M	75.0	10-11-67 3-19-68	6.7 3.1	68.3 71.9	5050	10S/15E-27D03 M	184.0	10-24-67 11-28-67 12-20-67 1-24-68 2-27-68 3-19-68 4-23-68 5-21-68 6-25-68 7-24-68 8-22-68 9-19-68	70.7 71.7 69.3 66.3 65.0 72.7 NM-1 NM-1 NM-1 NM-1 83.7 NM-1	113.3 112.3 114.7 117.7 119.0 111.3	5001
9S/08E-13D01 M	201.6	10-00-67	NM-0		5050	10S/16E-09E01 M	232.0	10-24-67 11-28-67 12-20-67 1-24-68 2-27-68 3-19-68 4-23-68 5-21-68 6-25-68 7-24-68 8-22-68 9-19-68	77.9 80.7 73.1 71.3 71.5 71.5 NM-1 NM-1 NM-1 NM-1 102.2 NM-1	154.1 151.3 158.9 160.7 160.5 160.5	5001
9S/09E-18N01 M	153.6	10-10-67 3-21-68	29.5 37.3	124.1 116.3	5050	10S/16E-29R01 M	209.5	2-21-68	74.0	135.5	5001
9S/09E-23L01 M	100.0	10-10-67 3-21-68	66.5 41.9	33.5 58.1	5050						
9S/10E-19B01 M	84.0	10-11-67 3-19-68	2.9 -0.2	81.1 84.2	5050						
9S/10E-23J01 M	87.0	10-10-67 3-21-68	51.1 38.1	35.9 48.9	5050						
9S/11E-16H01 M	91.0	10-11-67 3-20-68	9.0 7.1	82.0 83.9	5050						
9S/11E-20J01 M	90.5	10-11-67 3-20-68	43.5 40.6	47.0 49.9	5050						
10S/09E-06A01 M	147.0	10-11-67 3-20-68	10.3 8.6	136.7 138.4	5050						
10S/09E-08B01 M	167.0	10-11-67 3-20-68	78.8 71.9	88.2 95.1	5050						
10S/10E-02R01 M	99.5	10-10-67 3-19-68	20.1 18.1	79.4 81.4	5050						
10S/10E-11R01 M	106.6	10-10-67 3-19-68	24.2 20.7	82.4 85.9	5050						
10S/10E-31G01 M	191.1	10-10-67 3-19-68	156.5 156.9	34.6 34.2	5050						
10S/11E-23D01 M	99.0	10-09-67 3-18-68	11.1 8.5	87.9 90.5	5050						
10S/11E-27E02 M	101.3	10-09-67 3-18-68	55.7 56.0	45.6 45.3	5050						
11S/10E-11J01 M	157.3	10-09-67 3-09-68	53.6 51.8	103.7 105.5	5050						
11S/10E-22Q01 M	246.8	10-09-67 3-19-68	137.9 143.3	108.9 103.5	5050						
11S/11E-02J02 M	106.0	10-09-67 3-12-68	3.0 3.1	103.0 102.9	5050						
11S/11E-22K01 M	114.2	10-10-67 3-12-68	2.3 0.4	111.9 113.8	5050						
11S/11E-22Q03 M	119.0	10-10-67 3-12-68	11.0 13.7	108.0 105.3	5050						
11S/12E-21C01 M	132.0	10-10-67 3-12-68	22.5 17.3	109.5 114.7	5050						
12S/12E-04D01 M	138.0	10-13-67	NM-0		5001						
12S/12E-25D01 M	177.0	10-17-67 4-02-68	62.6 61.4	114.4 115.6	5001						

**TABLE C-3(Cont.)**  
**GROUND WATER LEVELS AT WELLS**

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
MADERA IRRIGATION DISTRICT			5-22.13			MADERA IRRIGATION DISTRICT			5-22.13		
10S/18E-20B01 M	326.0	2-00-68	69.6	256.4	5001	12S/18E-21G01 M	265.0	2-06-68	70.4	194.6	5001
10S/19E-16D01 M	387.0	2-00-68	17.5	369.5	5001	12S/18E-21H01 M	267.0	10-27-67	68.1	198.9	5001
11S/16E-06A01 M	196.0	10-27-67	70.3	125.7	5001			11-28-67	71.0	196.0	
		11-28-67	67.8	128.2				12-26-67	69.9	197.1	
		12-26-67	65.2	130.8				1-29-68	69.6	197.4	
		1-29-68	63.2	132.8				2-27-68	68.9	198.1	
		2-27-68	62.3	133.7				3-28-68	68.2	198.8	
		3-28-68	63.1	132.9				4-26-68	74.9	192.1	
		4-26-68	65.3	130.7				5-29-68	77.6	189.4	
		5-29-68	68.4	127.6				6-28-68	72.7	194.3	
		6-28-68	71.6	124.4				7-29-68	74.5	192.5	
		7-29-68	73.5	122.5				8-28-68	75.9	191.1	
		8-28-68	75.4	120.6				9-26-68	76.2	190.8	
		9-26-68	75.2	120.8		12S/19E-28A01 M	307.5	2-07-68	81.9	225.6	5001
11S/16E-10N01 M	204.0	10-27-67	64.0	140.0	5001	WEST CHOWCHILLA-MADERA AREA			5-22.14		
		11-28-67	62.3	141.7		10S/13E-22R01 M	119.0	2-00-68	20.7	98.3	5001
		12-26-67	61.1	142.9		10S/14E-01R01 M	177.0	2-00-68	NM-0		5001
		1-29-68	60.8	143.2		10S/14E-31H01 M	130.0	10-24-67	37.6	92.4	5001
		2-27-68	61.0	143.0				11-28-67	38.0	92.0	
		3-28-68	62.8	141.2				12-20-67	37.4	92.6	
		4-26-68	66.3	137.7				1-24-68	37.0	93.0	
		5-29-68	69.9	134.1				2-27-68	38.6	91.4	
		6-28-68	72.3	131.7				3-19-68	33.6	96.4	
		7-29-68	74.3	129.7				4-23-68	40.5	89.5	
		8-28-68	72.7	131.3				5-21-68	39.2	90.8	
		9-26-68	76.3	127.7				6-25-68	40.2	89.8	
11S/17E-27C01 M	250.0	2-08-68	72.7	177.3	5001			7-24-68	41.0	89.0	
11S/18E-20N01 M	272.5	2-05-68	80.4	192.1	5001			8-22-68	41.7	88.3	
11S/18E-27M01 M	284.0	10-27-67	82.6	201.4	5001			9-19-68	41.2	88.8	
		11-28-67	82.2	201.8		10S/14E-35F01 M	151.0	10-24-67	78.9	72.1	5001
		12-26-67	81.8	202.2				11-28-67	70.0	81.0	
		1-29-68	80.0	204.0				12-20-67	66.8	84.2	
		2-27-68	78.8	205.2				1-24-68	62.9	88.1	
		3-28-68	81.7	202.3				2-27-68	60.8	90.2	
		4-26-68	82.6	201.4				3-19-68	NM-1		
		5-29-68	84.4	199.6				4-19-68	NM-1		
		6-28-68	83.0	201.0				5-21-68	NM-1		
		7-29-68	NM-1					6-25-68	NM-1		
		8-28-68	83.7	200.3				7-24-68	NM-1		
		9-26-68	84.0	200.0				8-22-68	NM-1		
12S/16E-23A01 M	205.0	2-07-68	74.6	130.4	5001			9-19-68	89.8	61.2	
12S/17E-08G01 M	230.0	10-27-67	84.2	145.8	5001	11S/14E-13R01 M	150.0	4-23-68	NM-1		5001
		11-28-67	82.2	147.8				5-23-68	NM-1		
		12-26-67	78.9	151.1				6-25-68	NM-1		
		1-29-68	77.0	153.0				7-25-68	NM-1		
		2-27-68	76.3	153.7				8-23-68	NM-1		
		3-28-68	78.4	151.6				9-19-68	54.2	95.8	
		4-26-68	81.8	148.2							
		5-29-68	84.9	145.1		11S/14E-33L01 M	135.0	10-24-67	11.8	123.2	5001
		6-28-68	86.6	143.4				10-25-67	NM-0		
		7-29-68	90.4	139.6							
		8-28-68	92.6	137.4		11S/15E-33E01 M	158.0	2-00-68	NM-1		5001
		9-26-68	91.3	138.7		11S/15E-33P01 M	158.0	10-24-67	56.5	101.5	5001
12S/17E-20P01 M	218.0	10-27-67	76.1	141.9	5001			11-28-67	43.1	114.9	
		11-28-67	73.1	144.9				12-21-67	40.1	117.9	
		12-26-67	65.3	152.7				1-25-68	39.5	118.5	
		1-29-68	63.3	154.7				2-28-68	53.4	104.6	
		2-27-68	NM-1					3-20-68	42.5	115.5	
		3-28-68	NM-1					4-24-68	69.3	88.7	
		3-29-68	NM-0					5-23-68	82.5	75.5	
12S/17E-21H01 M	228.0	2-07-68	58.8	169.2	5001			6-26-68	72.3	85.7	
12S/17E-26C01 M	235.0	10-27-67	58.6	176.4	5001			7-25-68	72.4	85.6	
		11-28-67	56.9	178.1				8-23-68	72.7	85.3	
		12-26-67	55.7	179.3				9-20-68	59.7	98.3	
		1-29-68	53.7	181.3		12S/14E-25H01 M	150.0	10-24-67	14.1	135.9	5001
		2-27-68	53.2	181.8				10-25-67	NM-0		
		3-28-68	55.1	179.9		12S/15E-14L01 M	165.1	2-00-68	46.3	118.8	5001
		4-26-68	56.9	178.1		13S/16E-02C01 M	194.0	10-27-67	72.1	121.9	5001
		5-29-68	58.6	176.4				11-28-67	70.3	123.7	
		6-28-68	60.2	174.8				12-26-67	61.0	133.0	
		7-29-68	66.2	168.8				1-25-68	59.5	134.5	
		8-28-68	66.7	168.3				2-27-68	58.4	135.6	
		9-26-68	66.8	168.2				3-28-68	62.1	131.9	
12S/17E-34R01 M	234.0	10-27-67	51.3	182.7	5001			4-26-68	68.7	125.3	
		11-28-67	49.5	184.5				5-29-68	70.7	123.3	
		12-26-67	50.4	183.6				6-28-68	77.3	116.7	
		1-29-68	49.5	184.5				7-29-68	80.7	113.3	
		2-27-68	49.3	184.7				8-28-68	81.5	112.5	
		3-28-68	NM-1					9-26-68	81.9	112.1	
		4-26-68	NM-1					PRESNO IRRIGATION DISTRICT			5-22.15
		5-29-68	50.5	183.5		12S/20E-14A01 M	360.0	2-08-68	98.5	261.5	5001
		6-28-68	54.5	179.5		12S/21E-34D01 M	387.7	10-25-67	53.8	333.9	5631
		7-29-68	NM-1					11-30-67	56.8	330.9	
		8-28-68	64.9	169.1				12-29-67	53.1	334.6	
		9-26-68	61.3	172.7				1-30-68	48.9	338.8	
12S/18E-13R01 M	288.0	10-27-67	78.7	209.3	5001			2-22-68	47.8	339.9	
		11-28-67	75.6	212.4				3-29-68	47.1	340.6	
		12-26-67	77.5	210.5				5-01-68	NM-1		
		1-29-68	76.8	211.2				6-03-68	49.1	338.6	
		2-27-68	76.8	211.2				6-28-68	49.0	338.7	
		3-28-68	76.9	211.1				7-30-68	45.1	338.6	
		4-26-68	81.3	206.7				8-30-68	52.8	334.9	
		5-29-68	79.1	208.9				9-30-68	NM-1		
		6-28-68	82.9	205.1		12S/22E-21E01 M	473.0	2-08-68	17.3	455.7	5001
		7-29-68	82.3	205.7							
		8-28-68	81.7	206.3							
		9-26-68	81.8	206.2							

**TABLE C-3(Cont.)**  
**GROUND WATER LEVELS AT WELLS**

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	
FRESNO IRRIGATION DISTRICT						FRESNO IRRIGATION DISTRICT						
			5-22-15							5-22-15		
13S/17E-22B01 M	220.8	10-03-67	36.4	184.4	5631	14S/18E-08J01 M	227.4	6-27-68	NM-1	156.9	5631	
		11-02-67	36.2	184.6		CONT.		7-30-68	70.5			
		11-30-67	34.9	185.9				8-30-68	NM-1			
		12-29-67	35.9	184.9				9-30-68	72.6	154.8		
		1-30-68	35.1	185.7		14S/19E-20B02 M	247.2	10-02-67	54.7	192.5	5631	
		2-28-68	36.0	184.8				10-31-67	54.0	193.2		
		3-29-68	36.7	184.1				11-30-67	55.6	191.6		
		5-01-68	36.0	184.8				12-29-67	53.4	193.8		
		6-26-68	35.4	185.4				1-31-68	54.3	192.9		
		7-30-68	35.7	185.1				2-29-68	52.2	195.0		
		8-30-68	38.3	182.5				3-29-68	52.0	195.2		
		9-30-68	39.7	181.1				5-01-68	52.7	194.5		
13S/17E-33D01 M	211.0	10-24-67	49.6	161.4	5001			5-30-68	52.0	193.2		
		11-27-67	48.8	162.2				6-23-68	52.2	195.0		
		12-19-67	48.8	162.2				7-30-68	54.7	192.5		
		1-25-68	48.0	163.0		14S/20E-06J01 M	279.4	8-30-68	54.5	192.7		
		2-26-68	49.6	161.4				9-27-68	60.0	187.2		
		3-18-68	49.0	162.0				10-25-67	70.0	209.4	5631	
		4-22-68	52.5	158.5				11-30-67	65.5	213.9		
		5-20-68	51.5	159.5				12-29-67	66.5	212.9		
		6-24-68	56.5	154.5				1-31-68	66.9	212.5		
		7-23-68	NM-1					2-28-68	64.2	215.2		
		8-21-68	61.2	149.8				3-29-68	64.4	215.0		
		9-18-68	60.2	150.8				5-01-68	64.4	215.0		
13S/18E-10P01 M	258.0	10-24-67	48.4	209.6	5001			5-30-68	66.5	212.9		
		11-27-67	48.4	209.6				6-25-68	71.9	207.5		
		12-19-67	47.7	210.3				8-30-68	69.8	209.6		
		1-25-68	49.3	208.7				9-27-68	68.3	211.1		
		2-26-68	51.7	206.3		15S/20E-13E02 M	282.5	10-26-67	35.2	247.3	5631	
		3-18-68	49.6	208.4				11-30-67	34.8	247.7		
		4-22-68	50.8	207.2				12-29-67	36.3	246.2		
		5-20-68	49.9	208.1				1-31-68	35.8	246.7		
		6-24-68	46.3	211.7				2-29-68	36.1	246.4		
		7-23-68	45.9	212.1				3-29-68	36.2	246.3		
		8-21-68	47.0	211.0				5-01-68	35.6	246.9		
		9-18-68	48.8	209.2				6-04-68	36.0	246.5		
13S/18E-16D01 M	253.0	2-06-68	52.6	200.4	5001			6-28-68	36.0	246.5		
13S/18E-34D01 M	245.0	10-24-67	57.0	188.0	5001	CITY OF FRESNO						
		11-27-67	56.7	188.3		5-22-16						
		12-19-67	57.4	187.6		13S/20E-21J01 M	310.0	2-26-68	94.3	215.7	5200	
		1-25-68	56.3	188.7				10-30-67	95.4	229.6	5200	
		2-26-68	61.3	183.7				11-27-67	94.0	231.0		
		3-18-68	61.5	183.5				12-29-67	93.0	232.0		
		4-22-68	58.5	186.5				1-30-68	92.4	232.6		
		5-20-68	57.5	187.5				2-26-68	91.9	233.1		
		6-24-68	63.0	182.0				3-27-68	91.3	233.7		
		7-23-68	56.5	188.5				4-29-68	91.6	233.4		
		8-21-68	59.4	185.6				5-29-68	93.7	231.3		
		9-18-68	57.8	187.7				6-26-68	95.1	229.9		
13S/19E-09Q01 M	288.2	10-02-67	64.4	223.8	5631			7-30-68	95.7	229.3		
		10-31-67	64.4	223.8				8-29-68	96.2	228.8		
		11-30-67	68.0	220.2				9-25-68	97.0	228.0		
		12-29-67	69.3	218.9				10-31-67	93.3	206.0	5200	
		1-30-68	69.0	219.2				11-27-67	90.2	209.1		
		2-28-68	65.0	223.2				12-29-67	89.3	210.0		
		3-29-68	NM-1					1-30-68	87.7	211.6		
		5-01-68	62.2	226.0				2-26-68	86.8	212.5		
		5-30-68	NM-1					3-27-68	85.8	213.5		
		6-26-68	62.0	226.2				4-29-68	86.6	212.7		
		7-30-68	NM-1					5-29-68	88.3	211.0		
		8-30-68	63.9	224.3				6-26-68	90.8	208.5		
		9-30-68	NM-1					7-29-68	92.7	206.6		
13S/19E-16K01 M	290.0	10-24-67	73.7	216.3	5001			8-29-68	87.3	212.0		
		11-27-67	73.5	216.5				9-26-68	92.8	206.5		
		12-19-67	74.9	215.1				10-30-67	82.5	222.8	5200	
		1-25-68	75.3	214.7				11-28-67	81.3	224.0		
		2-26-68	76.7	213.3				12-29-67	83.3	222.0		
		3-18-68	73.3	216.7				1-30-68	83.4	221.9		
		4-22-68	72.7	217.3				2-28-68	82.0	223.3		
		5-20-68	74.9	205.1				3-28-68	81.8	223.5		
		6-24-68	73.2	216.8				4-29-68	83.3	222.0		
		7-23-68	73.5	216.5				5-30-68	85.1	220.2		
		8-21-68	73.8	216.2				6-27-68	87.3	218.0		
		9-18-68	74.5	215.5				7-30-68	90.0	215.3		
13S/20E-02L01 M	336.7	10-25-67	89.7	247.0	5631			8-30-68	89.3	216.0		
		11-30-67	88.7	248.0				9-26-68	90.5	214.8		
		12-29-67	89.2	247.5				10-30-67	86.6	204.8	5200	
		1-30-68	90.2	246.5				11-28-67	82.9	208.5		
		2-27-68	88.6	248.1				12-29-67	80.8	210.6		
		3-29-68	88.5	248.2				1-30-68	78.8	212.6		
		5-01-68	88.7	248.0				2-27-68	77.4	214.0		
		6-03-68	89.4	247.3				3-28-68	77.2	214.2		
		6-28-68	90.2	246.5				4-29-68	78.8	212.6		
		7-30-68	95.7	241.0				5-30-68	81.6	209.8		
		8-30-68	91.7	245.0				6-27-68	83.4	208.0		
		9-30-68	NM-4					7-29-68	86.2	205.2		
13S/21E-23L01 M	362.0	10-25-67	10.5	351.5	5631			8-30-68	85.3	206.1		
		11-30-67	14.2	347.8				9-25-68	84.9	206.5		
		12-29-67	14.2	347.8				FRESNO SLOUGH AREA				
		12-30-67	NM-0					5-22-17				
13S/23E-31P01 M	406.5	2-28-68	26.4	380.1	5631	13S/15E-28H01 M	162.0	2-00-68	NM-0		5001	
14S/18E-08J01 M	227.4	10-03-67	66.9	160.5	5631	13S/17E-17A01 M	205.0	10-24-67	17.2	187.8	5001	
		10-31-67	66.0	161.4				10-25-67	NM-0			
		11-30-67	72.8	154.6				10-24-67	28.8	131.2	5001	
		12-29-67	61.5	165.9				11-27-67	24.8	135.2		
		1-20-68	62.1	165.3				12-19-67	NM-9			
		2-29-68	61.4	166.0								
		3-29-68	61.6	165.8								
		5-01-68	67.4	160.0								
		5-30-68	NM-1									

**TABLE C-3(Cont.)**  
**GROUND WATER LEVELS AT WELLS**

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	
FRESNO SLOUGH AREA						FRESNO SLOUGH AREA						
			5-22.17							5-22.17		
14S/15E-25H02 M CONT.	160.0	1-25-68	22.9	137.1	5001	16S/19E-34P01 M CONT.	220.0	5-07-68	109.0	111.0	5050	
		2-26-68	24.8	135.2				6-03-68	108.5	111.5		
		3-18-68	24.5	135.5				6-28-68	111.0	109.0		
		4-22-68	27.8	132.2				8-06-68	114.5	105.5		
		5-20-68	28.8	131.2				9-04-68	124.5	95.5		
		6-24-68	32.6	127.4				9-30-68	128.2	91.8		
		7-23-68	31.7	128.3		17S/17E-12H01 M	199.0	3-11-68	120.5	78.5	5050	
		8-21-68	33.2	126.8		17S/18E-23A02 M	200.0	3-06-68	NM-9		5050	
		9-18-68	34.2	125.8		CONSOLIDATED IRRIGATION DISTRICT						
14S/16E-03C01 M	177.0	10-24-67	60.4	116.6	5001	14S/22E-22N01 M	355.7	10-31-67	28.6	327.1	5636	
		11-27-67	58.3	118.7				12-01-67	28.0	327.7		
		12-19-67	49.0	128.0				1-03-68	27.4	328.3		
		1-25-68	44.9	132.1				1-31-68	27.0	328.7		
		2-26-68	47.8	129.2				3-01-68	26.7	329.0		
		3-18-68	48.5	128.5				4-01-68	26.5	329.2		
		4-22-68	NM-1					5-01-68	27.0	328.7		
		5-20-68	NM-1					6-01-68	27.8	327.9		
		6-24-68	NM-1					7-01-68	28.1	327.6		
		7-23-68	NM-1					8-01-68	28.4	327.3		
		8-21-68	65.9	111.1				9-03-68	28.3	327.4		
		9-18-68	63.0	114.0		15S/19E-24N01 M	246.6	10-31-67	84.3	162.3	5636	
14S/16E-08D01 M	165.0	10-24-67	44.0	121.0	5001			12-01-67	81.0	165.6		
		11-27-67	37.2	127.8				1-03-68	79.1	167.5		
		12-19-67	31.7	133.3				1-31-68	77.9	168.7		
		1-25-68	29.5	135.5				3-01-68	76.0	170.6		
		2-26-68	33.2	131.8				4-01-68	81.7	164.9		
		3-18-68	41.8	123.2				5-01-68	84.8	161.8		
		4-22-68	NM-1					6-01-68	87.3	159.3		
		5-20-68	NM-1					7-01-68	89.4	157.2		
		6-24-68	NM-1					8-01-68	90.6	156.0		
		7-23-68	64.8	100.2				9-03-68	88.3	158.3		
		8-21-68	NM-1			15S/20E-28A01 M	264.8	10-31-67	56.3	208.5	5636	
		9-18-68	74.8	90.2				12-01-67	54.4	210.4		
14S/16E-22N01 M	163.0	2-09-68	25.2	137.8	5001			1-03-68	52.4	212.4		
14S/17E-25A01 M	211.0	2-07-68	89.3	121.7	5001			1-31-68	53.9	210.9		
15S/16E-01L01 M	171.0	2-09-68	37.8	133.2	5001			3-01-68	53.3	211.5		
15S/16E-12C03 M	169.5	10-24-67	28.7	140.8	5001			4-01-68	57.1	207.7		
		11-27-67	28.2	141.3				5-01-68	58.4	206.4		
		12-19-67	27.8	141.7				6-01-68	58.7	206.1		
		1-25-68	27.7	141.8				7-01-68	59.3	205.5		
		2-26-68	30.0	139.5				8-01-68	60.1	204.7		
		3-18-68	31.1	138.4				9-03-68	57.8	207.0		
		4-22-68	32.0	137.5		15S/21E-15D01 M	301.2	10-31-67	33.3	267.7	5636	
		5-20-68	32.4	137.1				12-01-67	32.4	268.6		
		6-24-68	34.5	135.0				1-03-68	32.5	268.5		
		7-23-68	34.3	135.2				1-31-68	30.7	270.3		
		8-21-68	34.1	135.4				3-01-68	30.3	270.9		
		9-18-68	35.5	134.0				4-01-68	30.3	270.9		
15S/17E-22R01 M	187.0	2-08-68	93.1	93.9	5001			5-01-68	30.9	270.3		
15S/17E-35N02 M	182.0	10-24-67	78.7	103.3	5001			6-01-68	31.8	269.4		
		11-27-67	77.2	104.8				7-01-68	32.3	268.9		
		12-19-67	76.5	105.5				8-01-68	33.3	267.9		
		1-25-68	88.8	95.2				9-03-68	33.1	268.1		
		2-26-68	84.6	97.4		15S/22E-16A01 M	337.0	10-31-67	28.3	308.7	5636	
		3-18-68	84.5	97.5				12-01-67	28.1	308.9		
		4-22-68	87.1	94.9				1-03-68	27.6	309.4		
		5-20-68	87.9	94.1				1-31-68	27.1	309.9		
		6-24-68	92.0	90.0				3-01-68	27.4	309.6		
		7-23-68	96.0	86.0				4-01-68	27.8	309.2		
		8-21-68	97.0	85.0				5-01-68	29.6	307.4		
		9-18-68	97.5	84.5				6-01-68	29.9	307.1		
15S/18E-07A02 M	204.0	10-24-67	119.0	85.0	5001			7-01-68	29.7	307.3		
		11-27-67	111.7	92.3				8-01-68	29.3	307.7		
		12-19-67	107.5	96.5				9-03-68	29.1	307.9		
		1-25-68	102.9	101.1		15S/22E-29D01 M	321.9	10-31-67	28.7	293.2	5636	
		2-26-68	99.7	104.3				12-01-67	29.5	292.4		
		3-18-68	103.5	100.5				1-03-68	29.3	292.6		
		4-22-68	108.5	95.5				1-31-68	29.5	292.4		
		5-20-68	115.0	89.0				3-01-68	29.7	292.2		
		6-24-68	115.5	88.5				4-01-68	30.3	291.6		
		7-23-68	121.1	82.9				5-01-68	32.2	289.7		
		8-21-68	125.5	78.5				6-01-68	32.8	289.1		
		9-18-68	120.8	83.2				7-01-68	32.7	289.2		
15S/18E-16G01 M	205.8	2-05-68	105.2	100.6	5001			8-01-68	33.7	288.2		
16S/17E-23N01 M	185.0	2-06-68	126.2	58.8	5001			9-03-68	34.0	287.9		
16S/18E-03J01 M	206.0	10-04-67	118.8	87.2	5050	16S/19E-14A01 M	235.5	10-31-67	92.1	143.4	5636	
		10-31-67	119.0	87.0				12-01-67	89.6	145.9		
		12-04-67	118.5	87.5				1-03-68	87.4	148.1		
		1-04-68	117.5	88.5				1-31-68	86.5	149.0		
		2-05-68	112.5	93.5				3-01-68	85.9	149.6		
		3-01-68	113.5	92.5				4-01-68	91.1	144.4		
		3-29-68	NM-1					5-01-68	93.8	141.7		
		5-07-68	NM-1					6-01-68	96.7	138.8		
		6-03-68	NM-1					7-01-68	99.1	136.4		
		6-28-68	NM-1					8-01-68	102.5	133.0		
		7-29-68	NM-1					9-03-68	105.8	129.7		
		7-29-68	NM-1			16S/20E-22N01 M	247.7	10-31-67	60.0	187.7	5636	
		9-04-68	NM-1					12-01-67	62.4	185.3		
		9-30-68	118.5	87.5				1-03-68	60.4	187.3		
16S/18E-27C01 M	198.0	3-11-68	106.5	91.5	5050			1-31-68	59.9	187.8		
16S/19E-34P01 M	220.0	10-04-67	110.0	110.0	5050			3-01-68	60.9	186.8		
		10-31-67	109.0	111.0				4-01-68	64.6	183.1		
		12-04-67	100.8	119.2				5-01-68	66.8	180.9		
		1-04-68	108.5	111.5				6-01-68	68.6	179.1		
		2-05-68	99.2	120.8				7-01-68	68.6	179.1		
		3-01-68	109.8	110.2				8-01-68	69.8	177.9		
		3-29-68	NM-1					9-03-68	69.8	177.9		

**TABLE C-3(Cont.)  
GROUND WATER LEVELS AT WELLS**

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA		
CONSOLIDATED IRRIGATION DISTRICT						ALTA IRRIGATION DISTRICT							
5-22.18						5-22.19							
16S/21E-22N01 M	271.0	10-31-67	46.6	225.1	5636	16S/25E-29A01 M	364.0	10-30-67	43.1	320.9	5637		
		12-01-67	45.3	226.4				11-27-67	37.0	327.0			
		1-03-68	43.9	227.8				12-26-67	36.6	327.4			
		1-31-68	42.9	228.8				1-29-68	36.6	327.4			
		3-01-68	42.3	228.7				2-26-68	34.5	329.5			
		4-01-68	44.1	226.9				3-29-68	36.5	327.5			
		5-01-68	47.9	223.1				4-25-68	43.9	320.1			
		6-01-68	49.8	221.2				5-27-68	50.3	313.7			
		7-01-68	50.2	220.8				6-25-68	47.6	316.4			
		8-01-68	52.8	218.2				7-26-68	NM-1				
		9-01-68	53.0	218.0				8-27-68	NM-1				
								9-25-68	NM-1				
16S/22E-23R01 M	297.5	10-31-67	24.4	273.1	5636	17S/22E-25A01 M	276.0	10-31-67	39.9	236.1	5637		
		12-01-67	24.1	273.4				11-28-67	35.8	240.2			
		1-03-68	23.8	273.7				12-27-67	32.3	243.7			
		1-31-68	23.6	273.9				1-30-68	30.0	246.0			
		3-01-68	23.6	273.9				2-27-68	29.2	246.8			
		4-01-68	23.8	273.7				3-29-68	32.3	243.7			
		5-01-68	24.4	273.1				4-26-68	38.5	237.5			
		6-01-68	25.5	272.0				5-28-68	NM-1				
		7-01-68	25.4	272.1				6-26-68	41.2	234.8			
		8-01-68	25.8	271.7				7-29-68	NM-1				
		9-03-68	26.9	270.6				8-28-68	NM-1				
								9-26-68	52.0	224.0			
17S/22E-03C01 M	286.0	10-31-67	17.8	268.2	5636	17S/22E-25J01 M	275.0	10-31-67	39.4	235.6	5637		
		12-01-67	18.6	267.4				11-28-67	36.6	238.4			
		1-03-68	16.3	269.7				12-27-67	33.7	241.3			
		1-31-68	19.2	266.8				1-30-68	31.4	243.6			
		3-01-68	21.1	264.9				2-27-68	31.0	244.0			
		4-01-68	20.8	265.2				3-29-68	32.6	242.4			
		5-01-68	29.2	256.8				4-26-68	35.8	239.2			
		6-01-68	29.6	256.4				5-28-68	39.0	235.0			
		7-01-68	22.3	263.7				6-26-68	40.9	234.1			
		8-01-68	27.3	258.7				7-29-68	44.8	230.2			
		9-03-68	26.3	259.7				8-28-68	49.5	225.5			
								9-26-68	46.2	228.8			
ALTA IRRIGATION DISTRICT						ALTA IRRIGATION DISTRICT							
5-22.19						5-22.19							
14S/23E-36R01 M	391.0	11-01-67	39.8	351.2	5637	17S/24E-15A03 M	302.0	10-25-67	41.0	261.0	5001		
		11-29-67	40.9	350.1				11-29-67	27.9	274.1			
		12-28-67	40.8	350.2				12-20-67	26.9	275.1			
		1-31-68	41.4	349.6				1-24-68	25.0	277.0			
		2-28-68	42.0	349.0				2-28-68	31.2	270.8			
		3-29-68	NM-1					3-20-68	28.0	274.0			
		4-29-68	56.5	334.5				4-24-68	28.5	273.5			
		5-29-68	62.1	328.9				5-22-68	27.3	274.7			
		6-27-68	48.3	342.7				6-27-68	26.4	275.6			
		7-30-68	62.2	328.8				7-25-68	37.7	264.3			
		8-29-68	66.0	325.0				8-23-68	41.1	260.9			
		9-27-68	NM-1					9-18-68	33.4	268.6			
14S/24E-31P01 M	395.0	2-28-68	42.7	352.3	5001	17S/25E-10C01 M	335.0	2-27-68	39.5	295.5	5637		
15S/23E-23A02 M	358.0	11-01-67	40.5	317.5	5637	17S/25E-18R01 M	321.0	2-27-68	61.9	259.1	5637		
		11-28-67	39.8	318.2				LOWER KINGS RIVER AREA					
		12-28-67	39.3	318.7				5-22.20					
		1-30-68	39.4	318.6		17S/19E-14J01 M	217.0	3-07-68	NM-4		5050		
		2-28-68	39.4	318.6		17S/20E-20D01 M	223.0	10-04-67	65.9	157.1	5050		
		3-29-68	42.2	316.8				10-31-67	62.0	161.0			
		4-29-68	NM-1					12-04-67	59.2	163.8			
		5-31-68	49.1	308.9				1-04-68	61.0	162.0			
		6-27-68	48.7	309.3				2-05-68	57.5	165.5			
		7-30-68	52.0	306.0				3-01-68	64.0	159.0			
		8-29-68	55.2	302.8				3-39-68	65.0	158.0			
		9-27-68	55.7	302.3				5-07-68	73.5	149.5			
15S/24E-22D01 M	388.0	11-02-67	25.8	362.2	5637			6-03-68	67.8	155.2			
		11-30-67	27.3	360.7				8-26-68	82.8	140.2			
		12-29-67	26.7	361.3				9-04-68	87.5	135.5			
		2-01-68	26.7	361.3				9-30-68	75.3	147.7			
		2-29-68	26.3	361.7				17S/21E-11K01 M	257.0	10-31-67	43.9	213.1	5050
		3-29-68	25.8	362.2				12-04-67	42.5	214.5			
		4-30-68	38.0	350.0				1-04-68	37.3	219.7			
		5-29-68	35.0	353.0				2-05-68	35.7	221.3			
		6-28-68	27.4	360.6				3-01-68	37.9	219.1			
		7-31-68	32.4	355.6				3-29-68	36.3	220.7			
		8-30-68	41.0	347.0				5-07-68	NM-1				
		9-30-68	44.0	344.0				6-03-68	40.0	217.0			
16S/23E-23E01 M	314.0	10-31-67	24.0	290.0	5637			6-28-68	NM-1				
		11-28-67	24.2	289.8				8-06-68	44.0	213.0			
		12-27-67	23.4	290.6				9-04-68	NM-1				
		1-30-68	23.0	291.0				18S/19E-26E01 M	210.0	3-01-68	NM-0	5050	
		2-27-68	22.8	291.2				18S/20E-16A01 M	230.0	3-06-68	6.1	224.0	5050
		3-29-68	25.9	288.1				18S/21E-10R01 M	254.0	10-04-67	64.1	189.9	5050
		4-26-68	25.1	288.9				10-31-67	63.7	190.3			
		5-28-68	26.4	287.6				12-04-67	59.4	194.6			
		6-26-68	27.8	286.2				1-04-68	61.0	193.0			
		7-29-68	29.2	284.8				2-05-68	55.0	198.0			
		8-28-68	28.6	285.8				3-01-68	62.0	192.0			
		9-30-68	28.4	285.6				3-29-68	62.5	191.5			
								5-07-68	73.0	181.0			
16S/24E-21J01 M	336.0	10-30-67	31.2	304.8	5637			6-03-68	NM-1				
		11-27-67	26.4	309.6				6-28-68	82.2	171.8			
		12-26-67	26.7	309.3				8-06-68	79.1	174.9			
		1-29-68	27.6	308.4				9-04-68	81.0	173.0			
		2-26-68	27.6	308.4				19S/19E-25A01 M	208.0	3-01-68	2.0	206.0	5050
		3-29-68	31.6	304.4									
		4-25-68	34.2	301.8									
		5-27-68	37.0	299.0									
		6-25-68	35.4	300.6									
		7-26-68	35.9	300.1									
		8-27-68	NM-1										
		9-25-68	40.3	295.7									

**TABLE C-3(Cont.)  
GROUND WATER LEVELS AT WELLS**

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
<b>LOWER KINGS RIVER AREA</b>						<b>IVANHOE IRRIGATION DISTRICT</b>					
			5-22-20					5-22-23			
20S/22E-19M02 M	211.0	10-04-67	26.8	184.2	5050	17S/25E-36001 M	365.0	7-01-68	78.1	286.9	5001
		10-31-67	25.0	186.0		CONT.		8-01-68	79.5	285.5	
		12-04-67	26.0	185.0				9-01-68	83.2	281.8	
		1-04-68	24.5	186.5		17S/26E-21E01 M	394.0	10-01-67	14.0	380.0	5001
		2-05-68	24.3	186.7				10-31-67	14.0	380.0	
		3-01-68	24.9	186.1				11-01-67	NM-0		
		3-29-68	23.8	187.2		17S/26E-32N01 M	385.0	10-01-67	64.8	320.2	5001
		5-07-68	24.8	186.2				10-31-67	64.2	320.8	
		6-03-68	25.2	185.8				11-30-67	63.1	321.9	
		6-28-68	26.9	184.1				12-30-67	62.2	322.8	
		8-06-68	26.8	184.2				1-31-68	61.0	324.0	
		9-04-68	26.7	184.3				3-01-68	59.6	325.4	
								4-01-68	59.9	325.1	
<b>ORANOE COVE IRRIGATION DISTRICT</b>						<b>KANEAH DELTA WATER CONSERV. DIST.</b>					
			5-22-21					5-22-24			
14S/24E-29C02 M	430.5	10-03-67	41.0	389.5	5001	17S/26E-34D01 M	416.0	10-01-67	55.0	361.0	5001
		11-02-67	NM-1					10-31-67	55.0	361.0	
		12-01-67	40.1	390.4				11-30-67	53.9	362.1	
		1-02-68	40.0	390.5				12-30-67	51.4	364.6	
		2-01-68	38.8	391.7				1-31-68	50.2	365.8	
		3-01-68	41.1	389.4				3-01-68	49.0	367.0	
		4-02-68	39.3	391.2				4-01-68	48.0	368.0	
		5-02-68	NM-1					5-01-68	51.5	364.5	
		6-03-68	NM-1					6-01-68	53.5	362.5	
		7-01-68	NM-1					7-01-68	56.4	359.6	
		8-01-68	NM-1					8-01-68	57.0	359.0	
		9-01-68	NM-1					9-01-68	59.0	357.0	
14S/25E-30D01 M	510.0	2-00-68	NM-0		5001						
15S/24E-14D01 M	405.0	10-03-67	9.6	395.4	5001						
		11-02-67	9.6	395.4							
		12-01-67	9.9	395.1							
		1-02-68	10.6	394.4							
		2-01-68	12.5	392.5							
		3-01-68	10.7	394.3							
		4-02-68	10.5	394.5							
		5-02-68	12.6	392.4							
		6-03-68	13.5	391.5							
		7-01-68	16.0	389.0							
		8-01-68	18.5	386.5							
		9-01-68	24.2	380.8							
16S/25E-04C02 M	415.0	10-03-67	10.3	404.7	5001	17S/25E-15P01 M	340.0	10-31-67	NM-1		5001
		11-03-67	10.0	405.0				11-29-67	95.9	244.1	
		12-01-67	10.2	404.8				12-20-67	95.9	244.1	
		1-02-68	10.8	404.2				1-25-68	89.7	250.3	
		2-01-68	11.7	403.2				2-28-68	87.2	252.8	
		3-01-68	11.4	403.6				3-20-68	94.3	245.7	
		4-03-68	12.3	402.7				4-24-68	NM-1		
		5-02-68	11.9	403.1				5-22-68	102.7	237.3	
		6-03-68	11.0	404.0				6-27-68	NM-1		
		7-01-68	10.9	404.1				7-25-68	NM-1		
		8-06-68	11.5	403.5				8-23-68	NM-1		
		9-01-68	11.4	403.6				9-18-68	NM-1		
<b>STONE CORRAL IRRIGATION DISTRICT</b>						<b>IVANHOE IRRIGATION DISTRICT</b>					
			5-22-22					5-22-23			
16S/26E-32R01 M	405.0	10-25-67	2.8	402.2	5001	17S/26E-17P02 M	385.0	2-6-68	12.7	372.3	5001
		11-29-67	2.4	402.6		17S/27E-34P01 M	473.0	2-6-68	15.0	458.0	5001
		12-20-67	2.0	403.0		18S/22E-29A01 M	251.0	2-2-68	85.3	165.7	5001
		1-24-68	2.1	402.9		18S/22E-36P01 M	245.0	10-03-67	93.4	151.6	5129
		2-28-68	1.7	403.3				11-06-67	84.7	160.3	
		3-20-68	2.6	402.4				12-03-67	80.2	164.8	
		4-24-68	3.3	401.7				12-30-67	77.7	167.3	
		5-22-68	2.4	402.6				1-31-68	74.8	170.2	
		6-27-68	2.8	402.2				3-02-68	84.6	160.4	
		7-25-68	1.7	403.3				3-30-68	88.8	156.2	
		8-23-68	3.0	402.0				4-29-68	98.1	146.9	5001
		9-18-68	3.1	401.9				5-30-68	91.8	153.2	
17S/26E-07R01 M	364.0	10-25-67	5.0	359.0	5001			6-27-68	105.4	139.6	
		11-29-67	4.7	359.3				7-29-68	109.8	135.2	
		12-20-67	4.0	360.0				8-27-68	117.5	127.5	
		1-24-68	4.7	359.3				9-24-68	111.9	133.1	
		2-28-68	4.9	359.1		18S/23E-12H01 M	282.5	10-04-67	59.9	222.6	5001
		3-20-68	5.1	358.9				10-30-67	55.6	226.9	
		4-24-68	6.2	357.8				11-30-67	52.2	230.3	
		5-22-68	5.7	358.3				1-02-68	49.0	233.5	
		6-27-68	6.5	357.5				2-01-68	47.2	235.3	
		7-25-68	10.5	353.5				3-29-68	50.4	232.1	
		8-23-68	12.2	351.8				4-29-68	55.8	226.7	
		9-18-68	12.7	351.3				5-30-68	57.0	225.5	
								6-27-68	60.7	221.8	
								7-29-68	65.3	217.2	
								8-27-68	71.1	211.4	
								9-24-68	69.0	213.5	
<b>IVANHOE IRRIGATION DISTRICT</b>						<b>IVANHOE IRRIGATION DISTRICT</b>					
			5-22-23					5-22-23			
17S/25E-27R01 M	350.0	1-31-68	85.6	264.4	5001	18S/23E-34A01 M	271.0	1-27-68	94.6	176.4	5129
		10-31-67	81.4	267.6		18S/24E-26A01 M	312.5	2-06-68	52.3	260.2	5001
		11-30-67	80.3	268.7	5001	18S/25E-12Q01 M	363.0	2-06-68	41.8	321.2	5001
		12-30-67	79.5	269.5		18S/25E-33P01 M	338.0	2-05-68	33.9	304.1	5001
		1-31-68	78.7	270.3		18S/26E-27E01 M	390.0	2-07-68	15.9	374.1	5001
		3-01-68	78.2	270.8		18S/26E-30N01 M	367.0	10-04-67	15.8	351.2	5001
		4-01-68	75.8	273.2				10-30-67	16.2	350.8	
		5-01-68	76.3	272.7				11-30-67	16.4	350.6	
		6-01-68	76.8	272.2				1-02-68	16.3	350.7	
		7-01-68	80.3	268.7				2-01-68	16.5	350.5	
		8-01-68	79.9	269.1				2-29-68	16.1	350.9	
		9-01-68	81.5	267.5				3-29-68	18.5	348.5	
17S/25E-36Q01 M	365.0	10-01-67	72.1	292.9	5001			4-29-68	21.0	346.0	
		10-31-67	71.2	293.8				5-30-68	25.5	341.5	
		11-30-67	71.0	294.0				6-27-68	25.5	341.5	
		12-30-67	70.2	294.8				7-29-68	25.8	341.2	
		1-31-68	70.0	295.0				8-27-68	26.2	340.8	
		3-01-68	69.6	295.4				9-24-68	26.7	340.3	
		4-01-68	70.7	294.3							
		5-01-68	NM-1								
		6-01-68	74.4	290.6							

TABLE C-3(Cont.)

## GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
KAWEAH DELTA WATER CONSERV. DIST. 5-22.24						TULARE IRRIGATION DISTRICT 5-22.25					
19S/22E-01N02 M	245.0	2-09-68	64.5	180.5	5001	19S/24E-27Q01 M	290.0	7-31-68	118.3	171.7	5001
19S/22E-19A01 M	235.0	11-06-67	92.4	142.6		CONT.		8-23-68	125.0	165.0	
		12-03-67	85.4	149.6	5129			9-30-68	108.5	181.5	
		12-30-67	83.7	151.3		19S/25E-17A02 M	328.0	3-26-68	42.0	286.0	5001
		2-01-68	81.7	153.3				5-01-68	44.9	283.1	
		3-02-68	87.2	147.8				5-29-68	48.2	279.8	
		3-30-68	NM-1					6-29-68	NM-1		
		4-22-68	107.6	127.4	5001			7-31-68	NM-1		
		5-22-68	113.9	122.1				8-23-68	54.7	273.3	
		6-24-68	129.9	105.1				9-30-68	58.2	269.8	
		7-23-68	133.8	102.2		19S/25E-17J01 M	327.0	11-01-67	46.0	281.0	5001
		8-23-68	134.7	100.3				12-05-67	NM-7		
		9-16-68	127.3	107.7				1-03-68	NM-7		
19S/22E-36E01 M	234.0	10-23-67	107.9	126.1	5001			2-05-68	NM-3		
		11-27-67	106.0	128.0				3-08-68	NM-7		
		12-18-67	103.1	130.9				3-09-68	NM-0		
		1-24-68	100.0	134.0		20S/23E-08B02 M	241.0	11-01-67	99.0	142.0	5001
		2-26-68	102.3	131.7				12-05-67	95.5	145.5	
		3-20-68	99.8	134.2				1-03-68	93.0	148.0	
		4-22-68	97.1	136.9				2-02-68	91.0	150.0	
		5-20-68	111.9	122.1				3-08-68	95.5	145.5	
		6-24-68	119.7	114.3				3-26-68	92.5	148.5	
		7-23-68	113.7	120.3				5-01-68	93.7	147.3	
		8-22-68	114.9	119.1				5-29-68	97.3	143.7	
		9-16-68	108.4	125.6				6-29-68	103.2	137.8	
								7-31-68	102.6	138.4	
19S/25E-07K01 M	320.0	10-04-67	23.1	296.9	5001			8-23-68	108.8	132.2	
		10-30-67	NM-1					9-30-68	107.0	134.0	
		12-05-67	31.1	288.9		20S/24E-16H01 M	273.0	11-01-67	90.2	182.8	5001
		1-02-68	31.8	288.2				12-05-67	84.5	188.5	
		2-01-68	NM-1					1-03-68	82.8	190.2	
		3-02-68	34.1	285.9				2-02-68	82.7	190.3	
		3-29-68	37.6	282.4				3-08-68	89.3	183.7	
		4-29-68	41.3	278.7				3-26-68	90.4	182.6	
		5-30-68	43.2	276.8				5-01-68	105.3	167.7	
		6-27-68	45.2	274.8				5-29-68	109.5	163.5	
		7-25-68	48.7	271.3				6-29-68	136.2	136.8	
		8-23-68	51.0	269.0				7-31-68	143.5	129.5	
		9-24-68	52.8	267.2				8-23-68	147.5	125.5	
								9-30-68	115.2	157.8	
19S/26E-34R02 M	341.0	10-25-67	85.1	255.9	5001	20S/24E-30J02 M	250.0	11-01-67	99.3	150.7	5001
		11-28-67	79.0	262.0				12-05-67	97.0	153.0	
		12-19-67	77.7	263.3				1-03-68	NM-1		
		1-24-68	77.7	263.3				2-02-68	NM-3		
		2-28-68	73.0	268.0				2-27-68	98.1	151.9	
		3-20-68	NM-1					3-26-68	101.2	148.8	
		4-24-68	NM-1					5-01-68	109.0	141.0	
		5-22-68	99.0	242.0				5-29-68	NM-1		
		6-27-68	NM-1					6-29-68	NM-1		
		7-25-68	NM-1					7-31-68	NM-1		
		8-23-68	127.2	213.8				8-23-68	NM-1		
		9-18-68	105.1	235.9				9-30-68	103.6	146.4	
20S/22E-10C01 M	226.0	2-09-68	99.5	126.5	5001	21S/23E-05R01 M	222.0	11-01-67	88.9	133.1	5001
20S/25E-14F01 M	304.5	11-01-67	63.7	240.8	5001			12-05-67	78.6	142.4	
		11-28-67	61.0	243.5				1-03-68	83.6	138.4	
		12-19-67	61.5	243.0				2-01-68	83.1	138.9	
		1-24-68	59.6	244.9				3-08-68	85.0	137.0	
		2-27-68	70.8	233.7				3-26-68	81.7	140.3	
		3-19-68	66.3	238.2				5-01-68	84.2	137.8	
		4-23-68	65.5	239.0				5-29-68	85.7	136.3	
		5-21-68	77.6	228.9				6-29-68	92.6	129.4	
		6-27-68	76.8	227.7				7-31-68	98.2	123.8	
		7-24-68	93.9	210.6				8-23-68	NM-1		
		8-23-68	106.5	198.0				9-30-68	107.5	114.5	
		9-17-68	91.2	213.3							
TULARE IRRIGATION DISTRICT 5-22.25						EXETER IRRIGATION DISTRICT 5-22.26					
19S/23E-14R01 M	270.0	11-01-67	73.9	196.1	5001	18S/26E-25K01 M	436.0	10-30-67	52.4	383.6	5001
		12-05-67	72.1	197.9				11-29-67	50.3	385.7	
		1-03-68	72.9	197.1				12-20-67	49.2	386.0	
		2-05-68	69.8	200.2				1-24-68	47.1	388.9	
		3-08-68	75.3	194.7				2-28-68	46.0	390.0	
		3-26-68	71.0	199.0				3-20-68	45.6	390.4	
		5-01-68	73.6	196.4				4-29-68	48.5	387.5	
		5-29-68	72.2	197.8				5-22-68	51.4	384.6	
		6-29-68	74.3	195.7				6-27-68	56.7	379.3	
		7-29-68	NM-1					7-25-68	58.0	378.0	
		8-23-68	NM-1					8-23-68	59.7	376.3	
		9-30-68	88.5	181.5				9-18-68	65.5	370.5	
19S/23E-32H01 M	250.5	2-04-68	83.0	167.5	5001	18S/26E-34P02 M	391.0	4-24-68	51.0	340.0	5001
19S/24E-16P01 M	290.0	11-01-67	79.0	211.0	5001			5-22-68	54.0	337.0	
		12-05-67	74.0	216.0				6-27-68	68.0	323.0	
		1-03-68	72.3	217.7				7-25-68	61.3	329.7	
		2-05-68	71.5	218.5				8-23-68	63.5	327.5	
		3-08-68	86.4	203.6				9-18-68	63.9	327.1	
		3-26-68	78.7	211.3							
		5-01-68	87.8	202.2				10-25-67	NM-1		
		5-29-68	86.7	203.3				11-29-67	24.9	422.1	
		6-29-68	103.7	186.3				12-20-67	24.2	422.8	
		7-31-68	106.5	183.5				1-24-68	24.7	422.3	
		8-23-68	NM-1					2-26-68	24.0	423.0	
		9-30-68	105.4	184.6				3-20-68	24.5	422.5	
19S/24E-27Q01 M	290.0	11-01-67	NM-1		5001	18S/27E-29D01 M	447.0	10-25-67	NM-1		5001
		12-05-67	78.6	211.4				11-29-67	24.9	422.1	
		1-03-68	77.4	212.6				12-20-67	24.2	422.8	
		2-05-68	76.5	213.5				1-24-68	24.7	422.3	
		3-08-68	63.0	227.0				2-26-68	24.0	423.0	
		3-26-68	81.8	208.2				3-20-68	24.5	422.5	
		5-01-68	97.8	192.2				4-24-68	28.9	418.1	
		5-29-68	103.0	187.0				5-22-68	32.7	414.3	
		6-29-68	105.3	184.7				6-27-68	NM-1		
								7-25-68	NM-1		
								8-23-68	45.2	401.8	
								9-18-68	NM-1		
						19S/26E-14E01 M	375.0	10-25-67	83.8	291.2	5001
								11-29-67	80.5	294.5	
								12-19-67	78.2	296.8	
								1-24-68	76.0	299.0	

**TABLE C-3(Cont.)**  
**GROUND WATER LEVELS AT WELLS**

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	
EXETER IRRIGATION DISTRICT						LINDMORE IRRIGATION DISTRICT						
			5-22-26							5-22-29		
19S/26E-14E01 M CONT.	375.0	2-28-68 3-20-68 4-24-68 5-22-68 6-27-68 7-25-68 8-23-68 9-18-68	74.8 74.8 79.0 NM-1 NM-1 NM-1 NM-1 88.4	300.2 300.2 296.0	5001	21S/27E-28E01 M CONT.	420.0	3-20-68 4-22-68 5-21-68 6-20-68 7-22-68 8-21-68 9-20-68	14.2 16.7 17.2 NM-1 20.7 NM-1 NM-1	405.8 403.3 402.8 399.3	5001	
19S/26E-23E01 M	359.0	2-00-68	85.9	273.1	5001	22S/26E-01J01 M	395.0	11-07-67 11-24-67 12-20-67 1-23-68 2-26-68 3-20-68 4-22-68 5-21-68 6-20-68 7-22-68 8-21-68 9-23-68	80.9 NM-1 75.9 75.0 74.1 76.1 77.4 NM-7 76.1 96.9 NM-1 87.5	314.1 319.1 320.0 320.9 318.9 317.6	5001	
LINDSAY-STRATHMORE IRRIG. DIST.						LOWER TULE RIVER IRRIGATION DIST.						
			5-22-27							5-22-30		
19S/27E-29D01 M	385.0	2-07-68	59.8	325.2	5001	21S/23E-22J01 M	221.5	2-09-68	78.9	142.6	5001	
20S/27E-06B01 M	372.0	10-24-67 11-28-67 12-19-67 1-24-68 2-28-68 3-20-68 4-24-68 5-22-68 6-27-68 7-25-68 8-23-68 9-18-68	54.1 53.7 NM-1 53.8 54.2 54.4 53.6 55.3 53.5 54.0 54.5	317.9 318.3 318.2 317.8 317.6 318.4 316.7 318.5 318.0 317.5	5001	21S/24E-15H01 M	253.0	2-08-68	44.5	208.5	5001	
20S/27E-21F01 M	414.0	2-07-68	34.9	379.1	5001	21S/24E-31D01 M	230.0	11-02-67 11-30-67 12-30-67 1-30-68 2-29-68 3-26-68 4-30-68 5-28-68 6-27-68 7-30-68 8-29-68 9-27-68	76.2 74.5 74.1 72.9 71.9 72.0 73.6 74.4 79.1 82.0 83.3 86.1	153.8 155.5 155.9 157.1 158.1 158.0 156.4 155.6 150.9 148.0 146.7 143.9	5001	
20S/27E-29J01 M	406.0	2-07-68	32.8	373.2	5001	21S/24E-35M01 M	251.0	11-02-67 11-30-67 12-30-67 1-30-68 2-29-68 3-26-68 4-30-68 5-28-68 6-27-68 7-30-68 8-29-68 9-27-68	83.5 81.0 79.8 78.7 78.4 78.0 79.2 81.5 82.6 83.1 85.2 88.3	167.5 170.0 171.2 172.3 172.6 173.0 171.8 169.5 168.4 167.9 165.8 162.7	5001	
LINDMORE IRRIGATION DISTRICT						LINDMORE IRRIGATION DISTRICT						
			5-22-28							5-22-28		
20S/26E-01P01 M	360.0	10-24-67 11-28-67 12-19-67 1-24-68 2-28-68 3-20-68 4-24-68 5-22-68 6-27-68 7-24-68 8-23-68 9-18-68	88.0 86.8 85.7 70.1 68.9 68.3 NM-1 83.0 96.8 NM-1 117.2 105.0	272.0 273.2 274.3 289.9 291.1 291.7	5001	20S/26E-22C02 M	341.0	2-06-68	91.5	249.5	5001	
20S/26E-24K01 M	362.5	10-24-67 11-28-67 12-19-67 1-25-68 2-27-68 3-19-68 4-23-68 5-21-68 6-25-68 7-24-68 8-23-68 9-17-68	68.6 67.5 67.3 65.8 65.2 65.4 67.4 68.4 73.4 77.1 76.6 75.6	293.9 295.0 295.2 296.7 297.3 297.1 295.1 294.1 289.1 285.4 285.9 286.9	5001	20S/26E-32A01 M	331.5	10-24-67 11-28-67 12-19-67 1-25-68 2-27-68 3-19-68 4-23-68 5-21-68 6-25-68 7-24-68 8-23-68 9-18-68	103.8 99.5 98.2 95.0 94.3 102.0 117.3 117.9 116.7 NM-1 116.0 111.8	227.7 232.0 233.0 236.5 237.2 229.5 214.2 213.6 214.8	5001	
20S/26E-22C02 M	341.0	2-06-68	91.5	249.5	5001	20S/27E-29E01 M	392.0	10-24-67 11-28-67 12-19-67 1-25-68 2-27-68 3-19-68 4-23-68 5-21-68 6-25-68 7-24-68 8-23-68 9-18-68	39.3 38.0 37.5 36.8 36.6 36.8 40.0 NM-1 45.9 48.6 NM-1	352.7 354.0 354.5 355.2 355.4 355.2 352.0	5001	
20S/26E-24K01 M	362.5	10-24-67 11-28-67 12-19-67 1-25-68 2-27-68 3-19-68 4-23-68 5-21-68 6-25-68 7-24-68 8-23-68 9-17-68	68.6 67.5 67.3 65.8 65.2 65.4 67.4 68.4 73.4 77.1 76.6 75.6	293.9 295.0 295.2 296.7 297.3 297.1 295.1 294.1 289.1 285.4 285.9 286.9	5001	21S/27E-02E01 M	429.0	11-02-67	NM-0		5001	
20S/26E-32A01 M	331.5	10-24-67 11-28-67 12-19-67 1-25-68 2-27-68 3-19-68 4-23-68 5-21-68 6-25-68 7-24-68 8-23-68 9-18-68	103.8 99.5 98.2 95.0 94.3 102.0 117.3 117.9 116.7 NM-1 116.0 111.8	227.7 232.0 233.0 236.5 237.2 229.5 214.2 213.6 214.8	5001	PORTERVILLE IRRIGATION DISTRICT						
20S/27E-29E01 M	392.0	10-24-67 11-28-67 12-19-67 1-25-68 2-27-68 3-19-68 4-23-68 5-21-68 6-25-68 7-24-68 8-23-68 9-18-68	39.3 38.0 37.5 36.8 36.6 36.8 40.0 NM-1 45.9 48.6 NM-1	352.7 354.0 354.5 355.2 355.4 355.2 352.0	5001	21S/27E-21C01 M	409.0	11-02-67 11-28-67 12-19-67 1-25-68 2-27-68 3-19-68 4-23-68 5-21-68 6-25-68 7-24-68 8-23-68 9-17-68	20.9 19.2 17.5 16.8 16.1 NM-1 16.5 17.1 18.5 22.8 21.9 22.5	388.1 389.2 391.5 392.2 392.9 392.5 393.0 391.9 390.5 386.2 387.1 386.5	5001	
21S/27E-02E01 M	429.0	11-02-67	NM-0		5001	21S/27E-28E01 M	420.0	11-07-67 11-24-67 12-20-67 1-23-68 2-26-68	11.8 12.6 14.5 12.1 13.2	408.2 407.4 405.5 407.9 406.8	5001	
PORTERVILLE IRRIGATION DISTRICT						22S/24E-15A01 M	251.5	2-06-68	128.4	123.1	5001	



TABLE C-3(Cont.)

GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
LOWER TULE RIVER IRRIGATION DIST. 5-22.30						PIXLEY IRRIGATION DISTRICT 5-22.33					
22S/25E-15A01 M	300.5	2-03-68	133.8	166.7	5001	23S/25E-14C01 M	300.0	2-00-68	NM-0		5001
22S/26E-06A01 M	337.0	2-07-68	110.5	226.5	5001	23S/25E-16N04 M	263.0	10-26-67	85.1	177.9	5000
VANDALIA IRRIGATION DISTRICT 5-22.31								11-23-67	83.2	179.8	
22S/28E-07Q01 M	524.0	10-24-67	138.2	385.8	5001			12-21-67	82.3	180.7	
		11-28-67	130.5	393.5				1-17-68	81.4	181.6	
		12-19-67	127.7	396.3				2-14-68	80.9	182.1	
		1-25-68	124.9	399.1				3-13-68	81.7	181.3	
		2-26-68	125.6	398.4				4-10-68	83.4	179.6	
		3-19-68	123.0	401.0				5-08-68	84.2	178.8	
		4-23-68	123.7	400.3				6-05-68	86.4	176.6	
		5-21-68	NM-1					7-03-68	89.3	173.2	
		6-25-68	NM-1					8-28-68	94.0	169.0	
		7-24-68	132.0	392.0				9-25-68	93.0	170.0	
		8-23-68	133.1	390.9		23S/26E-08R01 M	345.0	10-24-67	180.0	165.0	5001
		9-17-68	NM-1					11-28-67	176.3	168.7	
22S/28E-18A01 M	535.0	10-24-67	124.7	410.3	5001			12-19-67	175.2	169.8	
		11-28-67	118.2	416.8				1-24-68	169.6	175.4	
		12-19-67	114.6	420.4				2-27-68	173.6	171.4	
		1-25-68	112.5	422.5				3-19-68	172.4	172.6	
		2-27-68	107.4	427.6				4-23-68	173.1	171.9	
		3-19-68	105.5	429.5				5-21-68	175.3	169.7	
		4-23-68	110.6	424.4				6-25-68	185.7	159.3	
		5-21-68	116.9	418.1				7-24-68	192.3	152.7	
		6-25-68	124.1	410.9				8-23-68	196.1	148.9	
		7-24-68	132.9	402.1				9-17-68	193.5	151.5	
		8-23-68	129.0	406.0		ALPAUGH-AlLENSWORTH AREA 5-22.34					
		9-17-68	136.8	398.2		22S/23E-28L01 M	196.0	10-23-67	NM-9		5001
SAUCELITO IRRIGATION DISTRICT 5-22.32								11-27-67	66.5	129.5	
22S/26E-15J01 M	371.0	10-24-67	131.7	239.3	5001			12-19-67	62.8	133.2	
		11-28-67	129.4	241.6				1-24-68	61.8	134.2	
		12-19-67	127.1	243.9				2-26-68	71.1	124.9	
		1-25-68	123.5	247.5				3-18-68	65.9	130.1	
		2-27-68	126.3	244.7				4-22-68	84.6	111.4	
		3-19-68	137.9	233.1				5-20-68	88.7	107.3	
		4-23-68	NM-1					6-24-68	100.8	95.2	
		5-21-68	NM-1					7-23-68	103.3	92.7	
		6-25-68	NM-1					8-22-68	104.0	92.0	
		7-24-68	NM-1					9-16-68	94.4	101.6	
		8-23-68	NM-1			23S/23E-33A01 M	210.0	10-23-67	NM-0		5001
		9-17-68	146.9	224.1		24S/23E-21B02 M	204.0	2-00-68	NM-0		5001
22S/26E-32E01 M	339.0	10-24-67	191.5	147.5	5001	24S/23E-34R01 M	206.0	2-01-68	186.7	19.3	5001
		11-28-67	190.4	148.6		24S/24E-20R01 M	218.0	10-23-67	NM-1		5001
		12-19-67	NM-9					11-27-67	195.9	22.1	
		1-24-68	191.1	147.9				12-18-67	194.7	23.3	
		2-27-68	193.9	145.1				1-24-68	NM-1		
		3-19-68	197.3	141.7				2-26-68	176.1	41.9	
		4-23-68	NM-1					3-18-68	175.1	42.9	
		5-21-68	206.3	132.7				4-22-68	190.9	27.1	
		6-25-68	211.6	127.4				5-20-68	198.0	20.0	
		7-24-68	NM-1					6-24-68	213.2	4.8	
		8-23-68	219.0	120.0				7-23-68	225.0	-7.0	
		9-17-68	NM-1					8-22-68	234.8	-16.8	
23S/26E-02R01 M	397.0	2-06-68	153.5	243.5	5001			9-16-68	246.8	-28.8	
23S/26E-03R01 M	381.0	10-24-67	181.9	199.1	5001	24S/24E-23Q01 M	235.0	2-01-68	72.7	162.3	5001
		11-28-67	170.1	210.9		DELANO-EARLIMART IRRIGATION DIST. 5-22.35					
		12-19-67	163.8	217.2		23S/25E-27J02 M	296.0	2-02-68	88.0	208.0	5001
		1-25-68	170.5	210.5		23S/26E-29P01 M	356.5	2-02-68	168.5	188.0	5001
		2-27-68	176.5	204.5		23S/27E-28J01 M	533.3	2-00-68	NM-0		5001
		3-19-68	NM-1			24S/25E-02H01 M	321.0	10-23-67	99.6	221.4	5001
		4-23-68	NM-1					11-27-67	93.5	227.5	
		5-21-68	192.1	188.9				12-19-67	NM-1		
		6-25-68	NM-1					1-24-68	NM-1		
		7-24-68	210.9	170.1				3-04-68	98.2	222.8	
		8-23-68	208.2	172.8				3-18-68	98.4	222.6	
		9-17-68	196.7	184.3				4-22-68	98.8	222.2	
PIXLEY IRRIGATION DISTRICT 5-22.33								5-20-68	99.5	221.5	
22S/25E-25N01 M	310.0	11-02-67	198.0	112.0	5001			6-24-68	104.3	216.7	
		11-28-67	186.0	124.0				7-23-68	104.5	216.5	
		12-19-67	182.0	128.0				8-23-68	101.4	219.6	
		1-24-68	178.4	131.6				9-16-68	101.5	219.5	
		2-27-68	188.0	122.0		24S/25E-10A01 M	304.0	2-01-68	109.0	195.0	5001
		3-18-68	189.0	121.0		24S/25E-33J01 M	291.5	2-01-68	61.5	230.0	5001
		4-23-68	196.5	113.5		24S/26E-05R01 M	376.0	2-01-68	161.0	215.0	5001
		5-21-68	201.8	108.2		24S/26E-20H01 M	378.0	2-01-68	139.0	239.0	5001
		6-24-68	228.0	82.0		24S/26E-29R02 M	400.0	10-24-67	134.6	265.4	5000
		7-24-68	232.9	77.1				11-21-67	132.5	267.5	
		8-23-68	228.4	81.6				12-27-67	134.5	265.5	
		9-16-68	220.6	89.4				1-23-68	129.4	270.6	
23S/23E-02B01 M	207.0	2-01-68	37.6	169.4	5001			2-20-68	129.1	270.9	
23S/24E-16R01 M	222.0	10-23-67	132.7	89.3	5001			3-18-68	129.9	270.1	
		11-27-67	130.1	91.9				4-24-68	140.6	259.4	
		12-18-67	127.6	94.4				5-20-68	143.0	257.0	
		1-24-68	124.0	98.0				6-25-68	158.5	241.5	
		2-26-68	123.4	98.6				7-22-68	159.9	240.1	
		3-18-68	124.0	98.0				8-26-68	155.0	245.0	
		4-22-68	127.0	95.0				9-24-68	149.8	250.2	
		5-20-68	128.9	93.1		24S/26E-32G01 M	396.0	1-31-68	119.0	277.0	5001
		6-24-68	131.2	90.8							
		7-23-68	134.1	87.9							
		8-23-68	136.1	85.9							
		9-16-68	137.5	84.5							

TABLE C-3(Cont.)

GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA		
DELANO-EARLIMART IRRIGATION DIST.						NORTH KERN WATER STORAGE DISTRICT							
			5-22-35						5-22-37				
24S/26E-34F01 M	445.0	10-26-67	230.1	214.9	5000	27S/26E-20D01 M	445.5	10-24-67	312.5	133.0	5000		
		11-23-67	220.4	224.6				10-21-67	305.6	139.9			
		12-23-67	214.3	230.7				11-27-67	299.5	146.0			
		1-17-68	211.4	233.6				1-29-68	NM-1				
		2-14-68	210.3	234.7				2-20-68	NM-1				
		3-13-68	211.8	233.2				3-19-68	326.5	119.0			
		4-10-68	226.3	218.7				3-20-68	NM-0				
		5-08-68	248.9	196.1		27S/26E-20E01 M	435.7	2-24-68	298.6	137.1	5700		
		6-06-68	270.0	175.0		27S/27E-30H02 M	527.0	2-01-68	419.0	108.0	5001		
		7-03-68	287.6	157.4		28S/25E-13L01 M	361.1	2-09-68	191.1	170.0	5700		
		8-28-68	278.8	166.2		28S/26E-21H01 M	388.0	10-24-67	162.0	226.0	5000		
		9-25-68	263.3	181.7				11-21-67	154.5	233.5			
24S/27E-31F01 M	526.5	2-00-68	NM-0		5001			12-27-67	156.3	231.7			
25S/26E-10B03 M	430.0	1-30-68	190.5	239.5	5001			1-29-68	156.7	231.3			
25S/26E-16F01 M	388.0	10-24-67	87.5	300.5	5000			2-20-68	154.6	233.4			
		11-21-67	89.5	299.5				3-19-68	156.8	231.2			
		12-27-67	86.9	301.1				4-24-68	158.5	229.5			
		1-29-68	90.2	297.8				5-20-68	160.5	227.5			
		2-20-68	90.0	298.0				6-25-68	164.5	223.5			
		3-18-68	89.5	298.5				7-23-68	168.9	219.1			
		4-24-68	88.7	299.3				8-27-68	173.4	214.6			
		5-20-68	88.1	299.9				9-24-68	175.5	212.5			
		6-25-68	86.4	301.6				SHAPTER-WASCO IRRIGATION DISTRICT 5-22-38					
		7-22-68	93.1	294.9		27S/24E-35C01 M	316.0	2-06-68	213.8	102.2	5700		
		8-26-68	87.3	300.7		27S/25E-28A01 M	375.0	10-24-67	235.0	140.0	5000		
		9-24-68	86.9	301.1				11-21-67	234.0	141.0			
25S/27E-22H01 M	750.0	1-31-68	406.8	343.2	5001			12-27-67	245.6	129.4			
SOUTHERN SAN JOAQUIN MUD								1-29-68	228.4	146.6			
			5-22-36					2-20-68	NM-1				
25S/24E-12A02 M	253.0	10-24-67	107.7	145.3	5000			3-19-68	251.0	124.0			
		11-21-67	91.6	161.4				4-24-68	NM-1				
		12-27-67	75.3	177.7				5-20-68	NM-1				
		1-29-68	76.2	176.8				6-25-68	278.0	97.0			
		2-20-68	NM-1					7-23-68	NM-1				
		3-19-68	87.6	165.4				8-27-68	281.5	93.5			
		4-24-68	87.8	165.2				9-25-68	268.9	106.1			
		5-20-68	90.8	162.2		28S/25E-16F01 M	329.0	10-24-67	205.0	124.0	5000		
		6-25-68	NM-1					11-21-67	194.0	135.0			
		7-23-68	NM-1					12-27-67	135.7	143.3			
		8-27-68	112.3	140.7				1-29-68	135.6	143.4			
		9-24-68	98.1	154.9				2-20-68	134.7	144.3			
25S/25E-06H01 M	259.0	2-01-68	65.0	194.0	5001			3-19-68	138.4	140.6			
25S/25E-35F01 M	322.0	2-00-68	NM-0		5001			4-24-68	199.0	135.8			
25S/26E-28E01 M	394.0	10-24-67	141.0	253.0	5000			5-20-68	183.2	127.0			
		11-21-67	141.5	252.5				6-25-68	202.0	122.1			
		12-27-67	139.5	254.5				7-23-68	206.9	122.1			
		1-29-68	137.3	256.7				8-27-68	202.9	126.1			
		2-20-68	136.3	257.7				9-24-68	199.6	129.4			
		3-18-68	138.6	255.4				KERN RIVER DELTA AREA 5-22-40					
		4-24-68	140.0	254.0		28S/24E-23D01 M	306.0	10-24-67	210.0	96.0	5000		
		5-20-68	142.0	252.0				10-25-67	NM-0				
		6-25-68	154.8	239.2		28S/26E-29L01 M	349.0	2-14-68	244.1	104.9	5700		
		7-22-68	155.7	238.3		29S/25E-12M03 M	330.0	10-24-67	164.5	165.5	5000		
		8-27-68	158.5	235.5				11-21-67	155.5	174.5			
		9-24-68	150.1	243.9				12-27-67	160.3	169.7			
25S/26E-28H02 M	414.0	2-02-68	191.0	223.0	5001			1-29-68	159.3	170.7			
26S/26E-10R01 M	503.0	10-24-67	NM-3		5000			2-20-68	152.0	178.0			
		10-25-67	NM-0					3-19-68	158.3	171.7			
26S/26E-16F01 M	443.0	2-00-68	NM-7		5001			4-24-68	161.0	169.0			
26S/26E-29C01 M	411.0	10-24-67	271.5	139.5	5000			5-20-68	165.1	164.9			
		11-21-67	257.5	153.5				6-25-68	170.8	159.2			
		12-27-67	254.9	156.1				7-23-68	172.8	157.2			
		12-28-67	NM-0					8-28-68	173.5	156.5			
								9-24-68	161.5	168.5			
NORTH KERN WATER STORAGE DISTRICT													
			5-22-37			29S/27E-33D01 M	380.0	10-24-67	68.1	311.9	5000		
26S/25E-15F01 M	346.7	10-24-67	209.0	137.7	5000			11-21-67	66.0	314.0			
		11-21-67	197.0	149.7				12-27-67	72.8	307.2			
		12-27-67	178.0	168.7				1-29-68	73.4	306.6			
		1-29-68	NM-1					2-20-68	74.3	307.7			
		2-20-68	NM-1					3-19-68	80.3	299.7			
		3-18-68	189.0	157.7				4-24-68	85.3	294.7			
		4-24-68	NM-1					5-20-68	81.4	298.6			
		5-20-68	224.0	122.7				6-26-68	92.9	287.1			
		6-25-68	283.0	63.7				7-23-68	95.9	284.1			
		7-22-68	NM-1					8-28-68	97.4	282.6			
		8-27-68	291.0	55.7				9-25-68	97.8	282.2			
		9-24-68	NM-1			30S/25E-22D01 M	308.5	10-04-67	66.9	241.6	5640		
26S/25E-15R01 M	352.3	2-01-68	177.6	174.7	5700			11-02-67	65.9	242.6			
26S/26E-30F01 M	392.0	1-10-68	223.0	169.0	5700			12-02-67	64.4	244.1			
27S/25E-01N01 M	394.0	10-24-67	120.0	274.0	5000			1-02-68	63.8	244.7			
		11-21-67	100.0	294.0				2-06-68	65.3	243.2			
		12-27-67	97.8	296.2				3-04-68	65.3	243.2			
		1-29-68	98.0	296.0				4-02-68	65.4	243.1			
		2-20-68	99.4	294.6				5-01-68	65.8	242.7			
		3-19-68	102.2	291.8				5-31-68	67.0	241.5			
		4-24-68	101.6	292.4				7-03-68	65.9	242.6			
		5-20-68	103.4	290.6				8-04-68	69.3	239.2			
		6-25-68	107.9	286.1				8-29-68	70.0	238.5			
		7-23-68	113.8	280.2				30S/26E-16J01 M	339.1	1-25-68	NM-9	5121	
		8-27-68	116.2	277.8				30S/26E-22P02 M	338.0	10-24-67	100.5	237.5	5000
		9-24-68	118.0	276.0				11-21-67	103.5	235.0			
27S/26E-06H02 M	416.0	2-01-68	NM-1		5001			12-27-67	78.2	259.8			
								1-29-68	83.5	254.5			
								2-20-68	84.4	253.6			

**TABLE C-3(Cont.)  
GROUND WATER LEVELS AT WELLS**

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
KERN RIVER DELTA AREA			5-22.40			EDISON-MARICOPA AREA			5-22.41		
30S/26E-22P02 M CONT.	338.0	3-19-68 4-24-68 5-20-68 6-25-68 7-23-68 8-27-68 9-25-68	85.3 91.1 NM-7 100.4 100.4 100.2 98.7	252.7 246.9 237.6 237.6 237.8 239.3	5000	32S/29E-19H03 M CONT.	416.0	3-20-68 4-24-68 5-21-68 6-26-68 7-23-68 8-28-68 9-25-68	350.2 361.6 364.2 380.1 370.2 373.0 346.3	65.8 54.4 51.8 35.9 45.8 43.0 69.7	5000
30S/28E-32B01 M	354.4	1-29-68	115.0	239.4	5001	32S/29E-21P01 M	473.0	10-25-67 10-26-67	209.8 NM-0	263.2	5000
30S/28E-34R02 M	359.0	10-24-67 11-21-67 12-28-67 1-30-68 2-20-68 3-20-68 4-24-68 5-20-68 6-25-68 7-23-68 8-28-68 9-25-68	99.0 97.0 99.7 98.8 97.6 100.1 99.6 100.5 101.2 103.1 102.5 100.8	260.0 263.0 259.3 260.2 261.4 258.9 259.4 258.5 257.8 255.9 256.5 258.2	5000	11N/18W-06P01 S	657.0	1-30-68	NM-0		5001
31S/26E-01A01 M	333.0	1-24-68	107.9	225.1	5121	11N/18W-28D01 S	850.0	1-30-68	130.0	720.0	5001
31S/26E-35D01 M	294.5	1-24-68	50.1	244.4	5121	11N/19W-04H01 S	575.9	1-30-68	424.0	151.9	5001
31S/27E-04L01 M	341.1	1-25-68	121.6	219.5	5700	11N/19W-07R03 S	673.0	10-25-67 11-22-67 12-28-67 1-30-68 2-21-68 3-20-68 4-24-68 5-21-68 6-26-68 7-23-68 8-28-68 9-25-68	490.5 493.5 493.2 494.1 503.1 500.6 494.6 496.9 505.8 510.9 511.7 506.7	182.5 179.5 179.8 178.9 169.9 172.4 178.4 176.1 167.2 162.1 161.3 166.3	5000
31S/27E-28J01 M	312.1	1-24-68	77.5	234.6	5121	11N/20W-07Q01 S	452.3	1-31-68	517.9	-65.6	5700
31S/28E-30M01 M	314.7	1-25-68	85.0	229.7	5700	11N/20W-18P01 S	484.7	1-29-68	340.5	144.2	5001
32S/26E-36G01 M	378.0	1-22-68	170.2	207.8	5121	11N/20W-24A01 S	730.2	1-29-68	541.6	188.6	5700
32S/27E-18E01 M	292.6	2-23-68	190.3	102.3	5700	11N/21W-05M01 S	515.9	2-00-68	NM-0		5700
32S/28E-04A01 M	303.0	2-00-68	NM-0		5001	11N/22W-04H01 S	529.0	1-08-68	454.3	74.7	5700
EDISON-MARICOPA AREA			5-22.41			12N/20W-31R01 S	363.0	1-29-68	246.2	116.8	5001
29S/29E-33N01 M	578.0	2-00-68	NM-0		5001	12N/21W-29N01 S	423.3	1-22-68	338.0	85.3	5121
30S/28E-02R01 M	410.0	1-29-68	195.0	215.0	5001	12N/23W-28P01 S	498.0	1-22-68	266.0	232.0	5121
30S/28E-10N01 M	372.0	10-24-67 11-21-67 12-27-67 1-29-68 2-20-68 3-20-68 4-24-68 5-20-68 6-25-68 7-23-68 8-28-68 9-25-68	48.0 46.5 47.8 49.6 52.5 53.4 47.9 50.2 52.0 52.0 52.3 52.2	325.0 326.5 325.2 323.4 319.5 318.6 324.1 321.8 320.0 320.0 319.7 319.8	5000	BUENA VISTA WATER STORAGE DIST.			5-22.42		
30S/28E-10N04 M	372.0	10-24-67 11-21-67 12-27-67 1-29-68 2-20-68 3-19-68 4-24-68 5-20-68 6-25-68 7-23-68 8-28-68 9-25-68	179.5 160.5 172.0 172.9 173.1 168.6 178.0 179.9 182.8 182.8 189.9 187.8	192.5 211.5 200.0 199.1 198.9 203.4 194.0 192.1 185.2 183.4 182.1 184.2	5000	27S/22E-16B01 M	238.0	10-25-67 11-22-67 11-23-67	59.9 58.5 NM-0	178.1 179.5	5000
30S/29E-05P01 M	515.0	1-29-68	359.0	156.0	5001	27S/22E-21P02 M	240.0	2-02-68	17.0	223.0	5121
30S/29E-26A01 M	628.0	1-30-68	474.0	154.0	5001	27S/22E-32H01 M	241.0	10-25-67 11-22-67 12-28-67 1-30-68 2-21-68 3-20-68 4-25-68 5-21-68 6-26-68 7-24-68 8-28-68 9-25-68	124.6 122.5 106.8 116.6 116.3 117.3 121.0 125.4 127.1 132.5 135.5 135.7	116.4 118.5 134.2 124.4 124.7 123.7 120.0 115.6 113.9 108.5 105.5 105.3	5000
30S/30E-20R01 M	791.5	1-30-68	195.5	596.0	5001	28S/22E-09D01 M	240.0	10-25-67 11-22-67 12-28-67 1-30-68 2-21-68 3-20-68 4-25-68 5-21-68 6-26-68 7-24-68 8-28-68 9-25-68	12.4 12.2 12.1 12.7 14.0 12.5 14.2 15.3 15.1 15.2 14.3 13.7	227.6 227.8 227.9 227.3 226.0 227.5 225.8 224.7 224.9 224.8 225.7 226.3	5000
31S/29E-09A01 M	468.0	1-30-68	350.8	117.2	5001	28S/22E-10D02 M	245.0	1-29-68	12.0	233.0	5121
31S/29E-29A01 M	400.0	1-30-68	139.3	260.7	5001	28S/23E-31R01 M	257.8	10-02-67 2-02-68	26.5 38.5	231.3 219.3	5640
31S/30E-21G01 M	536.0	1-29-68	NM-1		5001	29S/23E-08A01 M	260.3	10-02-67 2-02-68	30.7 45.8	229.6 214.5	5640
32S/25E-35N02 M	442.5	1-22-68	150.0	292.5	5121	29S/23E-27M01 M	270.0	10-25-67 11-22-67 12-28-67 12-29-67 1-30-68 2-21-68 3-20-68 4-25-68 5-21-68 6-25-68 7-24-68 8-28-68 9-25-68	40.2 39.2 37.9 38.1 44.1 NM-1 42.5 42.8 42.9 49.0 48.9 45.9	229.8 240.8 232.1 231.9 225.9	5000
32S/28E-23R01 M	386.7	1-29-68	274.5	112.2	5001	30S/23E-01D01 M	276.8	10-02-67 2-06-68	57.7 67.7	219.1 209.1	5640
32S/28E-30D04 M	303.0	10-25-67 11-22-67 12-28-67 12-29-67	NM-7 NM-9 NM-7 NM-0		5000	30S/24E-02C01 M	287.0	10-02-67 2-01-68	89.8 NM-1	197.2	5640
32S/29E-19H02 M	416.0	10-25-67 11-22-67 12-28-67 1-30-68 2-21-68 3-20-68 4-24-68 5-21-68 6-26-68 7-23-68 8-28-68 9-25-68	209.0 207.0 203.6 203.2 203.5 204.5 205.0 205.8 203.6 203.3 203.4 203.5	207.0 209.0 212.4 212.8 212.5 211.5 211.0 210.2 212.4 212.7 212.6 212.5	5000	30S/24E-04C01 M	282.0	10-25-67 11-22-67 12-28-67	67.5 62.5 62.9	214.5 219.5 219.1	5000
32S/29E-19H03 M	416.0	10-25-67 11-22-67 12-28-67 1-30-68 2-21-68	364.5 327.5 311.0 315.3 319.4	51.5 88.5 105.0 100.7 96.6	5000						





**TABLE C-3(Cont.)**  
**GROUND WATER LEVELS AT WELLS**

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	
MENDOTA-HURON AREA			5-22-47			POSO SOIL CONSERVATION DISTRICT			5-22-48			
15S/16E-17L01 M CONT.	165.0	12-29-67 1-31-68 2-22-68 3-21-68 4-25-68 5-22-68 6-27-68 7-25-68 8-29-68 9-26-68	40.7 40.1 40.8 40.2 NM-7 43.5 43.2 43.4 43.8 46.0	124.3 124.9 124.2 124.8 121.5 121.8 121.6 121.2 119.0	5000	11S/13E-05Q01 M CONT.	117.0	1-04-68 2-05-68 3-04-68 4-02-68 5-03-68 6-05-68 7-03-68 8-05-68 9-04-68	9.4 10.1 11.9 12.4 13.8 12.5 13.2 12.9 11.6	107.6 106.9 105.1 104.6 103.2 104.5 103.8 104.1 105.4	5529	
15S/16E-20R01 M	170.0	10-24-67 2-13-68	80.8 78.7	89.2 91.3	5001	11S/13E-26A01 M	128.0	10-06-67 11-04-67 12-01-67 1-04-68 2-05-68 3-04-68 4-02-68 5-03-68 6-05-68 7-03-68 8-05-68 9-04-68	13.1 11.8 12.9 11.0 11.3 13.7 14.0 15.7 9.4 17.5 10.4 14.7	114.9 116.2 115.1 117.0 116.7 114.3 114.0 112.3 118.6 110.5 117.6 113.3	5529	
15S/16E-28A04 M	169.0	10-26-67 11-23-67 12-29-67 1-31-68 2-22-68 3-21-68 4-25-68 5-22-68 6-27-68 7-25-68 8-29-68 9-26-68	186.5 182.5 183.0 181.8 183.3 173.0 184.1 185.3 187.2 188.0 188.5	-17.5 -13.5 -14.0 -12.8 -14.8 -4.0 -15.1 -16.3 -18.2 -19.5 -19.5	5000	11S/13E-33L01 M	126.0	10-06-67 11-04-67 12-01-67 1-04-68 2-05-68 3-04-68 4-02-68 5-03-68 6-05-68 7-03-68 8-05-68 9-04-68	8.1 9.1 10.8 9.9 10.9 10.5 7.5 9.5 13.2 11.5 17.8 10.3	117.9 116.9 115.2 116.1 115.1 115.5 118.5 116.8 112.8 114.5 108.2 115.7	5529	
16S/15E-02N02 M	219.0	2-09-68	94.5	124.5	5001	12S/13E-13J01 M	140.0	10-06-67 11-04-67 12-01-67 1-04-68 2-05-68 3-04-68 4-02-68 5-03-68 6-05-68 7-03-68 8-05-68 9-04-68	8.0 9.2 10.2 8.5 9.4 9.3 8.2 8.4 7.4 9.8 19.0 12.8	132.0 130.8 129.8 131.5 130.6 130.7 131.8 131.6 132.6 130.2 121.0 127.2	5529	
16S/16E-10N01 M	187.0	2-09-68	123.8	63.2	5001	TERRA BELLA IRRIGATION DISTRICT			5-22-50			
17S/14E-13R01 M	457.0	12-18-67	NM-1		5050	22S/27E-25J03 M	532.0	10-24-67 11-28-67 12-19-67 1-25-68 2-27-68 3-19-68 4-23-68 5-21-68 6-25-68 7-24-68 8-23-68 9-17-68	112.2 107.8 97.8 88.1 92.8 93.2 107.4 105.8 113.9 113.8 113.5 107.0	419.8 424.2 434.2 443.9 439.2 438.8 424.6 426.2 418.1 418.2 418.5 425.0	5001	
17S/16E-02E01 M	218.0	2-05-68	NM-1		5001	23S/27E-01A01 M	506.0	10-24-67 11-28-67 12-19-67 1-25-68 2-27-68 3-19-68 4-23-68 5-21-68 6-25-68 7-24-68 8-23-68 9-17-68	84.8 84.5 83.9 85.5 84.0 84.7 84.1 84.4 84.0 85.8 86.0 86.2	421.2 421.5 421.1 420.5 422.0 421.3 421.9 421.6 422.0 420.2 420.0 419.8	5001	
17S/16E-24R01 M	232.5	10-26-67 2-22-68	183.5 196.9	49.0 35.6	5050	23S/27E-10H01 M	518.0	10-00-67	NM-0			5001
17S/16E-30A03 M	290.0	10-26-67 11-23-67 12-29-67 1-31-68 2-22-68 3-21-68 4-25-68 5-22-68 6-27-68 7-25-68 8-29-68 9-26-68	65.5 64.5 65.9 67.3 67.7 66.2 66.3 69.1 66.8 68.6 66.7 66.6	224.5 225.5 224.1 222.7 222.3 223.8 223.7 220.9 223.2 221.4 223.3 223.4	5000	MERCED BOTTOMS			5-22-54			
17S/17E-21N02 M	226.0	10-00-67	NM-0		5050	7S/10E-23K02 M	80.0	10-03-67 11-03-67 12-04-67 1-04-68 2-05-68 3-04-68 4-04-68 5-03-68 6-03-68 7-08-68 8-02-68 9-06-68	3.7 3.7 3.9 3.9 4.0 3.8 3.7 2.8 4.1 3.5 3.2 3.3	76.3 76.3 76.1 75.1 76.0 76.2 76.3 77.2 75.9 76.5 76.8 76.7	5050	
18S/17E-12N01 M	253.0	12-19-67	NM-1		5050	7S/12E-27F01 M	110.5	10-02-67 10-30-67 12-01-67 1-03-68 2-02-68 3-12-68 3-27-68 5-06-68 5-31-68 6-27-68 8-05-68 9-03-68 9-30-68	9.6 8.4 7.9 7.6 17.0 6.5 6.6 8.0 9.0 10.1 10.0 10.0 10.0	100.9 102.1 102.6 102.9 93.5 104.0 103.9 102.5 101.5 100.4 100.5 100.5 100.5	5050	
19S/18E-15M01 M	274.0	12-18-67	NM-1		5050	11S/13E-05Q01 M	117.0	10-06-67 11-04-67 12-01-67	9.5 9.5 9.9	107.5 107.5 107.1	5529	
19S/18E-27M01 M	281.0	12-18-67	371.0	-90.0	5000	POSO SOIL CONSERVATION DISTRICT			5-22-48			
20S/18E-11N01 M	277.0	12-19-67	NM-1		5050	10S/13E-06R01 M	110.0	10-06-67 11-04-67 12-01-67 1-04-68 2-05-68 3-04-68 4-02-68 5-03-68 6-05-68 7-03-68 8-05-68 9-04-68	9.4 10.8 10.2 10.0 10.5 12.1 9.9 17.0 14.4 13.3 12.4 12.1	100.6 99.2 99.8 100.0 99.5 97.9 100.1 93.0 95.6 96.7 97.5 97.9	5529	
20S/18E-11Q01 M	270.0	10-25-67 11-22-67 12-20-67 1-16-68 2-13-68 3-12-68 4-09-68 5-08-68 6-04-68 7-02-68 7-31-68 8-28-68 9-24-68	485.5 484.8 483.8 477.9 484.6 489.7 474.3 NM-7 483.0 490.9 494.8 488.1 486.9	-215.5 -214.8 -213.8 -207.9 -214.6 -219.7 -204.3 -213.0 -220.9 -224.8 -218.1 -216.9	5000	11S/13E-06R01 M	110.0	10-06-67 11-04-67 12-01-67 1-04-68 2-05-68 3-04-68 4-02-68 5-03-68 6-05-68 7-03-68 8-05-68 9-04-68	9.4 10.8 10.2 10.0 10.5 12.1 9.9 17.0 14.4 13.3 12.4 12.1	100.6 99.2 99.8 100.0 99.5 97.9 100.1 93.0 95.6 96.7 97.5 97.9	5529	
20S/18E-36D01 M	260.0	10-25-67 2-21-68	305.0 304.0	-45.0 -44.0	5050	11S/13E-05Q01 M	117.0	10-06-67 11-04-67 12-01-67	9.5 9.5 9.9	107.5 107.5 107.1	5529	
21S/15E-01E01 M	623.0	2-00-68	NM-0		5050	POSO SOIL CONSERVATION DISTRICT			5-22-48			
21S/16E-02N01 M	570.0	2-00-68	NM-0		5050	10S/13E-06R01 M	110.0	10-06-67 11-04-67 12-01-67 1-04-68 2-05-68 3-04-68 4-02-68 5-03-68 6-05-68 7-03-68 8-05-68 9-04-68	9.4 10.8 10.2 10.0 10.5 12.1 9.9 17.0 14.4 13.3 12.4 12.1	100.6 99.2 99.8 100.0 99.5 97.9 100.1 93.0 95.6 96.7 97.5 97.9	5529	
21S/16E-07N01 M	634.0	2-00-68	NM-0		5050	11S/13E-05Q01 M	117.0	10-06-67 11-04-67 12-01-67	9.5 9.5 9.9	107.5 107.5 107.1	5529	
21S/16E-35D01 M	682.0	2-00-68	NM-0		5050	POSO SOIL CONSERVATION DISTRICT			5-22-48			
21S/17E-06N01 M	526.0	2-00-68	NM-0		5050	10S/13E-06R01 M	110.0	10-06-67 11-04-67 12-01-67 1-04-68 2-05-68 3-04-68 4-02-68 5-03-68 6-05-68 7-03-68 8-05-68 9-04-68	9.4 10.8 10.2 10.0 10.5 12.1 9.9 17.0 14.4 13.3 12.4 12.1	100.6 99.2 99.8 100.0 99.5 97.9 100.1 93.0 95.6 96.7 97.5 97.9	5529	
21S/17E-24G01 M	425.0	12-21-67	NM-0		5050	11S/13E-05Q01 M	117.0	10-06-67 11-04-67 12-01-67	9.5 9.5 9.9	107.5 107.5 107.1	5529	
21S/18E-28M02 M	363.0	10-25-67 2-21-68	346.5 351.1	16.5 11.9	5000	POSO SOIL CONSERVATION DISTRICT			5-22-48			
POSO SOIL CONSERVATION DISTRICT			5-22-48			POSO SOIL CONSERVATION DISTRICT			5-22-48			
10S/13E-06R01 M	110.0	10-06-67 11-04-67 12-01-67 1-04-68 2-05-68 3-04-68 4-02-68 5-03-68 6-05-68 7-03-68 8-05-68 9-04-68	9.4 10.8 10.2 10.0 10.5 12.1 9.9 17.0 14.4 13.3 12.4 12.1	100.6 99.2 99.8 100.0 99.5 97.9 100.1 93.0 95.6 96.7 97.5 97.9	5529	7S/12E-27F01 M	110.5	10-02-67 10-30-67 12-01-67 1-03-68 2-02-68 3-12-68 3-27-68 5-06-68 5-31-68 6-27-68 8-05-68 9-03-68 9-30-68	9.6 8.4 7.9 7.6 17.0 6.5 6.6 8.0 9.0 10.1 10.0 10.0 10.0	100.9 102.1 102.6 102.9 93.5 104.0 103.9 102.5 101.5 100.4 100.5 100.5	5050	
11S/13E-05Q01 M	117.0	10-06-67 11-04-67 12-01-67	9.5 9.5 9.9	107.5 107.5 107.1	5529	POSO SOIL CONSERVATION DISTRICT			5-22-48			

**TABLE C-3(Cont.)**  
**GROUND WATER LEVELS AT WELLS**

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
MERCED BOTTOMS						KINGS COUNTY WATER DISTRICT					
			5-22.54						5-22.66		
8S/12E-19D01 M	90.0	10-02-67	20.7	69.3	5050	17S/20E-36R02 M	243.0	10-01-67	14.7	228.3	5129
		10-30-67	17.9	72.1				11-07-67	14.9	228.1	
		12-01-67	15.3	74.7				12-03-67	16.5	226.5	
		1-03-68	13.0	77.0				12-30-67	15.1	227.9	
		2-02-68	11.5	78.5				1-30-68	14.2	228.8	
		3-12-68	12.5	77.5				3-02-68	14.5	228.5	
		3-27-68	12.2	77.8				3-30-68	14.8	228.2	
		5-06-68	21.5	68.5				4-29-68	15.6	227.4	
		5-31-68	19.5	70.5				5-26-68	16.8	226.2	
		6-27-68	23.5	66.5				6-29-68	NM-1		
		8-05-68	29.7	60.3				8-04-68	33.5	209.5	
		9-03-68	28.3	61.7				8-31-68	31.7	211.3	
		9-30-68	25.8	64.2				9-23-68	28.1	214.9	
9S/12E-01C01 M	110.5	10-02-67	44.7	65.8	5050	17S/22E-11P01 M	283.0	10-02-67	20.4	262.6	5129
		10-30-67	43.4	67.1				11-07-67	19.3	263.7	
		12-01-67	42.8	67.7				12-03-67	18.3	264.7	
		1-03-68	35.9	74.6				12-30-67	18.9	264.1	
		2-02-68	30.8	79.7				1-30-68	18.1	264.9	
		3-12-68	28.0	82.5				3-02-68	18.6	264.4	
		3-27-68	27.5	83.0				3-30-68	18.8	264.2	
		5-06-68	35.4	75.1				4-29-68	22.8	260.2	
		5-31-68	40.6	69.9				5-26-68	23.3	259.7	
		6-27-68	46.7	63.8				6-29-68	28.8	256.2	
		8-05-68	48.5	62.0				8-04-68	36.2	246.8	
		9-03-68	49.0	61.5				8-31-68	24.0	259.0	
		9-30-68	NM-1					9-23-68	28.3	254.7	
9S/14E-01B01 M	180.0	10-02-67	93.7	86.3	5050	17S/22E-35N01 M	266.0	10-02-67	41.4	224.6	5129
		10-30-67	77.0	103.0				11-07-67	36.9	229.1	
		12-01-67	69.4	110.6				12-03-67	35.1	230.9	
		1-03-68	63.3	116.7				12-30-67	34.2	231.8	
		2-02-68	58.2	121.8				1-30-68	33.3	232.7	
		3-12-68	55.5	124.5				3-02-68	34.6	231.4	
		3-27-68	55.5	124.5				3-30-68	36.5	230.0	
		5-06-68	86.1	93.9				4-29-68	38.1	227.9	
		5-31-68	98.8	81.2				5-26-68	38.7	227.3	
		6-27-68	103.0	77.0				6-24-68	45.6	220.4	
		8-05-68	114.5	65.5				8-04-68	47.8	218.2	
		9-03-68	109.1	70.9				8-31-68	36.9	229.1	
		9-30-68	106.0	74.0				9-23-68	39.5	226.4	
9S/14E-01B03 M	180.0	10-02-67	40.0	140.0	5050	18S/21E-17N01 M	238.0	10-01-67	10.3	227.7	5129
		10-30-67	40.1	139.9				11-07-67	9.5	228.5	
		12-01-67	40.1	139.9				12-03-67	9.4	228.6	
		1-03-68	40.5	139.5				12-30-67	9.3	228.7	
		2-02-68	41.0	139.0				1-31-68	9.1	228.9	
		3-12-68	40.6	139.4				3-02-68	9.3	228.7	
		3-27-68	40.7	139.3				3-30-68	9.1	228.9	
		5-06-68	41.0	139.0				4-29-68	9.5	228.5	
		5-31-68	44.0	136.0				5-26-68	9.1	228.9	
		6-27-68	44.0	136.0				6-29-68	9.7	228.3	
		8-05-68	41.4	138.6				8-04-68	9.4	228.6	
		9-03-68	41.0	139.0				8-31-68	10.6	227.4	
		9-30-68	41.4	138.6				9-23-68	9.3	228.7	
9S/14E-06D01 M	141.0	10-02-67	43.1	97.9	5050	18S/22E-21H01 M	258.0	10-03-67	83.6	174.4	5129
		10-30-67	43.8	97.2				11-07-67	79.1	178.9	
		12-01-67	43.8	97.2				12-03-67	77.7	180.3	
		1-03-68	43.8	97.2				12-30-67	76.6	181.4	
		2-02-68	44.0	97.0				1-31-68	78.6	179.4	
		3-12-68	NM-7					3-02-68	80.7	177.3	
		3-27-68	42.7	98.3				3-30-68	78.7	180.3	
		5-06-68	45.5	95.5				4-29-68	79.0	179.0	
		5-31-68	45.8	95.2				5-26-68	79.9	178.1	
		6-27-68	47.5	93.5				6-29-68	84.5	173.5	
		8-05-68	44.5	96.5				8-04-68	86.1	171.9	
		9-03-68	45.0	96.0				8-31-68	78.5	179.5	
		9-30-68	45.5	95.5				9-23-68	84.4	173.6	
OARFIELD WATER DISTRICT						5-22.65					
12S/20E-13A01 M	388.0	10-01-67	115.7	272.3	5001	18S/23E-28B01 M	263.0	10-03-67	96.4	166.6	5129
		11-05-67	115.5	272.5				11-06-67	94.7	168.3	
		12-02-67	114.3	273.7				12-03-67	91.0	171.1	
		1-01-68	113.0	275.0				12-30-67	89.5	173.5	
		2-01-68	112.7	275.3				2-01-68	89.4	173.6	
		3-03-68	112.1	275.9				3-02-68	NM-1		
		4-02-68	112.3	275.7				3-30-68	92.3	170.7	
		5-01-68	114.2	273.8				4-29-68	98.3	164.7	
		6-01-68	NM-1					5-26-68	93.1	169.9	
		7-01-68	115.7	272.3				6-29-68	103.1	159.9	
		8-01-68	118.6	269.4				8-04-68	96.0	167.0	
		9-01-68	117.3	270.7				8-31-68	94.9	168.1	
								9-23-68	96.6	166.4	
12S/21E-07A02 M	405.5	10-01-67	146.0	259.5	5001	19S/21E-20N01 M	225.0	11-06-67	11.2	213.8	5129
		11-05-67	144.0	261.5				12-03-67	12.0	213.0	
		12-02-67	142.6	262.9				12-30-67	11.2	213.8	
		1-01-68	143.7	261.8				2-01-68	11.0	214.0	
		2-01-68	142.2	263.3				3-02-68	10.6	214.4	
		3-03-68	139.5	266.0				3-30-68	11.1	213.9	
		4-02-68	138.2	267.3				4-29-68	9.7	215.3	
		5-01-68	138.6	266.9				5-26-68	9.5	215.5	
		6-02-68	137.3	268.2				6-29-68	10.4	214.6	
		7-01-68	138.0	267.5				8-04-68	10.6	214.4	
		8-01-68	141.7	263.8				8-31-68	11.3	213.7	
		9-01-68	145.1	260.4							
12S/21E-18A03 M	390.5	10-01-67	106.4	284.1	5001	19S/22E-04B01 M	245.0	11-06-67	86.1	158.9	5129
		11-05-67	106.0	284.5				12-03-67	83.2	161.8	
		12-02-67	102.8	287.7				12-30-67	81.8	163.2	
		1-01-68	101.7	289.8				2-01-68	80.6	164.4	
		2-01-68	101.7	289.8				3-02-68	84.7	160.3	
		3-03-68	103.1	287.4				3-30-68	86.9	158.1	
		4-02-68	101.6	288.9				4-29-68	NM-1		
		5-01-68	97.5	293.0				5-21-68	92.9	152.1	
		6-02-68	101.2	289.3				6-29-68	NM-1		
		7-01-68	103.4	287.1				8-04-68	NM-1		
		8-01-68	104.7	285.8				8-31-68	89.0	156.0	
		9-01-68	106.0	284.5							

**TABLE C-3(Cont.)**  
**GROUND WATER LEVELS AT WELLS**

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
KINGS COUNTY WATER DISTRICT			5-22.66								
19S/22E-23A01 M	240.0	11-06-67	85.6	154.4	5129						
		12-03-67	82.9	157.1							
		12-30-67	81.9	158.1							
		2-02-68	80.2	159.8							
		3-02-68	82.5	157.5							
		3-30-68	83.0	157.0							
		4-29-68	84.4	155.6							
		5-26-68	84.8	155.2							
		6-29-68	86.1	153.9							
		8-04-68	85.1	154.9							
		8-31-68	88.5	151.5							
20S/21E-03A01 M	222.0	2-05-68	13.6	208.4	5001						
20S/21E-05E01 M	219.0	11-06-67	146.1	72.9	5129						
		12-03-67	143.8	75.2							
		12-30-67	141.3	77.7							
		2-02-68	140.1	78.9							
		3-02-68	138.1	80.9							
		3-29-68	NM-1								
		4-29-68	153.9	65.1							
		5-26-68	149.1	69.9							
		6-29-68	NM-1								
		8-04-68	NM-1								
		8-31-68	148.9	70.1							
20S/22E-10H02 M	225.0	11-06-67	112.9	112.1	5129						
		12-03-67	108.8	116.2							
		12-30-67	NM-1								
		2-02-68	108.1	116.4							
		3-02-68	108.3	116.7							
		3-30-68	110.5	114.5							
		4-29-68	127.1	97.9							
		5-26-68	130.1	94.9							
		6-29-68	NM-1								
		8-04-68	NM-1								
		8-31-68	NM-1								
PLEASANT VALLEY			5-22.69								
20S/15E-25D01 M	619.0	3-05-68	NM-9		5050						
20S/15E-32A01 M	675.0	3-05-68	234.0	441.0	5050						



APPENDIX D  
SURFACE WATER QUALITY



## INTRODUCTION

Appendix D summarizes the surface water quality, electrical conductivity, and water temperature data for the San Joaquin Valley for 1968 water year (October 1, 1967, through September 30, 1968). These data were obtained from analyses of water samples from 28 surface water quality sampling stations, seven electrical conductivity recorders and two temperature recorders. Water samples are collected by the Department of Water Resources, the U. S. Corps of Engineers, and Kern County Parks and Recreation. Electrical conductivity and temperature recorders are serviced and maintained by the Department of Water Resources.

Laboratory analyses of surface water samples reported herein were performed in accordance with the 12th Edition of "Standard Methods for the Examination of Water and Waste Water".

Each station in this appendix has been assigned an eight-digit identification number. The first two digits denote the drainage basin as shown below. The third digit indicates the stream and the next three integers designate the relative number of the station on the stream system.

HYDROGRAPHIC AREA B	HYDROGRAPHIC AREA C
SAN JOAQUIN RIVER BASIN	TULARE LAKE DRAINAGE BASIN
B0 - San Joaquin Valley Floor	C0 - Tulare Lake Valley Floor
B3 - Stanislaus River	C1 - Kings River
B4 - Tuolumne River	C2 - Kaweah River
B5 - Merced River	C3 - Tule River
B6 - Fresno-Chowchilla Rivers	C4 - Greenhorn Mountains
B7 - San Joaquin River	C5 - Kern River
B8 - San Joaquin Valley on West Side	C6 - Tehachapi Mountains
	C7 - Tulare Lake Basin on West Side

The last two digits denote the location of the sampling station relative to a gaging station as shown below.

.00 Sampled at gage station  
.02 Sampled upstream within one mile of gage station  
.98 Sampled downstream within one mile of gage station  
.05 Sampled more than one mile from gage station


TABLE D-1  
**SAMPLING STATION DATA AND INDEX  
 FOR  
 SURFACE WATER**

Station	Station Identification Number	Location <sup>a</sup>	Period of Record <sup>b</sup>	Frequency of Sampling <sup>c</sup>	Sampled By <sup>d</sup>	Analysis on Page
Big Creek above Pine Flat Dam	C11320.00	12S/25E- 4	July 1960	M	USACE	204,213
Chowchilla River near Raymond	B64200.00	8S/18E- 1	January 1962	S	DWR	200,210
Delta-Mendota Canal near Mendota	B00770.00	13S/15E-19	July 1952	Q	DWR	197,210,213
Delta-Mendota Canal near Tracy	B95925.00	1S/ 4E-30	July 1952	Q	DWR	200,210,213
Fresno River near Daulton	B67150.00	9S/19E-34	January 1958	S	DWR	200
Kaweah River below Terminus Dam	C02185.00	17S/27E-25	September 1961	M	USACE	201,210,213
Kaweah River at Three Rivers	C21250.00	17S/28E-27	April 1951	M	USACE	206,211,213
Kern River near Bakersfield	C05150.00	29S/28E- 9	April 1951	Q	KCPR	203,211,213
Kern River below Isabella Dam	C51350.00	26S/33E-30	September 1955	Q	USACE	207,211,214
Kern River at Kernville	C51500.00	25S/33E-15	September 1955	Q	USACE	208
Kings River below North Fork	C11460.00	12S/26E-21	September 1955	M	USACE	205,211,213
Kings River below Peoples Weir	C01140.00	17S/22E- 1	April 1951	Q	DWR	201,210,213
Kings River below Pine Flat Dam	C11140.00	13S/24E- 2	September 1955	M	USACE	203,211,213
Merced River near Stevinson	B05125.00	6S/ 9E-36	April 1951	S	DWR	198,210
Salt Slough at San Luis Ranch	B00475.00	9S/11E- 7	November 1958	S	DWR	197
San Joaquin River at Crows Landing Bridge	B07250.00	6S/ 9E- 7	January 1962	Q	DWR	199
San Joaquin River at Fremont Ford Bridge	B07375.00	7S/ 9E-24	July 1955	S	DWR	200,210
San Joaquin River below Friant	B07885.00	11S/21E- 7	April 1951	S	DWR	200
San Joaquin River near Grayson	B07080.00	4S/ 7E-24	April 1959	Q	DWR	199,213
San Joaquin River at Maze Road Bridge	B07040.00	3S/ 7E-33	April 1951	S	DWR	199
San Joaquin River near Mendota	B07710.00	13S/15E- 7	April 1951	S	DWR	200,210
San Joaquin River at Patterson Bridge	B07200.00	5S/ 8E-15	January 1962	S	DWR	199
San Joaquin River near Vernalis	B07020.00	3S/ 6E-13	April 1951	M	DWR	198,210,213
Stanislaus River at Koetitz Ranch	B03115.00	3S/ 7E- 2	April 1951	S	DWR	197,210
Tule River near Springville	C31150.00	21S/29E-15	November 1963	M	USACE	207,211,214
Tule River below Success Dam	C03196.00	21S/28E-35	July 1952	M	USACE	202,210,213
Tuolumne River at Hickman Bridge	B04150.00	3S/11E-34	April 1951	S	DWR	198
Tuolumne River at Tuolumne City	B04105.00	4S/ 8E-12	April 1951	S	DWR	198,210

- a. Locations are in reference to Mt. Diablo Base and Meridian  
 b. Beginning of record  
 c. M - Monthly, Q - Quarterly, S - Semiannually  
 d. DWR - Department of Water Resources, USACE - United States Army Corps of Engineers, KCPR - Kern County Parks and Recreation



STATE OF CALIFORNIA  
 THE RESOURCES AGENCY  
 DEPARTMENT OF WATER RESOURCES  
 SAN JOAQUIN DISTRICT  
 HYDROLOGIC DATA 1968


LOCATION OF  
 SURFACE WATER QUALITY  
 SAMPLING STATIONS




LEGEND

- ▲ SAMPLING STATION
- ▲ ELECTRICAL CONDUCTIVITY RECORDER & SAMPLING STATION
- ☆ ELECTRICAL CONDUCTIVITY & TEMPERATURE RECORDER & SAMPLING STATION






**SAN JOAQUIN RIVER AT PATTERSON BRIDGE  
STA. No. 7200 RIVER MILE 104.5**




**SAN JOAQUIN RIVER AT FREMONT FORD  
STA. No. 7375 RIVER MILE 129.5**

**DAILY MEAN SPECIFIC CONDUCTANCE AT SELECTED STATIONS  
SAN JOAQUIN VALLEY**

1968




STANISLAUS RIVER AT KOETITZ RANCH  
STA. No. 3115 RIVER MILE 9.5




SAN JOAQUIN RIVER AT MAZE ROAD BRIDGE  
STA. No. 7040 RIVER MILE 82.9

DAILY MEAN SPECIFIC CONDUCTANCE AT SELECTED STATIONS  
SAN JOAQUIN VALLEY

1968



**TUOLUMNE RIVER NEAR TUOLUMNE CITY  
STA. No. 4105 RIVER MILE 2.9**




**DELTA MENDOTA CANAL NEAR TRACY  
STA. No. 5925 CANAL MILE 3.5**

**DAILY MEAN SPECIFIC CONDUCTANCE AT SELECTED STATIONS  
SAN JOAQUIN VALLEY**


1968





MERCED RIVER NEAR STEVINSON  
STA. No. 5125 RIVER MILE 4.6

DAILY MEAN SPECIFIC CONDUCTANCE AT SELECTED STATIONS  
SAN JOAQUIN VALLEY  
1968



DELTA MENDOTA CANAL NEAR TRACY  
STA. No. 5925 CANAL MILE 3.5

DAILY MEAN TEMPERATURE AT SELECTED STATIONS  
SAN JOAQUIN VALLEY  
1968

## TABLE D-2

## MINERAL ANALYSES OF SURFACE WATER

This table presents analyses performed by the Department of Water Resources Bryte Laboratory or the U. S. Geological Survey Laboratory in Sacramento. The U. S. Geological Survey Laboratory is coded as 5000 and Bryte Laboratory as 5050.

The sampler codes are as follows:

5002	U. S. Army Corps of Engineers
5050	Department of Water Resources
5204	City and County of San Francisco
5633	Kern County Parks and Recreation

The following are definitions of chemical symbols and of abbreviations used in this table.

<u>Chemical Symbols</u>	<u>Abbreviations</u>
B Boron	DO Dissolved Oxygen
CA Calcium	EC Electrical Conductance
CL Chloride	FLD Field Determination
CO3 Carbonate	LAB Laboratory
F Fluoride	NCH Non Carbonate Hardness
HCO3 Bicarbonate	TDS Total Dissolved Solids
K Potassium	TEMP Temperature
MG Magnesium	TH Total Hardness
NA Sodium	SAT Per Cent Saturation
NO3 Nitrate	
SI02 Silica	
SO4 Sulfate	

TABLE D-2  
MINERAL ANALYSES OF SURFACE WATER

DATE TIME	LAB SAMPLER	GH O	DO SAT	TEMP	LABORATORY FIELD		MINERAL CONSTITUENTS IN							MILLIGRAMS PER LITER			MILLIGRAMS PER LITER			
					PH	EC	CA	MG	NA	K	CO3	HCO3	SO4	CL	NO3	F	B	SI02	TOS SUM	TH NCH
STATION NUMBER 800475.00 SALT SLOUGH AT SAN LUIS RANCH																				
05/07/68	5050	4.01	8.5	64	8.1	1930	90	43	749	6	0	169	373	284	11.0	--	2.50	--	1190	403
0920	5050	--	89	--	7.3	--	4.49	3.54	10.83	0.15	0.00	2.77	7.76	8.01	0.18	--	--	--	1142	264
06/05/68	5050	--	--	66	8.5	1390	--	--	168	--	6	162	152	243	4.7	--	0.40	--	--	282
0930	5050	--	--	--	7.5	1300	--	--	7.31	--	0.20	2.65	3.16	6.85	0.07	--	--	--	139	
STATION NUMBER 800770.00 DELTA-MENDOTA CANAL NEAR MENDOTA																				
01/10/68	5050	--	--	42	8.9	592	27	14	67	3	7	75	87	72	2.0	--	0.40	--	328	125
0720	5050	--	--	--	--	81	1.35	1.15	2.91	0.08	0.23	1.23	1.81	2.03	0.03	--	--	--	317	52
01/10/68	5050	--	--	--	8.3	429	21	10	45	2	0	74	46	58	3.5	--	0.20	--	237	94
0730	5050	--	--	--	--	--	1.05	0.82	1.96	0.05	0.00	1.21	0.96	1.63	0.06	--	--	--	223	33
02/07/68	5050	--	--	--	8.2	859	39	20	97	3	0	115	111	130	5.5	--	0.60	--	494	177
0720	5050	--	--	--	--	--	1.95	1.64	4.22	0.08	0.00	1.88	2.31	3.67	0.09	--	--	--	463	83
04/02/68	5050	--	--	--	7.8	497	26	13	44	2	0	76	65	59	5.0	--	0.30	--	297	120
1400	5050	--	--	--	--	--	1.30	1.07	1.91	0.05	0.00	1.24	1.35	1.66	0.08	--	--	--	252	58
05/08/68	5050	--	--	64	7.9	254	16	8	21	2	0	74	20	23	3.4	--	0.20	--	144	75
0610	5050	--	--	--	7.4	--	0.80	0.66	0.91	0.05	0.00	1.21	0.42	0.65	0.05	--	--	--	130	14
06/07/68	5050	--	--	--	8.1	310	16	10	27	2	0	85	28	31	3.6	--	0.20	--	146	82
0630	5050	--	--	--	--	--	0.80	0.82	1.17	0.05	0.00	1.39	0.58	0.87	0.06	--	--	--	160	12
07/02/68	5050	--	--	--	7.9	392	18	--	38	2	0	84	29	48	20.0	--	0.00	--	224	90
0630	5050	--	--	--	--	--	0.90	--	1.65	0.05	0.00	1.38	0.60	1.35	0.32	--	--	--	197	21
08/07/68	5050	--	--	--	7.9	621	16	14	74	4	0	80	38	117	1.5	--	0.10	--	314	100
1600	5050	--	--	--	--	--	0.80	1.15	3.22	0.10	0.00	1.31	0.79	3.30	0.02	--	--	--	304	34
09/11/68	5050	--	--	--	8.3	478	20	13	52	3	0	98	34	69	2.1	--	0.10	--	265	104
0640	5050	--	--	--	--	--	1.00	1.07	2.26	0.08	0.00	1.61	0.71	1.94	0.03	--	--	--	242	24
STATION NUMBER 803115.00 STANISLAUS RIVER AT KOETITZ RANCH																				
05/07/68	5050	7.69	13.1	71	7.7	284	23	11	17	2	0	130	15	9	5.3	--	0.00	--	158	104
1300	5050	--	147	--	7.9	--	1.15	0.90	0.74	0.05	0.00	2.13	0.31	0.25	0.08	--	--	--	147	0
06/06/68	5050	--	9.7	67	8.3	265	--	--	15	--	0	123	15	7	7.0	--	0.00	--	--	99
0905	5050	--	105	--	7.3	280	--	--	0.65	--	0.00	2.01	0.31	0.20	0.11	--	--	--	--	0
STATION NUMBER 804105.00 TUOLUMNE RIVER AT TUOLUMNE CITY																				
05/07/68	5050	--	11.4	71	8.2	807	42	15	82	6	0	144	9	152	11.0	--	0.10	--	450	168
1230	5050	--	128	--	7.6	--	2.09	1.23	3.57	0.15	0.00	2.36	0.19	4.29	0.18	--	--	--	388	50
06/06/68	5050	--	14.4	76	8.4	926	--	--	98	--	4	153	13	186	11.0	--	0.20	--	--	198
1305	5050	--	170	--	8.4	850	--	--	4.26	--	0.13	2.51	0.27	5.24	0.18	--	--	--	--	66
STATION NUMBER 804150.00 TUOLUMNE RIVER AT HICKMAN BRIDGE																				
05/09/68	5050	--	9.0	67	7.8	570	29	11	56	4	0	105	3	109	2.3	--	0.10	--	330	119
0900	5050	--	97	--	8.0	--	1.45	0.90	2.43	0.10	0.00	1.72	0.06	3.07	0.04	--	--	--	266	33
STATION NUMBER 805125.00 MERCED RIVER NEAR STEVINSON																				
05/07/68	5050	--	10.9	66	7.9	229	16	7	19	3	0	102	8	8	7.2	--	0.00	--	138	68
1030	5050	--	117	--	7.5	--	0.80	0.57	0.83	0.08	0.00	1.67	0.17	0.22	0.12	--	--	--	119	0
06/05/68	5050	--	10.0	78	8.3	213	--	--	19	--	0	96	8	8	6.4	--	0.10	--	--	64
1220	5050	--	120	--	8.0	220	--	--	0.83	--	0.00	1.57	0.17	0.22	0.10	--	--	--	--	0
STATION NUMBER 807020.00 SAN JOAQUIN RIVER NEAR VERNALIS																				
10/04/67	5000	13.88	8.0	67	7.5	529	31	12	53	3	0	123	39	75	5.1	0.2	0.10	20	--	127
0850	5050	--	86	--	8.4	450	1.55	0.99	2.30	0.08	0.00	2.01	0.81	2.11	0.08	--	--	--	299	26
11/08/67	5000	14.70	7.4	63	7.5	378	19	10	41	2	0	72	34	56	2.6	0.1	0.10	13	--	88
0930	5050	--	76	--	7.1	--	0.95	0.82	1.78	0.05	0.00	1.18	0.71	1.58	0.04	--	--	--	214	29
12/06/67	5000	15.20	9.8	52	7.6	368	19	9	40	2	0	77	37	50	2.3	0.1	0.20	12	--	86
1045	5050	--	89	--	7.3	--	0.95	0.74	1.74	0.05	0.00	1.26	0.77	1.41	0.04	--	--	--	210	23
01/10/68	5000	14.75	11.5	42	7.5	464	22	11	53	2	0	83	51	64	4.4	0.2	0.20	12	262	100
1045	5050	--	91	--	7.2	--	1.10	0.90	2.30	0.05	0.00	1.36	1.06	1.80	0.07	--	--	--	261	32
02/08/68	5000	13.70	9.1	56	7.4	752	35	17	89	3	0	120	89	108	6.4	0.0	0.40	17	--	158
1825	5050	--	86	--	7.4	750	1.75	1.40	3.87	0.08	0.00	1.97	1.85	3.04	0.10	--	--	--	424	60
03/06/68	5000	--	11.7	63	7.4	475	24	12	60	2	0	83	67	71	3.0	0.1	0.30	13	--	110
--	5050	--	121	--	7.8	522	1.20	0.99	2.61	0.05	0.00	1.36	1.39	2.00	0.05	--	--	--	294	42
04/03/68	5000	--	--	--	7.8	471	24	12	53	2	0	84	55	64	4.7	0.1	0.43	15	--	110
1100	5050	--	--	--	--	--	1.20	0.99	2.30	0.05	0.00	1.38	1.14	1.80	0.07	--	--	--	272	41
05/08/68	5000	10.57	11.4	68	7.4	1010	49	25	118	4	0	173	103	164	5.4	0.2	0.40	20	--	226
1145	5050	--	124	--	8.4	550	2.44	2.05	5.13	0.10	0.00	2.83	2.14	4.62	0.09	--	--	--	575	84

TABLE 0-2 (con't)

## MINERAL ANALYSES OF SURFACE WATER

DATE TIME	LAR SAMPLER	GH O	DO SAT	TEMP	LABORATORY FIELD PH EC	MINERAL CONSTITUENTS IN				MILLIGRAMS MILLIEQUIVALENTS			PER LITER			MILLIGRAMS PER LITER			TH NCH	
						CA	MG	NA	K	CO3	HCO3	SO4	CL	NO3	F	B	SI02	TDS SUM		
STATION NUMBER 807020.00						SAN JOAQUIN RIVER NEAR VERNALIS														
06/05/68	5000	--	--	--	7.7 1200	59	30	143	--	0	194	110	216	6.0	0.3	0.32	20	--	270	
--	5050	--	--	--	--	2.94	2.47	6.22	--	0.00	3.18	2.29	6.09	0.10	--	--	--	--	680	111
07/03/68	5000	--	--	--	7.3 1190	60	30	140	5	0	200	103	214	4.6	0.3	0.31	20	--	273	
--	5050	--	--	--	--	2.99	2.47	6.09	0.13	0.00	3.28	2.14	6.03	0.07	--	--	--	--	676	109
08/07/68	5000	9.74	7.3	70	7.6 1070	52	26	124	5	0	186	86	188	4.0	0.2	0.30	22	--	236	
0800	5050	--	81	--	7.9	2.59	2.14	5.39	0.13	0.00	3.05	1.79	5.30	0.06	--	--	--	--	599	83
09/04/68	5000	--	--	--	8.2 1040	53	26	126	5	0	194	91	179	6.2	0.2	0.30	26	--	239	
0900	5050	--	--	--	--	2.64	2.14	5.48	0.13	0.00	3.18	1.89	5.05	0.10	--	--	--	--	609	80
STATION NUMBER 807040.00						SAN JOAQUIN RIVER AT MAZE ROAD BRIDGE														
05/09/68	5050	--	10.7	67	8.1 1120	52	28	123	4	0	175	112	186	9.6	--	0.60	--	--	624	244
1130	5050	--	115	--	8.3	2.59	2.30	5.35	0.11	0.00	2.87	2.33	5.24	0.15	--	--	--	--	602	100
06/05/68	5050	--	10.9	68	8.3 1380	--	--	128	--	0	194	129	244	8.3	--	0.50	--	--	292	
1025	5050	--	119	--	7.7 1350	--	--	5.57	--	0.00	3.18	2.68	6.88	0.13	--	--	--	--	133	
STATION NUMBER 807080.00						SAN JOAQUIN RIVER NEAR GARYSON														
01/10/68	5050	--	13.0	42	8.2 1030	--	--	133	--	0	166	--	151	--	--	0.70	--	--	218	
1500	5050	--	103	--	7.8	--	--	5.78	--	0.00	2.72	--	4.26	--	--	--	--	--	82	
05/07/68	5050	--	13.1	67	81.0 12200	34	43	139	4	0	189	158	178	8.4	--	0.70	--	--	689	261
1400	5050	--	141	--	7.9	1.70	3.54	6.05	0.10	0.00	3.10	3.29	5.02	0.13	--	--	--	--	658	106
06/05/68	5050	--	8.5	69	8.3 1410	--	--	154	--	0	214	173	219	7.5	--	0.50	--	--	295	
0820	5050	--	94	--	7.7	--	--	6.70	--	0.00	3.51	3.60	6.17	0.12	--	--	--	--	119	
07/03/68	5050	--	8.9	75	7.7 942	--	--	69	--	0	158	--	137	--	--	0.30	--	--	219	
1300	5050	--	104	--	8.3	--	--	3.00	--	0.00	2.59	--	3.86	--	--	--	--	--	89	
STATION NUMBER 807200.00						SAN JOAQUIN RIVER AT PATTERSON BRIDGE														
05/07/68	5050	--	12.2	67	8.1 1090	46	24	129	3	0	162	144	158	8.2	--	0.70	--	--	606	215
1130	5050	--	132	--	7.9	2.29	1.97	5.61	0.09	0.00	2.65	3.00	4.45	0.13	--	--	--	--	593	82
STATION NUMBER 807250.00						SAN JOAQUIN RIVER AT CROWS LANDING BRIDGE														
01/10/68	5050	41.20	12.1	45	7.8 1040	--	--	145	--	0	154	--	144	--	--	0.80	--	--	194	
1250	5050	--	100	--	8.4	--	--	6.31	--	0.00	2.52	--	4.06	--	--	--	--	--	68	
05/07/68	5050	39.23	11.6	67	8.1 1040	45	24	121	3	0	158	138	147	6.9	--	0.80	--	--	556	213
1100	5050	--	119	--	7.9	2.24	1.97	5.26	0.08	0.00	2.59	2.87	4.14	0.11	--	--	--	--	564	83
07/03/68	5050	--	10.5	75	7.9 1490	--	--	191	--	0	198	--	253	--	--	0.60	--	--	268	
1040	5050	--	123	--	8.3	--	--	8.31	--	0.00	3.24	--	7.13	--	--	--	--	--	106	
STATION NUMBER 807375.00						SAN JOAQUIN RIVER AT FREMONT FORD BRIDGE														
05/07/68	5050	25.71	9.9	64	7.5 1530	66	33	188	5	0	165	229	236	8.4	--	1.10	--	--	884	302
1000	5050	--	103	--	7.7	3.29	2.71	8.18	0.13	0.00	2.70	4.77	6.65	0.13	--	--	--	--	848	167
06/05/68	5050	--	12.7	76	8.2 1590	--	--	185	--	0	189	164	284	3.9	--	0.40	--	--	317	
1350	5050	--	150	--	8.2 1260	--	--	8.05	--	0.00	3.10	3.41	8.01	0.06	--	--	--	--	162	
STATION NUMBER 807710.00						SAN JOAQUIN RIVER NEAR MENDOTA														
05/08/68	5050	--	--	--	8.2 270	17	8	24	1	0	78	25	25	2.8	--	0.20	--	--	154	77
0700	5050	--	--	--	--	0.85	0.66	1.04	0.03	0.00	1.28	0.52	0.70	0.04	--	--	--	--	142	13
STATION NUMBER 807885.00						SAN JOAQUIN RIVER BELOW FRIANT														
05/06/68	5050	1.88	12.1	51	7.3 47	4	1	4	1	0	16	2	3	3.2	--	0.10	--	--	26	12
1030	5050	--	108	--	6.9	0.20	0.08	0.17	0.02	0.00	0.26	0.04	0.08	0.05	--	--	--	--	27#	0
STATION NUMBER 864200.00						CHOWCHILLA RIVER NEAR RAYMOND														
05/06/68	5050	68.60	9.0	76	7.7 272	23	4	23	0	0	100	5	31	0.0	--	0.10	--	--	159	75
1240	5002	--	106	--	7.8	1.15	0.33	1	0.00	0.00	1.64	0.10	0.87	0.00	--	--	--	--	136#	0
09/03/68	5050	--	7.0	70	7.8 1170	91	10	109	7	0	136	4	284	1.9	--	0.20	--	--	669	271
1130	5050	--	78	--	7.2	4.54	0.82	4.74	0.18	0.00	2.23	0.08	8.01	0.03	--	--	--	--	574	159
STATION NUMBER 867150.00						FRESNO RIVER NEAR DAULTON														
05/06/68	5050	--	10.0	66	7.6 78	6	1	7	0	0	30	4	7	0.0	--	0.00	--	--	49	21
1205	5050	--	107	--	7.3	0.30	0.08	0.30	0.00	0.00	0.49	0.08	0.20	0.00	--	--	--	--	40#	0
STATION NUMBER 895925.00						DELTA MENDOTA CANAL NEAR TRACY														
10/17/67	5050	--	9.7	67	-- 753	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
0900	5050	--	105	--	8.0	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

TABLE D-2 (con't)

## MINERAL ANALYSES OF SURFACE WATER

DATE TIME	LAR SAMPLER	GH 0	DO SAT	TEMP	LABORATORY FIELD	MINERAL CONSTITUENTS IN				MILLIGRAMS PER LITER					MILLIGRAMS PER LITER									
						PH	EC	CA	MG	NA	K	CO3	HCO3	SO4	CL	NO3	F	B	SI02	TOS SUM	TH MCH			
STATION NUMBER R95925.00						DELTA MFOOTA CANAL NEAR TRACY																		
01/10/68	5050	0.00	3.3	43	8.0	673	26	18	76	3	0	95	74	108	7.2	--	0.50	--	370	138				
110n	5050	--	26	--	7.0	--	1.30	1.48	3.30	0.08	0.00	1.56	1.54	3.04	0.12	--	--	--	360	60				
02/07/68	5050	--	--	--	8.0	819	39	18	88	4	0	111	98	122	8.5	--	0.50	--	439	171				
112n	5050	--	--	--	--	--	1.95	1.48	3.83	0.10	0.00	1.82	2.04	3.44	0.14	--	--	--	433	80				
04/02/68	5050	--	--	--	7.9	443	25	12	38	2	0	77	54	51	3.6	--	0.30	--	268	110				
080n	5050	--	--	--	--	--	1.25	0.99	1.65	0.05	0.00	1.26	1.12	1.44	0.06	--	--	--	224	47				
05/08/68	5050	--	--	66	8.0	256	16	8	21	2	0	76	22	24	2.1	--	0.20	--	140	75				
0945	5050	--	--	--	7.4	--	0.80	0.66	0.91	0.05	0.00	1.24	0.46	0.68	0.03	--	--	--	133	13				
06/07/68	5050	--	--	--	8.0	391	20	11	33	2	0	93	34	43	3.0	--	0.20	--	169	97				
130n	5050	--	--	--	--	--	1.00	0.90	1.43	0.05	0.00	1.52	0.71	1.21	0.05	--	--	--	192	21				
07/02/68	5050	--	--	--	8.1	420	16	12	46	2	0	85	31	61	4.0	--	0.10	--	207	88				
121n	5050	--	--	--	--	--	0.80	0.99	2	0.05	0.00	1.39	0.64	1.72	0.06	--	--	--	214	18				
08/07/68	5050	--	--	--	7.7	604	16	14	70	3	0	79	34	112	2.1	--	0.10	--	300	97				
1035	5050	--	--	--	--	--	0.80	1.15	3.04	0.08	0.00	1.29	0.71	3.16	0.03	--	--	--	290	32				
09/11/68	5050	--	--	--	8.4	434	20	11	46	2	1	97	26	62	1.5	--	0.10	--	238	95				
124n	5050	--	--	--	--	--	1.00	0.90	2	0.05	0.03	1.59	0.54	1.75	0.02	--	--	--	218	14				
STATION NUMBER C01140.00						KINGS RIVER BELOW PEOPLES WEIR																		
01/12/68	5050	5.63	12.3	45	7.5	54	--	--	3	--	0	24	--	1	--	--	0.10	--	--	20				
1115	5002	--	102	--	7.0	--	--	--	0.13	--	0.00	0.39	--	0.03	--	--	--	--	--	0				
05/06/68	5050	3.56	9.2	63	7.5	150	12	5	10	2	0	71	6	4	1.6	--	0.00	--	85	52				
0905	5002	--	95	--	7.0	--	0.60	0.41	0.43	0.05	0.00	1.16	0.12	0.11	0.02	--	--	--	76	0				
07/01/68	5050	7.62	10.0	60	7.6	69	--	--	2	--	0	27	--	2	--	--	0.00	--	--	19				
090n	5002	--	99	--	7.2	--	--	--	0.09	--	0.00	0.44	--	0.06	--	--	--	--	--	0				
09/09/68	5050	--	8.6	73	7.0	46	5	1	2	1	0	21	1	2	0.8	--	0.00	--	23	16				
134n	5002	--	99	--	7.2	--	0.25	0.08	0.09	0.02	0.00	0.34	0.02	0.06	0.01	--	--	--	24	0				
STATION NUMBER C02185.00						KAWAHEH RIVER BELOW TERMINUS DAM																		
10/03/67	5050	--	--	--	6.8	72	--	--	3	--	0	35	--	1	--	--	0.00	--	--	26				
1000	5002	--	--	--	--	--	--	--	0.13	--	0.00	0.57	--	0.03	--	--	--	--	--	0				
11/06/67	5050	--	7.5	63	6.7	20	--	--	5	--	0	9	--	3	--	--	0.00	--	--	7				
133n	5002	--	77	--	--	--	--	--	0.22	--	0.00	0.15	--	0.08	--	--	--	--	--	0				
STATION NUMBER C02185.00						KAWAHEH RIVER BELOW TERMINUS DAM																		
12/04/67	5050	2.78	9.0	55	8.1	133	--	--	6	--	0	70	--	4	--	--	0.00	--	--	68				
120n	5002	--	84	--	--	--	--	--	0.26	--	0.00	1.15	--	0.11	--	--	--	--	--	11				
01/09/68	5050	1.93	9.5	48	8.0	130	16	4	6	2	0	84	1	4	0.4	--	0.10	--	80	55				
083n	5002	--	82	--	--	--	0.80	0.33	0.26	0.05	0.00	1.38	0.02	0.11	0.01	--	--	--	75±	0				
02/06/68	5050	2.60	10.3	47	7.7	125	--	--	5	--	0	62	--	3	--	--	0.00	--	--	46				
0930	5002	--	87	--	--	--	--	--	0.22	--	0.00	1.02	--	0.08	--	--	--	--	--	0				
03/14/68	5050	2.96	10.0	53	7.5	95	--	--	4	--	0	47	--	2	--	--	0.00	--	--	36				
0815	5002	--	92	--	--	--	--	--	0.17	--	0.00	0.77	--	0.06	--	--	--	--	--	0				
04/10/68	5050	1.34	9.0	55	7.5	85	--	--	3	--	0	43	--	2	--	--	0.00	--	--	33				
0825	5002	--	84	--	--	--	--	--	0.13	--	0.00	0.70	--	0.06	--	--	--	--	--	0				
05/07/68	5050	2.42	8.6	59	7.6	66	8	1	3	1	0	32	6	0	0.5	--	0.00	--	43	23				
1130	5002	--	85	--	--	--	0.40	0.08	0.13	0.02	0.00	0.52	0.12	0.00	0.01	--	--	--	36	0				
06/06/68	5050	4.63	8.5	58	7.1	54	--	--	2	--	0	26	--	1	--	--	0.00	--	--	19				
0925	5002	9.32	83	--	--	--	--	--	0.09	--	0.00	0.43	--	0.03	--	--	--	--	--	0				
07/08/68	5050	3.74	8.0	71	7.3	58	--	--	2	--	0	28	--	1	--	--	0.00	--	--	22				
084n	5002	--	90	--	--	--	--	--	0.09	--	0.00	0.46	--	0.03	--	--	--	--	--	0				
08/06/68	5050	2.99	7.0	78	8.8	78	--	--	4	--	2	36	--	2	--	--	0.00	--	--	30				
1315	5002	--	84	--	--	--	--	--	0.17	--	0.07	0.59	--	0.06	--	--	--	--	--	0				
09/10/68	5050	0.81	6.9	75	7.3	103	12	2	3	2	0	48	2	4	1.4	--	0.00	--	50	38				
0915	5002	--	81	--	--	--	0.60	0.16	0.13	0.05	0.00	0.79	0.04	0.11	0.02	--	--	--	50	0				
STATION NUMBER C03196.00						TULE RIVER BELOW SUCCESS DAM																		
10/03/67	5050	5.01	9.5	76	7.9	207	--	--	10	--	0	114	--	4	--	--	0.00	--	--	81				
100n	5002	251	112	--	--	--	--	--	0.43	--	0.00	1.87	--	0.11	--	--	--	--	--	0				
11/09/67	5050	1.99	14.8	70	8.5	261	--	--	14	--	4	141	--	5	--	--	0.00	--	--	109				
1245	5002	--	165	--	--	--	--	--	0.61	--	0.13	2.31	--	0.14	--	--	--	--	--	0				
12/05/67	5050	4.32	10.6	58	8.3	296	--	--	15	--	0	167	--	7	--	--	0.10	--	--	129				
1430	5002	--	103	--	--	--	--	--	0.65	--	0.00	2.74	--	0.20	--	--	--	--	--	0				
01/08/68	5050	4.76	12.7	46	8.3	307	39	6	14	4	0	170	3	8	1.0	--	0.10	--	175	122				
1350	5002	--	106	--	--	--	1.95	0.49	0.61	0.10	0.00	2.79	0.06	0.22	0.02	--	--	--	159	0				
02/05/68	5050	--	--	--	8.1	297	--	--	15	--	0	162	--	0	--	--	0.00	--	--	116				
1240	5002	--	--	--	--	--	--	--	0.65	--	0.00	2.65	--	0.25	--	--	--	--	--	0				

TABLE D-2 (con't)

## MINERAL ANALYSES OF SURFACE WATER

DATE TIME	LAB SAMPLER	GH O	DO SAT	TEMP	LABORATORY FIELD		MINERAL CONSTITUENTS IN				MILLIGRAMS MILLIEQUIVALENTS		PER LITER			MILLIGRAMS PER LITER			TH NCH		
					PH	EC	CA	MG	NA	K	CO3	HCO3	SO4	CL	NO3	F	B	SIO2			
STATION NUMBER C03196.00																				TULE RIVER BELOW SUCCESS DAM	
03/07/68	5050	4.00	11.6	51	7.9	294	--	--	14	--	0	161	--	8	--	--	0.00	--	--	119	
092n	5002	--	103	--	--	--	--	0.61	--	0.00	2.64	--	0.22	--	--	--	--	--	0		
04/08/68	5050	--	16.7	60	8.5	279	--	--	14	--	3	145	--	7	--	--	0.00	--	--	108	
0850	5002	--	166	--	--	--	--	0.61	--	0.10	2.38	--	0.20	--	--	--	--	--	0		
05/06/68	5050	2.66	14.9	56	8.2	263	32	6	14	3	0	146	6	7	0.5	--	0.10	--	141	103	
100n	5002	27.0	142	--	--	--	1.60	0.49	0.61	0.08	0.00	2.39	0.12	0.20	0.01	--	--	--	141	0	
06/03/68	5050	--	12.3	61	8.1	250	--	--	13	--	0	137	--	6	--	--	0.00	--	--	98	
130n	5002	--	124	--	--	--	--	0.56	--	0.00	2.24	--	0.17	--	--	--	--	--	0		
08/12/68	5050	5.42	7.3	78	8.3	273	--	--	15	--	0	148	--	6	--	--	0.00	--	--	110	
1015	5002	--	88	--	--	--	--	0.65	--	0.00	2.42	--	0.17	--	--	--	--	--	0		
09/03/68	5050	2.26	10.9	72	8.2	290	33	7	14	4	0	160	3	7	1.8	--	0.10	--	121	111	
1350	5002	14.0	124	--	--	--	1.65	0.57	0.61	0.10	0.00	2.62	0.06	0.20	0.03	--	--	--	149	0	
STATION NUMBER C05150.00																				KERN RIVER NEAR BAKERSFIELD	
10/02/67	5050	--	--	--	7.1	106	--	--	8	--	0	51	--	2	--	--	0.00	--	--	33	
0830	5633	--	--	--	--	--	--	0.35	--	0.00	0.83	--	0.06	--	--	--	--	--	0		
01/11/68	5050	49.33	--	45	8.0	155	--	--	12	--	0	73	--	4	--	--	0.10	--	--	48	
083n	5633	--	--	--	--	--	--	0.52	--	0.00	1.20	--	0.11	--	--	--	--	--	0		
05/03/68	5050	49.69	--	61	8.0	159	14	3	14	2	0	74	7	5	0.4	--	0.20	--	90	48	
113n	5633	--	--	--	--	--	0.70	0.25	0.61	0.05	0.00	1.21	0.14	0.14	0.01	--	--	--	82#	0	
07/00/68	5050	49.84	--	70	8.2	132	--	--	10	--	0	61	--	5	--	--	0.00	--	--	39	
0945	5633	--	--	--	--	--	--	0.43	--	0.00	1.00	--	0.14	--	--	--	--	--	0		
09/03/68	5050	--	--	70	7.9	154	13	3	12	2	0	67	9	6	1.2	--	0.10	--	68	43	
103n	5633	--	--	--	--	--	0.65	0.25	0.52	0.05	0.00	1.10	0.19	0.17	0.02	--	--	--	80	0	
STATION NUMBER C11140.00																				KINGS RIVER BELOW PINE FLAT DAM	
10/09/67	5050	--	11.0	55	6.8	23	--	--	1	--	0	10	--	0	--	--	0.00	--	--	1	
1325	5002	1850	103	--	--	--	--	0.04	--	0.00	0.16	--	0.00	--	--	--	--	--	0		
11/06/67	5050	1.92	10.0	57	7.9	116	--	--	1	--	0	58	--	0	--	--	--	--	--	44	
0935	5002	216	96	--	--	--	--	0.04	--	0.00	0.95	--	0.00	--	--	--	--	--	0		
12/11/67	5050	3.74	10.1	54	7.0	23	--	--	1	--	0	10	--	1	--	--	0.00	--	--	13	
140n	5002	1004	94	--	--	--	--	0.04	--	0.00	0.16	--	0.03	--	--	--	--	--	5		
STATION NUMBER C11140.00																				KINGS RIVER BELOW PINE FLAT DAM	
01/08/68	5050	3.87	10.2	50	7.6	32	3	1	2	1	0	16	1	1	0.4	--	0.00	--	33	14	
131n	5002	1010	90	--	--	--	0.15	0.08	0.09	0.02	0.00	0.26	0.02	0.03	0.01	--	--	--	18#	1	
02/12/68	5050	2.54	10.3	52	7.5	36	--	--	2	--	0	6	--	0	--	--	0.00	--	--	12	
1340	5002	420	93	--	--	--	--	0.09	--	0.00	0.10	--	0.00	--	--	--	--	--	7		
03/11/68	5050	--	--	--	7.3	40	--	--	2	--	0	17	--	1	--	--	0.00	--	--	12	
1315	5002	--	--	--	--	--	--	0.09	--	0.00	0.28	--	0.03	--	--	--	--	--	0		
04/08/68	5050	1.87	10.2	54	7.4	35	--	--	2	--	0	17	--	0	--	--	0.00	--	--	13	
1045	5002	55.0	95	--	--	--	--	0.09	--	0.00	0.28	--	0.00	--	--	--	--	--	0		
05/13/68	5050	4.41	10.2	51	7.4	34	3	1	2	1	0	15	2	1	0.2	--	0.00	--	23	11	
132n	5002	1400	91	--	--	--	0.15	0.08	0.09	0.02	0.00	0.24	0.04	0.03	0.00	--	--	--	18#	0	
06/11/68	5050	6.38	10.3	54	7.2	32	--	--	2	--	0	15	--	1	--	--	0.00	--	--	10	
1345	5002	4325	95	--	--	--	--	0.09	--	0.00	0.24	--	0.03	--	--	--	--	--	0		
07/09/68	5050	6.15	10.1	60	7.5	26	--	--	1	--	0	13	--	0	--	--	0.00	--	--	9	
1250	5002	3948	100	--	--	--	--	0.04	--	0.00	0.21	--	0.00	--	--	--	--	--	0		
08/12/68	5050	4.38	11.0	69	7.3	31	--	--	1	--	0	13	--	1	--	--	0.00	--	--	10	
1230	5002	424	121	--	--	--	--	0.04	--	0.00	0.21	--	0.03	--	--	--	--	--	0		
09/09/68	5050	4.59	10.1	66	7.1	29	3	0	1	1	0	14	1	1	0.0	--	0.00	--	12	10	
1315	5002	1610	108	--	--	--	0.15	0.00	0.04	0.02	0.00	0.23	0.02	0.03	0.00	--	--	--	14#	0	
STATION NUMBER C11320.00																				BIG CREEK ABOVE PINE FLAT DAM	
10/09/67	5050	--	--	--	7.2	114	--	--	10	--	0	49	--	6	--	--	0.10	--	--	33	
1400	5002	--	--	--	--	--	--	0.43	--	0.00	0.80	--	0.17	--	--	--	--	--	0		
11/06/67	5050	1.33	10.8	60	7.2	57	--	--	10	--	0	24	--	7	--	--	--	--	--	18	
1035	5002	15.0	107	--	--	--	--	0.43	--	0.00	0.39	--	0.20	--	--	--	--	--	0		
12/11/67	5050	--	--	--	8.7	107	--	--	8	--	3	45	--	6	--	--	0.00	--	--	44	
150n	5002	--	--	--	--	--	--	0.35	--	0.10	0.74	--	0.17	--	--	--	--	--	2		
01/08/68	5050	1.66	10.6	42	--	105	10	2	8	2	0	46	3	5	0.2	--	0.00	--	86	33	
103n	5002	30.0	84	--	--	--	0.50	0.16	0.35	0.05	0.00	0.75	0.06	0.14	0.00	--	--	--	53#	0	
02/12/68	5050	1.80	10.2	46	7.8	90	--	--	5	--	0	43	--	2	--	--	0.00	--	--	27	
1035	5002	30.0	85	--	--	--	--	0.22	--	0.00	0.70	--	0.06	--	--	--	--	--	0		
03/11/68	5050	--	--	--	7.7	86	--	--	5	--	0	42	--	3	--	--	0.00	--	--	27	
1015	5002	--	--	--	--	--	--	0.22	--	0.00	0.69	--	0.08	--	--	--	--	--	0		

TABLE D-2 (cont)

## MINERAL ANALYSES OF SURFACE WATER

DATE TIME	LAB SAMPLER	GM Q	DO SAT	TEMP	LABORATORY FIELD PH EC	MINERAL CONSTITUENTS IN				MILLIGRAMS MILLIEQUIVALENTS		PER PER LITER			MILLIGRAMS PER LITER			LITER TOS TH SUM NCH		
						CA	MG	NA	K	CO3	HCO3	SO4	CL	NO3	F	B	5102			
STATION NUMBER C11320.00						BIG CREEK ABOVE PINE FLAT DAM														
14/08/68	5050	3.94	10.4	52	7.8	79	--	--	5	--	0	40	--	3	--	--	0.00	--	--	25
133n	5002	1061	94	--	--	--	--	--	0.22	--	0.00	0.65	--	0.08	--	--	--	--	--	0
05/13/68	5050	1.61	10.0	54	7.9	99	8	2	8	2	0	48	--	4	0.0	--	0.00	--	--	75
103n	5002	32.0	93	--	--	--	0.40	0.16	0.35	0.05	0.00	0.79	--	0.11	0.00	--	--	--	--	48#
06/11/68	5050	1.40	10.0	66	7.5	105	--	--	9	--	0	47	--	6	--	--	0.00	--	--	29
1030	5002	25.0	107	--	--	--	--	--	0.39	--	0.00	0.77	--	0.17	--	--	--	--	--	0
07/09/68	5050	1.09	10.0	76	8.2	143	--	--	12	--	0	58	--	12	--	--	0.00	--	--	41
1020	5002	20.0	118	--	--	--	--	--	0.52	--	0.00	0.95	--	0.34	--	--	--	--	--	0
STATION NUMBER C11460.00						KINGS RIVER BELOW NORTH FORK														
10/09/67	5050	--	--	--	6.7	46	--	--	3	--	0	18	--	1	--	--	0.10	--	--	14
150n	5002	--	--	--	--	--	--	--	0.13	--	0.00	0.29	--	0.03	--	--	--	--	--	0
11/06/67	5050	2.68	12.0	55	7.9	123	--	--	3	--	0	55	--	2	--	--	--	--	--	36
1135	5002	263	113	--	--	--	--	--	0.13	--	0.00	0.90	--	0.06	--	--	--	--	--	0
12/11/67	5050	--	--	--	7.6	54	--	--	3	--	0	27	--	2	--	--	0.00	--	--	25
1600	5002	--	--	--	--	--	--	--	0.13	--	0.00	0.44	--	0.06	--	--	--	--	--	3
01/08/68	5050	2.93	10.5	38	7.6	58	6	1	4	1	0	26	2	2	0.1	--	0.00	--	--	46
1120	5002	336	78	--	--	--	0.30	0.08	0.17	0.02	0.00	0.43	0.04	0.06	0.00	--	--	--	--	29#
07/12/68	5050	3.22	10.1	46	7.5	57	--	--	3	--	0	24	--	0	--	--	0.00	--	--	18
1100	5002	491	85	--	--	--	--	--	0.13	--	0.00	0.39	--	0.00	--	--	--	--	--	0
03/11/68	5050	--	--	--	7.5	49	--	--	2	--	0	21	--	0	--	--	0.00	--	--	15
1115	5002	--	--	--	--	--	--	--	0.09	--	0.00	0.34	--	0.00	--	--	--	--	--	0
04/08/68	5050	4.40	10.3	53	7.4	37	--	--	2	--	0	18	--	0	--	--	0.00	--	--	12
1135	5002	1222	94	--	--	--	--	--	0.09	--	0.00	0.29	--	0.00	--	--	--	--	--	0
05/13/68	5050	5.32	10.1	48	7.3	24	2	0	2	0	0	10	2	0	0.0	--	0.00	--	--	10
1115	5002	2430	87	--	--	--	0.10	0.00	0.09	0.00	0.00	0.16	0.04	0.00	0.00	--	--	--	--	11#
06/11/68	5050	4.88	10.1	61	6.9	28	--	--	2	--	0	10	--	1	--	--	0.00	--	--	8
1130	5002	1550	102	--	--	--	--	--	0.09	--	0.00	0.16	--	0.03	--	--	--	--	--	0
07/09/68	5050	3.86	10.0	69	7.5	33	--	--	2	--	0	14	--	0	--	--	0.00	--	--	11
1115	5002	858	110	--	--	--	--	--	0.09	--	0.00	0.23	--	0.00	--	--	--	--	--	0
08/12/68	5050	2.83	8.0	74	7.2	47	--	--	3	--	0	19	--	2	--	--	0.00	--	--	15
0950	5002	264	93	--	--	--	--	--	0.13	--	0.00	0.31	--	0.06	--	--	--	--	--	0
STATION NUMBER C11460.00						KINGS RIVER BELOW NORTH FORK														
09/09/68	5050	2.36	--	71	7.4	58	6	1	3	1	0	25	4	3	0.0	--	0.00	--	--	31
110n	5002	78.0	--	--	--	--	0.30	0.08	0.13	0.02	0.00	0.41	0.08	0.08	0.00	--	--	--	--	31#
STATION NUMBER C21250.00						KAWEAH RIVER AT THREE RIVERS														
01/09/67	5050	3.00	10.3	58	8.1	120	15	3	5	1	0	59	2	4	0.1	--	0.00	--	--	77
090n	5002	--	100	--	--	--	0.75	0.25	0.22	0.02	0.00	0.97	0.04	0.11	0.00	--	--	--	--	60#
10/03/67	5050	--	--	--	7.6	96	--	--	4	--	0	48	--	2	--	--	0.00	--	--	35
113n	5050	--	--	--	--	--	--	--	0.17	--	0.00	0.79	--	0.06	--	--	--	--	--	0
11/06/67	5050	--	9.2	61	8.0	135	--	--	7	--	0	68	--	5	--	--	0.00	--	--	50
1445	5002	--	93	--	--	--	--	--	0.30	--	0.00	1.11	--	0.14	--	--	--	--	--	0
12/04/67	5050	2.70	11.0	47	8.0	114	--	--	6	--	0	59	--	4	--	--	0.00	--	--	59
1330	5002	--	93	--	--	--	--	--	0.26	--	0.00	0.97	--	0.11	--	--	--	--	--	11
07/06/68	5050	3.31	11.5	45	7.8	104	--	--	4	--	0	50	--	4	--	--	0.00	--	--	40
1035	5002	--	95	--	--	--	--	--	0.17	--	0.00	0.82	--	0.11	--	--	--	--	--	0
03/14/68	5050	3.84	10.1	48	7.7	89	--	--	4	--	0	44	--	3	--	--	0.00	--	--	33
0830	5002	--	87	--	--	--	--	--	0.17	--	0.00	0.72	--	0.08	--	--	--	--	--	0
04/10/68	5050	4.80	10.0	51	7.5	61	--	--	3	--	0	32	--	1	--	--	0.00	--	--	22
0935	5002	--	89	--	--	--	--	--	0.13	--	0.00	0.52	--	0.03	--	--	--	--	--	0
05/07/68	5050	5.20	9.8	56	7.3	40	5	1	2	0	0	20	4	1	0.1	--	0.00	--	--	28
1345	5002	--	93	--	--	--	0.25	0.08	0.09	0.00	0.00	0.33	0.08	0.03	0.00	--	--	--	--	23#
06/06/68	5050	--	10.0	56	7.4	45	--	--	2	--	0	21	--	1	--	--	0.00	--	--	16
1015	5002	492	95	--	--	--	--	--	0.09	--	0.00	0.34	--	0.03	--	--	--	--	--	0
07/08/68	5050	2.80	7.9	72	7.6	83	--	--	3	--	0	40	--	2	--	--	0.00	--	--	30
0935	5002	--	90	--	--	--	--	--	0.13	--	0.00	0.65	--	0.06	--	--	--	--	--	0
08/06/68	5050	2.25	7.2	79	8.2	115	--	--	6	--	0	55	--	5	--	--	0.00	--	--	45
1515	5002	--	88	--	--	--	--	--	0.26	--	0.00	0.90	--	0.14	--	--	--	--	--	0
08/14/68	5050	2.20	--	76	8.0	108	13	2	6	2	0	52	2	4	0.0	--	0.00	--	--	68
1415	5002	50.0	--	--	--	--	0.65	0.16	0.26	0.05	0.00	0.85	0.04	0.11	0.00	--	--	--	--	55#
09/10/68	5050	1.92	8.7	75	7.8	154	17	3	7	3	0	68	4	9	0.0	--	0.00	--	--	75
1045	5002	--	102	--	--	--	0.85	0.25	0.30	0.08	0.00	1.11	0.08	0.25	0.00	--	--	--	--	77

TABLE D-2 (con't)

MINERAL ANALYSES OF SURFACE WATER

DATE TIME	LAB SAMPLER	GH 0	DO SAT	TEMP	LABORATORY FIELD	MINERAL CONSTITUENTS IN										MILLIGRAMS PER LITER		MILLIGRAMS PER LITER		LITER TH	
						PH	EC	CA	MG	NA	K	CO3	HCO3	504	CL	NO3	F	8	5102	TDS SUM	TN NCH
STATION NUMBER C31150.00 TULE RIVER NEAR SPRINGVILLE																					
10/03/67	5050	--	8.8	64	8.3	331	--	--	17	--	0	188	--	7	--	--	0.10	--	--	134	0
0930	5002	--	92	--	--	--	--	0.74	--	0.00	3.08	--	0.20	--	--	--	--	--	--	--	0
11/09/67	5050	2.94	9.4	58	8.6	393	--	--	20	--	7	203	--	10	--	--	0.20	--	--	158	0
1040	5002	--	91	--	--	--	--	0.87	--	0.23	3.33	--	0.28	--	--	--	--	--	--	--	0
12/05/67	5050	3.00	10.9	50	8.7	316	--	--	16	--	10	159	--	8	--	--	0.10	--	--	133	0
1400	5002	--	96	--	--	--	--	0.69	--	0.33	2.61	--	0.22	--	--	--	--	--	--	--	0
01/08/68	5050	3.48	12.6	42	8.1	319	41	7	15	3	0	179	--	9	0.1	--	0.10	--	--	183	129
1320	5002	--	99	--	--	--	2.04	0.57	0.65	0.08	0.00	2.93	--	0.25	0.00	--	--	--	--	164	0
02/05/68	5050	--	--	50	8.5	258	--	--	13	--	0	136	--	7	--	--	0.00	--	--	100	0
1310	5002	--	--	--	--	--	--	0.56	--	0.00	2.23	--	0.20	--	--	--	--	--	--	--	0
03/07/68	5050	2.98	10.6	48	8.1	220	--	--	10	--	0	121	--	4	--	--	0.00	--	--	87	0
0845	5002	--	91	--	--	--	--	0.43	--	0.00	1.98	--	0.11	--	--	--	--	--	--	--	0
04/08/68	5050	--	11.3	47	8.1	192	--	--	9	--	0	106	--	5	--	--	0.00	--	--	78	0
0900	5002	--	96	--	--	--	--	0.39	--	0.00	1.74	--	0.14	--	--	--	--	--	--	--	0
05/06/68	5050	3.28	9.6	54	8.1	185	22	4	10	2	0	102	2	4	0.6	--	0.00	--	--	101	72
0930	5002	--	89	--	--	--	1.10	0.33	0.43	0.05	0.00	1.67	0.04	0.11	0.01	--	--	--	--	95	0
06/03/68	5050	--	7.9	79	8.2	237	--	--	12	--	0	132	--	5	--	--	0.10	--	--	90	0
1345	5002	--	96	--	--	--	--	0.52	--	0.00	2.16	--	0.14	--	--	--	--	--	--	--	0
07/05/68	5050	3.16	8.7	71	8.3	374	--	--	20	--	0	200	--	10	--	--	0.10	--	--	142	0
0910	5002	--	98	--	--	--	--	0.87	--	0.00	3.28	--	0.28	--	--	--	--	--	--	--	0
08/12/68	5050	2.93	8.2	72	8.4	403	--	--	25	--	3	206	--	13	--	--	0.10	--	--	151	0
0930	5002	--	93	--	--	--	--	1.09	--	0.10	3.38	--	0.37	--	--	--	--	--	--	--	0
09/03/68	5050	3.00	7.4	81	8.2	418	42	10	28	5	0	218	7	15	0.6	--	0.20	--	--	183	148
1320	5002	3.8	92	--	--	--	2.09	0.82	1.22	0.13	0.00	3.57	0.14	0.42	0.01	--	--	--	--	215	0
STATION NUMBER C51350.00 KERN RIVER BELOW ISABELLA DAM																					
01/12/68	5050	--	10.9	43	8.1	143	14	3	11	2	0	68	5	4	0.1	--	0.10	--	--	84	46
1430	5002	7.2	87	--	--	--	0.70	0.25	0.48	0.05	0.00	1.11	0.10	0.11	0.00	--	--	--	--	73#	0
05/24/68	5050	6.08	9.0	60	8.0	141	12	3	12	2	0	65	5	4	0.7	--	0.10	--	--	81	42
0900	5002	375	89	--	--	--	0.60	0.25	0.52	0.05	0.00	1.06	0.10	0.11	0.01	--	--	--	--	71#	0
07/08/68	5050	7.56	8.0	70	7.8	127	--	--	10	--	0	59	--	4	--	--	0.00	--	--	38	0
0730	5002	902	89	--	--	--	--	0.43	--	0.00	0.97	--	0.11	--	--	--	--	--	--	--	0
STATION NUMBER C51350.00 KERN RIVER BELOW ISABELLA DAM																					
09/03/68	5050	--	8.3	66	7.7	152	13	3	12	1	0	70	3	6	0.7	--	0.20	--	--	78	44
1015	5002	9.8	89	--	--	--	0.65	0.25	0.52	0.02	0.00	1.15	0.06	0.17	0.01	--	--	--	--	74	0
STATION NUMBER C51500.00 KERN RIVER AT KERNVILLE																					
01/12/68	5050	4.29	12.0	37	8.1	128	11	3	10	1	0	59	6	5	0.1	--	0.10	--	--	84	39
1400	5002	430	88	--	--	--	0.55	0.25	0.43	0.02	0.00	0.97	0.12	0.14	0.00	--	--	--	--	66	0
05/24/68	5050	5.42	10.1	51	7.5	61	5	1	5	1	0	27	2	2	0.1	--	0.00	--	--	40	17
0830	5002	1156	90	--	--	--	0.25	0.08	0.22	0.02	0.00	0.44	0.04	0.06	0.00	--	--	--	--	30#	0
07/08/68	5050	4.31	8.3	67	7.6	98	--	--	7	--	0	44	--	2	--	--	0.00	--	--	27	0
0800	5002	415	89	--	--	--	--	0.30	--	0.00	0.72	--	0.06	--	--	--	--	--	--	--	0
09/03/68	5050	--	9.0	60	7.8	171	14	3	14	2	0	74	9	8	0.0	--	0.20	--	--	88	48
1315	5002	--	89	--	--	--	0.70	0.25	0.61	0.05	0.00	1.21	0.19	0.22	0.00	--	--	--	--	87	0



THE STATE OF NEW YORK

IN SENATE

JANUARY 18, 1888

REPORT OF THE COMMISSIONERS OF THE LAND OFFICE

Year	Amount	Year	Amount
1880	1,000,000	1885	1,200,000
1881	1,100,000	1886	1,300,000
1882	1,200,000	1887	1,400,000
1883	1,300,000	1888	1,500,000
1884	1,400,000		

STATE OF NEW YORK

IN SENATE

JANUARY 18, 1888

REPORT OF THE COMMISSIONERS OF THE LAND OFFICE

Year	Amount	Year	Amount
1880	1,000,000	1885	1,200,000
1881	1,100,000	1886	1,300,000
1882	1,200,000	1887	1,400,000
1883	1,300,000	1888	1,500,000
1884	1,400,000		

TABLE D-3

TRACE MINERAL ANALYSES OF SURFACE WATER

This table presents trace mineral analyses performed by the Department of Water Resources Laboratory. The following are definitions of chemical symbols and of abbreviations used in this table.

Chemical Symbols

AL	Aluminum	GA	Gallium
AS	Arsenic	GE	Germanium
BE	Beryllium	LI	Lithium
BI	Bismuth	MN	Manganese
BR	Bromine	MO	Molybdenum
CD	Cadmium	NI	Nickel
CO	Cobalt	PB	Lead
CR	Chromium	TI	Titanium
CU	Copper	V	Vanadium
FE	Iron	ZN	Zinc

Abbreviations

LAB	Laboratory	U	Micrograms per liter
M	Milligrams per liter	Y	Less than the amount indicated

TABLE D-3

## TRACE MINERAL ANALYSES OF SURFACE WATER

STATION NO.	DATE	LAB	AL LI	AS MN	BE MO	BI NI	BR PB	CD TI	CO V	CR ZN	CU SR	FE	GA	GE
B00770.00	05-08-68	5050	000.0 --	000.0 000.0	-- --	-- --	-- 000.1U	-- --	-- --	-- 000.0	000.2U --	000.7U --	-- --	-- --
B03115.00	05-07-68	5050	000.3U --	000.0 000.0	-- --	-- --	-- 000.1U	-- --	-- --	-- 000.0	000.1U --	000.3U --	-- --	-- --
B04105.00	05-07-68	5050	000.4U --	000.1U 000.0	-- --	-- --	-- 000.2U	-- --	-- --	-- 000.0	000.0 --	000.4 --	-- --	-- --
B05125.00	05-07-68	5050	000.4U --	000.0 000.0	-- --	-- --	-- 000.1U	-- --	-- --	-- 000.1U	000.0 --	000.3U --	-- --	-- --
B07020.00	10-04-67	5000	-- 000.1U	-- --	-- --	-- --	-- --	-- --	-- --	-- --	003.0U --	-- --	-- --	-- --
B07020.00	11-08-67	5000	-- 000.1UY	-- --	-- --	-- --	-- --	-- --	-- --	-- --	001.4U --	-- --	-- --	-- --
B07020.00	12-06-67	5000	-- 000.1UY	-- --	-- --	-- --	-- --	-- --	-- --	-- --	002.2U --	-- --	-- --	-- --
B07020.00	01-10-68	5000	-- 000.0	-- --	-- --	-- --	-- --	-- --	-- --	-- --	003.0U --	-- --	-- --	-- --
B07020.00	02-08-68	5000	-- 000.1U	-- --	-- --	-- --	-- --	-- --	-- --	-- --	003.5U --	-- --	-- --	-- --
B07020.00	03-06-68	5000	-- 000.1U	-- --	-- --	-- --	-- --	-- --	-- --	-- --	002.6U --	-- --	-- --	-- --
B07020.00	04-03-68	5000	-- 000.1U	-- --	-- --	-- --	-- --	-- --	-- --	-- --	003.0U --	-- --	-- --	-- --
B07020.00	05-08-68	5000	-- 000.2U	-- --	-- --	-- --	-- --	-- --	-- --	-- --	006.4U --	-- --	-- --	-- --
B07020.00	06-05-68	5000	-- 000.1U	-- --	-- --	-- --	-- --	-- --	-- --	-- --	006.3U --	-- --	-- --	-- --
B07020.00	07-03-68	5000	-- 000.1U	-- --	-- --	-- --	-- --	-- --	-- --	-- --	006.5U --	-- --	-- --	-- --
B07020.00	08-07-68	5000	-- 000.1U	-- --	-- --	-- --	-- --	-- --	-- --	-- --	005.6U --	-- --	-- --	-- --
B07020.00	09-04-68	5000	-- 000.1U	-- --	-- --	-- --	-- --	-- --	-- --	-- --	005.0U --	-- --	-- --	-- --
B07375.00	05-07-68	5050	000.3U --	000.0 000.0	-- --	-- --	000.0 --	-- --	-- --	000.1U --	000.0 --	000.3U --	-- --	-- --
B07710.00	05-08-68	5050	000.0 --	000.1U 000.0	-- --	-- --	000.1U --	-- --	-- --	000.0 --	000.0 --	001.8U --	-- --	-- --
B64200.00	09-03-68	5050	000.3U --	000.1U 000.0	-- --	-- --	000.0 --	-- --	-- --	000.0 --	000.0 --	000.0 --	-- --	-- --
B95925.00	05-08-68	5050	000.0 --	000.0 000.0	-- --	-- --	000.2U --	-- --	-- --	000.0 --	000.1U --	000.6U --	-- --	-- --
C01140.00	05-06-68	5050	000.0 --	000.0 000.0	-- --	-- --	000.0 --	-- --	-- --	000.1U --	000.0U --	000.8U --	-- --	-- --
C01140.00	09-09-67	5050	000.0 --	000.1U 000.0	-- --	-- --	000.0 --	-- --	-- --	000.0 --	000.0 --	000.1U --	-- --	-- --
C02185.00	01-09-68	5050	-- --	000.0 --	-- --	-- --	-- --	-- --	-- --	-- --	-- --	-- --	-- --	-- --
C02185.00	09-10-68	5050	000.0 --	000.2U 000.0	-- --	-- --	000.0 --	-- --	-- --	000.0 --	000.0 --	000.3U --	-- --	-- --
C03196.00	01-08-68	5050	-- --	000.0 --	-- --	-- --	-- --	-- --	-- --	-- --	-- --	-- --	-- --	-- --
C03196.00	09-03-68	5050	000.1U --	000.0 000.0	-- --	-- --	000.0 --	-- --	-- --	000.0 --	000.0 --	000.0 --	-- --	-- --
C05150.00	05-03-68	5050	000.2U --	000.1U 000.0	-- --	-- --	000.1U --	-- --	-- --	000.1U --	000.1U --	000.0 --	-- --	-- --
C05150.00	09-03-68	5050	000.0 --	000.0 000.0	-- --	-- --	000.2U --	-- --	-- --	000.0 --	000.0 --	000.0 --	-- --	-- --
C11140.00	09-09-68	5050	000.6U --	000.1U 000.0	-- --	-- --	000.0 --	-- --	-- --	000.0 --	000.1U --	000.0 --	-- --	-- --
C11460.00	09-09-68	5050	000.0 --	000.0 000.0	-- --	-- --	000.0 --	-- --	-- --	000.1U --	000.0 --	001.1U --	-- --	-- --
C21250.00	01-09-68	5050	-- --	000.0 --	-- --	-- --	-- --	-- --	-- --	-- --	-- --	-- --	-- --	-- --
C21250.00	09-10-68	5050	000.0 --	000.0 000.0	-- --	-- --	000.0 --	-- --	-- --	000.0 --	000.0 --	000.2U --	-- --	-- --
C31150.00	01-08-68	5050	-- --	000.0 --	-- --	-- --	-- --	-- --	-- --	-- --	-- --	-- --	-- --	-- --
C31150.00	05-06-68	5050	000.3U --	000.1U 000.0	-- --	-- --	000.0 --	-- --	-- --	000.1U --	000.0 --	000.4U --	-- --	-- --
C31150.00	09-03-68	5050	000.1U --	000.1U 000.0	-- --	-- --	000.3U --	-- --	-- --	000.0 --	000.0 --	000.0 --	-- --	-- --
C51350.00	09-03-68	5050	000.3U --	000.3U 000.0	-- --	-- --	000.0 --	-- --	-- --	000.0 --	000.0 --	000.0 --	-- --	-- --
C51500.00	09-03-67	5050	000.0 --	000.4U 000.0	-- --	-- --	000.0 --	-- --	-- --	000.0 --	000.0 --	000.0 --	-- --	-- --

TABLE D-4

MISCELLANEOUS CONSTITUENTS OF SURFACE WATER

Table D-4 presents analyses which do not appear on Tables D-2 and D-3. The definitions of symbols and of abbreviations used in this table are as follows:

DET	Detergents
TRB	Turbidity
P	Total phosphates
PO <sub>6</sub>	Ortho phosphate
POT	Total and organic phosphates
M	Milligrams per liter

TABLE D-4

## MISCELLANEOUS CONSTITUENTS OF SURFACE WATER

STATION NO.	DATE	LAB	TRB	DET	MISCELLANEOUS CONSTITUENTS OF SURFACE WATER						
					NH <sub>4</sub>	NO <sub>2</sub>	NO <sub>3</sub>	NUTRIENTS NO	PO <sub>4</sub>	P	POT
B00770.00	01-10-68	5050	0020.M	--	00.00	00.01M	000.2M	000.9M	00.03M	00.07M	00.20M
B00770.00	02-07-68	5050	--	--	--	--	--	00.72M	--	--	00.33M
B00770.00	02-13-68	5050	--	--	00.07M	00.02M	001.4M	000.4M	00.35M	00.52M	00.57M
B00770.00	04-02-68	5050	0080.M	--	--	--	--	--	--	--	--
B00770.00	05-08-68	5050	0140.M	--	--	--	--	--	--	--	--
B00770.00	06-07-68	5050	--	--	--	--	--	000.5M	--	--	00.97M
B00770.00	07-02-68	5050	0140.M	--	--	--	--	--	--	--	--
B00770.00	08-07-68	5050	0055.M	--	--	--	--	--	--	--	--
B00770.00	09-11-68	5050	0002.M	--	--	--	--	--	--	--	--
B07020.00	10-04-67	5000	0024.M	--	--	--	--	--	--	00.79M	--
B07020.00	11-08-67	5000	0012.M	--	--	--	--	--	--	00.14M	--
B07020.00	12-06-67	5000	0153.M	--	--	--	--	--	--	00.50M	--
B07020.00	01-10-68	5000	0005.M	--	--	--	--	--	--	00.07M	--
B07020.00	02-08-68	5000	0028.M	--	--	--	--	--	--	00.76M	--
B07020.00	03-06-68	5000	0014.M	--	--	--	--	--	--	00.54M	--
B07020.00	04-03-68	5000	0030.M	--	--	--	--	--	--	00.41M	--
B07020.00	05-08-68	5000	0060.M	--	--	--	--	--	--	00.84M	--
B07020.00	06-05-68	5000	0030.M	--	--	--	--	--	--	00.16M	--
B07020.00	07-03-68	5000	0040.M	--	--	--	--	--	--	01.18M	--
B07020.00	08-07-68	5000	0060.M	--	--	--	--	--	--	01.33M	--
B07080.00	01-10-68	5050	0030.M	--	--	--	--	--	--	--	--
B95925.00	01-10-68	5050	0020.M	--	00.04M	00.01M	000.6M	000.6M	00.52M	00.59M	00.64M
B95925.00	02-07-68	5050	--	--	--	--	--	--	--	--	00.28M
B95925.00	04-02-68	5050	0030.M	--	--	--	--	--	--	--	--
B95925.00	05-08-68	5050	0080.M	--	--	--	--	--	--	--	--
B95925.00	06-07-68	5050	--	--	--	--	--	000.5M	--	--	00.79M
B95925.00	07-02-68	5050	0055.M	--	--	--	--	--	--	--	--
B95925.00	08-07-68	5050	0030.M	--	--	--	--	--	--	--	--
B95925.00	09-11-68	5050	0055.M	--	--	--	--	--	--	--	--
C01140.00	01-12-68	5050	0006.M	--	--	--	--	--	--	--	--
C02185.00	01-09-68	5050	--	000.0M	--	--	--	--	--	00.14M	--
C02185.00	06-06-68	5050	0002.M	--	--	--	--	--	--	--	--
C03196.00	01-08-68	5050	--	000.0M	--	--	--	--	--	00.04M	--
C03196.00	06-03-68	5050	0002.M	--	--	--	--	--	--	--	--
C05150.00	01-11-68	5050	0002.M	--	--	--	--	--	--	--	--
C11140.00	06-11-68	5050	0001.M	--	--	--	--	--	--	--	--
C11320.00	06-11-68	5050	000.9M	--	--	--	--	--	--	--	--
C11460.00	06-11-68	5050	000.9M	--	--	--	--	--	--	--	--
C21250.00	01-09-68	5050	--	000.0M	--	--	--	--	--	00.01M	--
C21250.00	06-06-68	5050	0001.M	--	--	--	--	--	--	--	--
C31150.00	01-08-68	5050	--	000.0M	--	--	--	--	--	00.15M	--
C31150.00	06-03-68	5050	0002.M	--	--	--	--	--	--	--	--
C51350.00	01-12-68	5050	0010.M	--	--	--	--	--	--	--	--

APPENDIX E

GROUND WATER QUALITY

## INTRODUCTION

Appendix E summarizes the ground water quality data for the San Joaquin Valley for the 1968 water year (October 1, 1967 through September 30, 1968). These data were obtained from analyses of water samples from approximately 200 wells.

Laboratory analyses of ground water samples reported herein were performed in accordance with the 12th Edition of "Standard Methods for the Examination of Water and Waste Water".

A complete description of the State Well Numbering System, used in this report to indicate the location of the wells sampled, is contained in Appendix C, "Ground Water Data", page 141.

TABLE E-1  
MINERAL ANALYSES OF GROUND WATER

This table presents data resulting from the collection and analysis of ground water by various laboratories and agencies cooperating with this program. The code numbers listed below will identify these program cooperators as they appear in this tabulation.

- 5000 U. S. Geological Survey Laboratory
- 5050 State Department of Water Resources
- 5055 State Water Quality Control Board
- 5060 State Department of Public Health
- 5070 State Division of Forestry
- 5121 Kern County Water Agency
- 5203 City of Modesto
- 5207 City of Firebaugh
- 5521 Modesto Irrigation District
- 5702 Individual Property Owner
- 5703 Valley Waste Disposal Company
- 5802 Twining Laboratory
- 5803 Hornkohl Laboratory
- 5806 B. C. Laboratory

Explanation of county code is listed on page 12.

Chemical Symbols

K Potassium	B Boron
MG Magnesium	CA Calcium
NA Sodium	CL Chloride
NO3 Nitrate	CO3 Carbonate
SI02 Silica	F Fluoride
S04 Sulfate	HC03 Bicarbonate

Abbreviations

EC Electrical Conductance	TDS Total Dissolved Solids
FLD Field Determination	TEMP Temperature
LAB Laboratory	TH Total Hardness
NCH Non Carbonate Hardness	



TABLE E-1  
MINERAL ANALYSES OF GROUND WATER

STATE WELL NO. DATE	TEMP TIME	PH LAR	EC COUNTY SAMPLER	MILLIGRAMS PER LITER										TDS 180C (*105C) SUM	TM NCH
				MINERAL CONSTITUENTS IN MILLIEQUIVALENTS PER LITER, PERCENT REACTANCE VALUES											
				CA	MG	NA	K	CO3	HCO3	SO4	CL	NO3	F		
01N/14E-03R01M 05/23/68	-- 5050	8.4 55	502 --	58 2.89 61	16 1.31 27	13 0.56 12	0 0.00 0	3 0.10 2	218 3.57 73	29 0.60 12	22 0.62 13	0.4 0.01 0	-- 0.00 --	266 249	209 25
01N/14E-11Q01M 05/23/68	-- 5050	8.3 55	516 --	53 2.64 48	26 2.14 39	15 0.65 12	1 0.02 0	0 0.00 0	218 3.57 64	53 1.10 20	18 0.51 9	22.0 0.35 6	-- 0.00 --	313 295	238 59
01N/15E-06R01M 05/23/68	-- 5050	8.2 55	448 --	48 2.39 52	20 1.64 35	12 0.52 11	3 0.0R 2	0 0.00 0	245 4.02 84	26 0.54 11	8 0.22 5	0.1 0.00 0	-- 0.00 --	244 238	204 3
02N/14E-23N01M 05/23/68	-- 5050	8.4 55	596 --	77 3.84 66	20 1.64 28	8 0.35 6	1 0.02 0	4 0.13 2	340 5.58 92	5 0.10 2	9 0.25 4	1.2 0.02 0	-- 0.00 --	290 292	276 0
03N/17E-20Q01M 05/20/68	-- 5050	8.0 55	99 --	9 0.45 52	2 0.16 19	5 0.22 25	1 0.02 3	0 0.00 0	43 0.70 68	0 0.00 0	9 0.25 25	4.5 0.07 7	-- 0.20 --	72 52	32 0
05N/15E-29L01M 05/20/68	-- 5050	8.1 55	77 --	-- --	-- --	3 0.13	-- --	0 0.00	45 0.74	-- --	1 0.03	0.2 0.00	-- --	-- --	28 0
05N/15E-29M01M 05/20/68	-- 5050	7.6 55	53 --	5 0.25 61	0 0.00 0	3 0.13 32	1 0.02 6	0 0.00 0	20 0.33 77	0 0.00 0	1 0.03 7	4.3 0.07 16	-- 0.20 --	40 25	13 0

TABLE E-1 (con't)

STATE WELL NO. DATE	TEMP LAB	PM COUNTY	EC SAMPLER	MINERAL ANALYSES OF GROUND WATER													I05 180C (=105C) SUM	TH NCH
				MILLIGRAMS PER LITER														
				MILLIEQUIVALENTS PER LITER, PERCENT REACTANCE VALUES														
CA	MG	NA	K	CO3	HCO3	SO4	CL	NO3	F	B	SI02							
02S/04E-09A01M 04/30/68	66 1045	7.8 5000	3630 39	95 4.74 13	98 8.05 22	560 24.36 65	1 0.07 0	0 0.00 0	226 3.71 10	600 12.48 33	705 19.88 53	84.0 1.35 4	0.2	6.33	45	--	640 2254 454	
07S/04E-13N01M 05/03/68	66 1300	7.9 5000	2330 39	142 7.08 31	76 6.25 27	220 9.57 42	1 0.07 0	0 0.00 0	112 1.84 8	318 6.61 29	485 13.68 60	29.0 0.47 2	0.2	1.21	32	--	667 1326 575	
02S/04E-18001M 04/04/68	-- 5050	8.6 60	3940 --	45 2.24	61 5.01	748 32.54	-- --	30 1.00	496 8.13	-- --	592 16.69	-- --	--	11.00	--	--	367 0	
02S/04E-25J01M 04/30/68	66 1120	7.8 5000	1860 39	102 5.09 25	44 3.62 18	256 11.13 56	3 0.08 0	0 0.00 0	178 2.92 15	387 8.05 40	700 8.46 43	27.0 0.43 2	0.1	2.70	40	--	436 1207 290	
07S/05E-06F01M 04/30/68	64 1010	7.6 5000	2230 39	90 4.49 32	55 4.52 32	116 5.04 36	2 0.05 0	0 0.00 0	275 4.51 32	231 4.80 35	160 4.51 33	1.7 0.03 0	0.1	0.47	30	--	450 791 224	
02S/05E-10R01M 05/03/68	-- 1330	8.0 5000	2120 39	166 8.28 36	61 5.01 22	215 9.35 41	3 0.08 0	0 0.00 0	342 5.61 25	432 8.98 40	280 7.90 35	9.2 0.15 1	0.2	2.79	28	--	665 1334 384	
07S/05E-10R02M 05/03/68	67 1340	8.1 5000	1930 39	152 7.58 36	58 4.77 23	194 8.44 40	3 0.08 0	0 0.00 0	350 5.74 28	354 7.36 36	256 7.22 35	8.2 0.13 1	0.1	2.38	27	--	618 1197 331	
02S/05E-24C01M 04/30/68	-- 855	7.8 5000	1860 39	151 7.53 38	61 5.01 25	164 7.13 36	3 0.08 0	0 0.00 0	248 4.07 21	291 6.05 32	310 8.74 46	14.0 0.22 1	0.1	2.24	30	--	628 1116 424	
02S/06E-20J05M 04/30/68	68 1410	8.0 5000	853 39	35 1.75 21	14 1.15 14	120 5.22 64	2 0.05 1	0 0.00 0	156 2.56 32	157 3.26 41	76 2.14 27	0.1 0.00 0	0.1	0.52	34	--	145 481 17	
03S/05E-04R01M 04/30/68	66 820	7.7 5000	1230 39	101 5.04 41	35 2.88 23	100 4.35 35	4 0.10 1	0 0.00 0	282 4.62 38	96 2.00 16	190 5.36 44	17.0 0.27 2	0.1	1.24	30	--	396 682 165	
03S/05E-15K01M 05/02/68	-- 5050	8.0 39	2040 --	180 8.98	48 3.94	162 7.05	-- --	0 0.00	100 1.64	-- --	329 9.28	-- --	--	0.70	--	--	649 567	
03S/05E-17B01M 04/30/68	70 730	7.7 5000	1020 39	84 4.19 41	24 1.97 19	94 4.09 40	3 0.08 1	0 0.00 0	172 2.82 28	208 4.33 42	100 2.82 28	15.0 0.24 2	0.1	1.08	40	--	308 613 167	
03S/05E-24N01M 03/07/68	-- 5050	8.2 39	2760 --	229 11.43	69 5.67	314 13.66	-- --	0 0.00	127 2.08	-- --	146 4.12	-- --	--	1.30	--	--	859 755	
03S/06E-04N01M 05/02/68	71 1055	7.9 5000	1750 39	126 6.29 35	59 4.85 27	156 6.78 38	3 0.08 0	0 0.00 0	160 2.62 15	271 5.64 32	330 9.30 52	11.0 0.18 1	0.1	0.93	25	--	557 1035 426	
03S/06E-10B01M 05/01/68	66 1335	7.8 5000	4380 39	367 18.31 39	106 8.71 18	460 20.01 42	4 0.10 0	0 0.00 0	276 4.53 10	735 15.29 33	905 25.52 56	16.0 0.26 1	0.2	4.96	25	--	1350 2729 1123	
03S/06E-18R01M 05/03/68	-- 1210	8.2 5000	1340 39	105 5.24 38	29 2.38 17	136 5.91 43	2 0.05 0	0 0.00 0	208 3.41 25	318 6.61 48	115 3.24 24	22.0 0.35 3	0.2	1.27	22	--	382 829 211	
03S/06E-28N01M 05/03/68	66 1115	7.9 5000	1020 39	87 4.34 43	26 2.14 21	84 3.65 36	2 0.05 0	0 0.00 0	160 2.62 26	189 3.93 38	117 3.30 32	24.0 0.39 4	0.2	0.71	19	--	324 608 193	
04S/06E-06A01M 03/07/68	-- 5050	8.3 39	974 --	78 3.89	24 1.97	85 3.70	-- --	0 0.00	177 2.90	-- --	76 2.14	-- --	--	0.90	--	--	293 148	
04S/06E-08L02M 03/07/68	-- 5050	8.3 39	664 --	53 2.64	19 1.56	54 2.35	-- --	0 0.00	207 3.39	-- --	22 0.62	-- --	--	0.60	--	--	212 42	
04S/06E-08R01M 03/07/68	-- 5050	7.6 39	761 --	58 2.89	21 1.73	47 2.04	-- --	0 0.00	80 1.31	-- --	128 3.61	-- --	--	0.00	--	--	230 164	
04S/06E-15R01M 05/03/68	-- 1135	8.0 5000	1520 50	103 5.14 34	43 3.53 23	148 6.44 42	2 0.05 0	0 0.00 0	148 2.43 16	288 5.99 40	215 6.06 41	25.0 0.40 3	0.3	1.50	25	--	434 897 312	
04S/07E-16E01M 04/30/68	66 1305	7.9 5000	1820 50	96 4.79 26	66 5.42 29	190 8.26 45	1 0.02 0	0 0.00 0	256 4.20 22	264 5.49 29	318 8.97 47	27.0 0.43 2	0.4	2.59	26	--	511 1088 301	
04S/07E-30G01M 05/03/68	66 1030	8.0 5000	1130 50	67 3.34 31	37 3.04 28	100 4.35 40	2 0.05 0	0 0.00 0	188 3.08 28	110 2.29 21	178 5.02 46	29.0 0.47 4	0.4	1.27	22	--	319 616 165	
05S/07E-08K01M 04/04/68	-- 5050	8.3 50	1560 --	50 2.49	99 8.14	121 5.26	-- --	0 0.00	256 4.20	-- --	305 8.60	-- --	--	0.40	--	--	494 284	
05S/07E-09J01M 05/03/68	68 955	8.0 5000	1160 50	54 2.69 22	95 7.81 63	44 1.91 15	2 0.05 0	0 0.00 0	396 6.49 52	48 1.00 8	152 4.29 34	39.0 0.63 5	0.1	0.11	29	--	525 628 200	
05S/07E-12N01M 05/02/68	67 1010	8.1 5000	1220 50	24 1.20 10	62 5.10 41	141 6.13 49	2 0.05 0	0 0.00 0	282 4.62 37	145 3.01 24	162 4.57 36	23.0 0.37 3	0.2	0.71	17	--	315 698 84	
05S/07E-35A01M 05/03/68	-- 900	7.9 5000	922 50	49 2.44 26	33 2.71 29	95 4.13 44	1 0.02 0	0 0.00 0	226 3.71 40	102 2.12 23	120 3.38 36	8.1 0.13 1	0.3	0.30	27	--	258 519 72	
05S/08E-09N01M 05/01/68	65 1125	8.0 5000	2880 50	128 6.39 19	155 12.74 38	324 14.09 42	2 0.05 0	0 0.00 0	582 9.54 29	630 13.10 39	360 10.15 30	27.0 0.43 1	0.2	1.51	30	--	957 1912 479	

TABLE E-1 (con't)

## MINERAL ANALYSES OF GROUND WATER

STATE	WELL NO.	TEMP	PH	EC	MINERAL CONSTITUENTS	MILLIGRAMS PER LITER							MILLIGRAMS PER LITER					TDS 180C (=105C) SUM	TH NCM
						C4	MG	NA	K	PERCENT REACTANCE VALUES	CO3	MC03	504	CL	NO3	F	B		
DATE	TIME	L48	COUNTY	S4MPLER															
055/08E-27M01M	--	7.7	1310		86	56	135	?	0	198	480	34	8.9	0.4	0.46	27	--	445	
05/02/68	925	5000	50	--	4.29	4.60	5.87	0.05	0.00	3.25	9.98	0.96	0.14				899	282	
					29	31	40	n	0	23	70	7	1						
055/08E-30G02M	69	7.9	1790		118	76	174	1	0	452	269	228	13.0	0.2	0.65	26	--	607	
05/03/68	840	5000	50	--	5.89	6.25	7.57	0.02	0.00	7.41	5.59	6.43	0.21				1101	236	
					30	32	38	n	0	38	28	33	1						
065/08E-03J01M	66	7.9	1060		73	39	96	?	0	220	300	35	30.0	0.4	0.46	29	--	342	
05/01/68	1005	5000	50	--	3.64	3.20	4.17	0.05	0.00	3.61	6.24	0.99	0.48				683	161	
					33	29	38	n	0	32	55	9	4						
065/08E-05N02M	67	7.9	1520		95	62	163	?	0	230	500	82	28.0	0.5	0.60	24	--	492	
05/03/68	800	5000	50	--	4.74	5.10	7.09	0.05	0.00	3.77	10.40	2.31	0.45				1045	303	
					28	30	42	n	0	22	61	14	3						
065/08E-20001M	64	7.9	1720		115	81	152	?	0	156	730	60	16.0	0.6	0.60	26	--	620	
05/01/68	850	5000	50	--	5.74	6.66	6.61	0.05	0.00	2.56	15.18	1.69	0.26				1233	492	
					30	35	35	n	0	13	77	9	1						
065/08E-24M01M	64	7.9	1270		62	89	68	1	0	442	99	126	35.0	1.1	0.49	27	--	520	
05/01/68	815	5000	50	--	3.09	7.31	2.96	0.02	0.00	7.25	2.06	3.55	0.56				697	157	
					23	55	22	n	0	54	15	26	4						
065/08E-34802M	64	8.0	1060		95	51	55	?	0	358	113	69	77.0	0.2	0.28	18	--	447	
05/02/68	705	5000	50	--	4.74	4.19	2.39	0.05	0.00	5.87	2.35	1.94	1.24				638	153	
					42	37	21	n	0	51	21	17	11						
065/09E-21M01M	66	8.0	1260		76	42	137	?	0	336	232	104	5.2	0.2	0.50	20	--	362	
05/01/68	1550	5000	50	--	3.79	3.45	5.96	0.05	0.00	5.51	4.82	2.93	0.08				763	86	
					29	26	45	n	0	41	36	22	1						
075/08E-14E01M	66	7.6	871		78	37	54	?	0	291	113	64	24.0	0.1	0.20	18	--	346	
05/01/68	1920	5000	24	--	3.89	3.04	2.35	0.05	0.00	4.77	2.35	1.80	0.39				515	107	
					42	33	25	n	0	51	25	19	4						
075/08E-17M01M	--	8.2	849		66	44	47	--	0	337	--	37	--	--	0.30	--	--	348	
03/07/68	--	5050	50	--	3.29	3.62	2.04	--	0.00	5.53	--	1.04	--				--	71	
075/08E-19K01M	--	8.3	784		62	34	52	--	0	298	--	24	--	--	0.30	--	--	297	
03/07/68	--	5050	50	--	3.09	2.79	2.26	--	0.00	4.89	--	0.68	--				--	52	
075/08E-20801M	--	8.2	961		76	47	57	--	0	359	--	37	--	--	0.40	--	--	383	
03/07/68	--	5050	50	--	3.79	3.86	2.48	--	0.00	5.89	--	1.04	--				--	88	
075/08E-36401M	64	7.5	1590		135	57	135	?	0	416	201	187	53.0	0.2	0.58	25	--	572	
05/02/68	1210	5000	24	--	6.74	4.68	5.87	0.05	0.00	6.82	4.18	5.27	0.85				974	231	
					39	27	34	n	0	40	24	31	5						
085/08E-17K01M	--	8.3	869		58	36	70	--	0	248	--	36	--	--	0.50	--	--	294	
03/07/68	--	5050	50	--	2.89	2.96	3.04	--	0.00	4.07	--	1.01	--				--	90	
085/08E-22N01M	--	8.0	1350		76	52	139	--	0	204	--	71	--	--	0.80	--	--	403	
03/07/68	--	5050	24	--	3.79	4.27	6.05	--	0.00	3.34	--	2.00	--				--	236	
085/08E-22001M	--	8.3	950		62	34	83	--	0	221	--	71	--	--	0.40	--	--	294	
03/07/68	--	5050	24	--	3.09	2.79	3.61	--	0.00	3.62	--	2.00	--				--	113	
085/08E-27801M	--	8.1	1280		78	45	132	--	0	227	--	87	--	--	0.60	--	--	379	
03/07/68	--	5050	24	--	3.89	3.70	5.74	--	0.00	3.72	--	2.45	--				--	193	
085/09E-03M01M	75	7.6	2040		81	39	284	3	0	150	267	425	1.1	0.1	1.80	27	--	362	
05/02/68	115	5000	24	--	4.04	3.20	12.35	0.08	0.00	2.46	5.55	11.98	0.02				1174	239	
					20	16	63	n	0	12	28	60	0						
085/09E-08M01M	69	7.7	907		66	29	89	?	0	282	135	64	19.0	0.3	0.39	22	--	284	
05/02/68	1130	5000	24	--	3.29	2.38	3.87	0.05	0.00	4.62	2.81	1.80	0.30				543	53	
					34	25	40	n	0	48	29	19	3						
085/09E-08M02M	69	8.0	980		70	27	106	?	0	250	166	98	14.0	3.6	0.34	23	--	286	
05/02/68	1230	5000	24	--	3.49	2.22	4.61	0.05	0.00	4.10	3.45	2.76	0.22				606	81	
					34	21	44	n	0	39	33	26	2						
085/09E-21A01M	68	7.6	3590		163	140	497	1	0	612	805	490	28.0	0.8	2.63	28	--	982	
05/01/68	1830	5000	24	--	8.13	11.51	21.62	0.02	0.00	10.04	16.74	13.82	0.45				2424	480	
					20	28	52	n	0	24	41	34	1						
085/09E-34K01M	78	7.4	3090		105	101	402	?	0	292	325	688	8.5	0.3	2.03	33	--	678	
05/01/68	1800	5000	24	--	5.24	8.30	17.49	0.05	0.00	4.79	6.76	19.40	0.14				1775	438	
					17	27	56	n	0	15	22	62	0						
095/08E-12F01M	--	8.2	677		38	21	64	--	0	142	--	78	--	--	0.40	--	--	181	
03/21/68	--	5050	24	--	1.90	1.73	2.78	--	0.00	2.33	--	2.20	--				--	64	
095/08E-36801M	--	8.0	925		27	16	113	--	0	197	--	138	--	--	1.90	--	--	192	
03/07/68	--	5050	24	--	1.35	1.31	4.91	--	0.00	3.23	--	3.89	--				--	30	
095/09E-13F01M	74	7.5	1340		41	28	201	?	0	276	123	216	4.6	0.2	1.62	31	--	218	
05/02/68	1045	5000	24	--	2.04	2.30	8.74	0.05	0.00	4.53	2.56	6.09	0.07				751	0	
					16	17	66	n	0	34	19	46	1						
095/09E-26802M	70	7.4	1040		48	29	128	?	0	226	73	178	4.1	0.3	0.77	26	--	240	
05/01/68	1515	5000	24	--	2.39	2.38	5.57	0.05	0.00	3.71	1.52	5.02	0.07				573	54	
					23	23	53	n	0	36	15	49	1						
095/09E-27E01M	63	7.5	960		66	29	92	?	0	282	77	125	1.0	0.3	0.47	19	--	284	
05/02/68	930	5000	24	--	3.29	2.38	4.00	0.05	0.00	4.62	1.60	3.52	0.02				531	53	
					34	24	41	n	0	47	16	36	0						
095/10E-07K01M	77	7.5	1760		72	37	260	3	0	159	515	176	0.9	0.1	2.70	28	--	332	
05/01/68	1650	5000	24	--	3.59	3.04	11.31	0.08	0.00	2.61	10.71	4.96	0.01				1142	201	
					20	17	63	n	0										

TABLE E-1 (con't)

## MINERAL ANALYSES OF GROUND WATER

STATE WELL NO. DATE	TEMP TIME	PH LAB	EC COUNTY	EC SAMPLER	MILLIGRAMS PER LITER										MILLIGRAMS PER LITER					TDS 180C (=105C) SUM	TH NCM
					MINERAL CONSTITUENTS IN										MILLIEQUIVALENTS PER LITER, PERCENT REACTANCE VALUES						
					CA	MG	NA	K	CO3	HCO3	SO4	CL	NO3	F	B	5102					
095/12E-21R01M	64	7.4	815		56	20	92	?	0	210	71	128	1.0	0.2	0.00	31	--	222			
04/30/68	1300	5000	24	--	2.79	1.64	4.00	0.05	0.00	3.44	1.48	3.61	0.02				473	50			
					33	19	47	1	0	40	17	42	0								
095/12E-32N01M	65	7.5	1220		45	17	185	?	0	176	101	240	1.0	0.2	0.18	27	--	182			
04/30/68	1400	5000	24	--	2.24	1.40	8.05	0.05	0.00	2.89	2.10	6.77	0.02				678	38			
					19	12	68	0	0	24	18	57	0								
105/09E-05C01M	68	7.6	1260		57	35	160	?	0	312	82	208	9.5	0.4	1.06	20	--	286			
05/02/68	830	5000	24	--	2.84	2.88	6.96	0.05	0.00	5.12	1.70	5.86	0.15				707	30			
					22	23	55	0	0	40	13	46	1								
105/11E-18R02M	68	7.5	4720		187	173	700	4	0	302	1430	670	2.5	0.1	3.80	37	--	1178			
05/01/68	1400	5000	24	--	9.33	14.22	30.45	0.10	0.00	4.95	29.74	18.89	0.04				3315	930			
					17	26	56	0	0	9	55	35	0								
105/11E-19D02M	--	7.8	1440		82	63	150	1	0	452	198	145	8.2	0.1	1.69	57	--	464			
05/01/68	1420	5000	24	--	4.09	5.18	6.52	0.02	0.00	7.41	4.12	4.09	0.13				869	93			
					26	33	41	0	0	47	26	26	1								
105/11E-26D01M	--	8.0	2130		100	65	300	?	0	407	455	248	1.0	0.7	2.14	23	--	517			
04/30/68	1700	5000	24	--	4.99	5.34	13.05	0.08	0.00	6.67	9.46	6.99	0.02				1372	183			
					21	23	56	0	0	27	41	30	0								
105/12E-06F01M	65	7.6	830		31	12	123	1	0	177	73	133	0.8	0.3	0.30	24	--	127			
04/30/68	1430	5000	24	--	1.55	0.99	5.35	0.02	0.00	2.90	1.52	3.75	0.01				461	0			
					20	12	68	0	0	35	18	46	0								
105/12E-13L01M	64	7.7	694		30	10	101	1	0	165	59	102	0.9	0.3	0.00	34	--	116			
04/30/68	1045	5000	24	--	1.50	0.82	4.39	0.07	0.00	2.71	1.23	2.88	0.01				385	0			
					22	12	65	0	0	40	18	42	0								
105/13E-19F01M	68	7.6	304		14	63	44	1	0	136	18	22	0.9	0.2	0.00	25	--	61			
04/30/68	1000	5000	24	--	0.70	5.18	1.91	0.02	0.00	2.23	0.37	0.62	0.01				230	0			
					9	66	24	0	0	69	12	19	0								
115/10E-02P01M	--	7.7	1150		57	30	148	1	0	270	202	108	12.0	0.1	1.25	27	--	266			
04/30/68	1910	5000	24	--	2.84	2.47	6.44	0.02	0.00	4.43	4.20	3.04	0.19				691	44			
					24	21	55	0	0	37	35	26	2								
115/10E-13M01M	70	7.6	1650		76	42	236	1	0	534	203	160	17.0	0.1	2.17	26	--	362			
05/01/68	1315	5000	24	--	3.79	3.45	10.26	0.02	0.00	8.76	4.22	4.51	0.27				997	0			
					22	20	58	0	0	49	24	25	1								
115/10E-22F01M	68	7.6	3700		143	136	490	3	0	180	830	640	73.0	0.2	2.26	16	--	916			
05/01/68	1130	5000	24	--	7.13	11.18	21.31	0.08	0.00	2.95	17.26	18.05	1.17				2404	768			
					18	28	54	0	0	7	44	46	3								
115/10E-22H01M	68	7.7	2720		113	91	350	?	0	262	590	410	46.0	0.2	2.08	18	--	656			
05/01/68	1215	5000	24	--	5.64	7.48	15.22	0.05	0.00	4.30	12.27	11.56	0.74				1731	441			
					20	26	54	0	0	15	42	40	3								
115/11E-05D01M	68	7.7	921		29	26	128	?	0	234	143	84	10.0	0.3	0.99	35	--	180			
05/01/68	1130	5000	24	--	1.45	2.14	5.57	0.05	0.00	3.84	2.97	2.37	0.16				537	0			
					16	23	60	1	0	41	32	25	2								
115/11E-17M01M	69	7.5	1040		40	36	122	1	0	186	177	130	1.3	1.1	0.69	18	--	248			
05/01/68	1000	5000	24	--	1.99	2.96	5.31	0.02	0.00	3.05	3.68	3.67	0.02				599	95			
					19	29	52	0	0	29	35	35	0								
115/12E-19R01M	69	7.6	2770		179	71	356	4	0	190	835	350	6.7	0.2	3.05	29	--	738			
04/30/68	1650	5000	24	--	8.93	5.84	15.48	0.10	0.00	3.11	17.37	9.87	0.11				1895	582			
					29	19	51	0	0	10	57	32	0								
125/11E-13D02M	79	7.5	1790		50	29	300	3	0	180	555	142	1.4	0.3	2.58	31	--	244			
05/01/68	900	5000	24	--	2.49	2.38	13.05	0.08	0.00	2.95	11.54	4.00	0.02				1169	96			
					14	13	72	0	0	16	62	22	0								
135/22E-23N01M	58	8.1	860		--	--	27	--	0	407	--	14	64.0	--	--	--	--	404			
09/25/68	800	5050	10	--	--	--	1.17	--	0.00	6.67	--	0.39	1.03				--	70			
145/20E-24D01M	--	8.2	333		24	16	19	4	0	164	2	11	16.0	--	0.00	--	220	126			
06/05/68	--	5061	10	--	1.20	1.31	0.83	0.10	0.00	2.69	0.04	0.31	0.26				173	0			
					35	38	24	3	0	81	1	9	8								
145/23E-36R01M	66	7.4	460		--	--	19	--	0	180	--	29	9.5	--	--	--	--	181			
09/25/68	900	5050	10	--	--	--	0.83	--	0.00	2.95	--	0.82	0.15				--	33			
155/21E-15F01M	72	7.7	382		--	--	28	--	0	139	--	30	11.0	--	--	--	--	114			
09/25/68	930	5050	10	--	--	--	1.22	--	0.00	2.28	--	0.85	0.18				--	0			
165/18E-22J01M	73	7.9	292		--	--	31	--	0	87	--	32	1.8	--	--	--	--	69			
09/25/68	1000	5050	10	--	--	--	1.35	--	0.00	1.43	--	0.90	0.03				--	0			
165/19E-07E01M	72	8.0	578		--	--	34	--	0	100	--	81	19.0	--	--	--	--	176			
09/25/68	940	5050	10	--	--	--	1.48	--	0.00	1.64	--	2.28	0.30				--	94			
165/20E-18G01M	72	8.4	140		--	--	29	--	6	61	--	2	1.3	--	--	--	--	9			
09/25/68	745	5050	10	--	--	--	1.26	--	0.20	1	--	0.06	0.02				--	0			
165/21E-01N01M	78	7.6	243		--	--	15	--	0	111	--	8	14.0	--	--	--	--	89			
09/25/68	945	5050	10	--	--	--	0.65	--	0.00	1.82	--	0.22	0.22				--	0			
165/23E-05C01M	77	7.6	554		--	--	49	--	0	241	--	26	21.0	--	--	--	--	169			
09/25/68	1015	5050	54	--	--	--	2.13	--	0.00	3.95	--	0.73	0.34				--	0			
165/24E-03J01M	68	7.5	863		--	--	48	--	0	352	--	53	36.0	--	--	--	--	331			
09/25/68	1045	5050	54	--	--	--	2.09	--	0.00	5.77	--	1.49	0.58				--	42			

TABLE E-1 (con't)  
MINERAL ANALYSES OF GROUND WATER

STATE DATE	WELL NO. TIME	TEMP LAB	PH COUNTY	EC SAMPLER	MILLIGRAMS PER LITER IN MILLIEQUIVALENTS PER LITER, PERCENT REACTANCE VALUES										MILLIGRAMS PER LITER					TDS 180C (*105C) SUM	TH NCH
					CA	MG	NA	K	CO3	HCO3	504	CL	NO3	F	B	5102					
175/17E-21R01M	R4	8.0	1070	--	--	187	--	0	131	--	61	1.2	--	--	--	--	--	94			
09/25/68	1215	5050	10	--	--	8.13	--	0.00	2.15	--	1.72	0.02	--	--	--	--	0				
175/18E-07N01M	77	8.4	1210	--	--	199	--	3	390	--	74	1.0	--	--	--	--	178				
09/25/68	1105	5050	10	--	--	8.66	--	0.10	6.39	--	2.09	0.02	--	--	--	--	0				
175/18E-09C01M	74	8.4	898	--	--	194	--	1	370	--	95	1.1	--	--	--	--	24				
09/25/68	1025	5050	10	--	--	8.44	--	0.03	6.07	--	2.68	0.02	--	--	--	--	0				
175/21E-24E01M	63	8.4	632	--	--	58	--	1	224	--	20	82.0	--	--	--	--	185				
09/26/68	700	5050	10	--	--	2.52	--	0.03	3.67	--	0.56	1.32	--	--	--	--	0				
175/22E-10L01M	75	8.4	198	--	--	18	--	1	106	--	4	2.9	--	--	--	--	66				
09/25/68	1630	5050	16	--	--	0.78	--	0.03	1.74	--	0.11	0.05	--	--	--	--	0				
175/24E-15A02M	70	7.9	571	--	--	47	--	0	239	--	40	12.0	--	--	--	--	176				
09/25/68	1145	5050	54	--	--	2.04	--	0.00	3.92	--	1.13	0.19	--	--	--	--	0				
175/25E-34P01M	72	7.7	734	--	--	42	--	0	311	--	49	20.0	--	--	--	--	278				
09/25/68	1210	5050	54	--	--	1.83	--	0.00	5.10	--	1.38	0.32	--	--	--	--	23				
185/18E-09N01M	80	8.4	1120	--	--	170	--	2	180	--	44	1.5	--	--	--	--	174				
09/25/68	1255	5050	10	--	--	7.39	--	0.07	2.95	--	1.24	0.02	--	--	--	--	23				
185/21E-02P01M	70	8.4	350	--	--	10	--	1	136	--	13	16.0	--	--	--	--	144				
09/26/68	730	5050	16	--	--	0.43	--	0.03	2.23	--	0.37	0.26	--	--	--	--	31				
185/26E-04O01M	67	8.4	684	--	--	33	--	1	262	--	41	42.0	--	--	--	--	268				
09/25/68	1245	5050	54	--	--	1.43	--	0.03	4.30	--	1.16	0.68	--	--	--	--	51				
195/16E-16M01M	92	8.0	2170	--	--	380	--	0	141	--	150	1.1	--	--	--	--	233				
09/26/68	835	5050	10	--	--	16.53	--	0.00	2.31	--	4.23	0.02	--	--	--	--	117				
195/19E-31D01M	89	7.9	1690	--	--	336	--	0	291	--	303	0.2	--	--	--	--	77				
09/25/68	1420	5050	16	--	--	14.61	--	0.00	4.77	--	8.54	0.00	--	--	--	--	0				
195/25E-11J01M	--	8.0	133	--	--	13	4	7	67	4	2	0.4	0.1	0.00	--	--	83				
05/03/68	--	5050	54	--	--	0.65	0.33	0.30	0.02	0.00	1.10	0.08	0.06	0.01	--	--	65				
						50	25	23	2	0	88	7	4	0			0				
205/18E-24O01M	91	7.8	2200	--	--	420	--	0	330	--	490	1.5	--	--	--	--	92				
09/25/68	1515	5050	10	--	--	18.27	--	0.00	5.41	--	13.82	0.02	--	--	--	--	0				
205/19E-06O01M	92	8.2	1440	--	--	297	--	0	335	--	248	1.4	--	--	--	--	42				
09/25/68	1440	5050	16	--	--	12.92	--	0.00	5.49	--	6.99	0.02	--	--	--	--	0				
205/19E-19D01M	89	7.9	1440	--	--	278	--	0	222	--	218	0.2	--	--	--	--	68				
09/25/68	1510	5050	16	--	--	12.09	--	0.00	3.64	--	6.15	0.00	--	--	--	--	0				
205/21E-12A01M	71	8.1	1020	--	--	194	--	0	251	--	157	0.2	--	--	--	--	59				
09/26/68	745	5050	16	--	--	8.44	--	0.00	4.12	--	4.43	0.00	--	--	--	--	0				
205/22E-34J01M	69	7.4	319	--	--	50	--	0	72	--	27	0.2	--	--	--	--	41				
09/26/68	820	5050	16	--	--	2.17	--	0.00	1.18	--	0.76	0.00	--	--	--	--	0				
205/29E-14R01M	61	6.6	650	--	--	66	15	26	5	--	13	--	16.0	--	0.10	--	228				
02/09/68	1445	5050	54	--	--	3.29	1.23	1.13	0.13	--	0.27	--	0.26	--	--	--	--				
205/29E-23P01M	63	6.0	1500	--	--	116	44	130	10	--	30	--	0.0	--	1.20	--	469				
02/09/68	1430	5050	54	--	--	5.79	3.62	5.65	0.25	--	0.62	--	0.00	--	--	--	--				
205/29E-26801M	69	7.1	1360	--	--	130	48	74	7	0	711	4	89	1.1	--	0.90	800				
02/09/68	1130	5050	54	--	--	6.49	3.94	3.22	0.18	0.00	11.66	0.08	2.51	0.02	--	--	702				
						47	28	23	1	0	82	1	18	0			0				
215/16E-08O01M	74	8.0	1720	--	--	218	--	0	222	--	75	8.5	--	--	--	--	450				
09/26/68	1030	5050	10	--	--	9.48	--	0.00	3.64	--	2.11	0.14	--	--	--	--	268				
215/21E-07J01M	82	7.9	972	--	--	154	--	0	255	--	167	30.0	--	--	--	--	88				
09/26/68	930	5050	16	--	--	6.70	--	0.00	4.18	--	4.71	0.48	--	--	--	--	0				
215/22E-13O01M	69	7.7	406	--	--	56	--	0	133	--	32	6.8	--	--	--	--	70				
09/26/68	900	5050	16	--	--	2.43	--	0.00	2.18	--	0.90	0.11	--	--	--	--	0				
215/23E-08C01M	67	7.9	254	--	--	47	--	0	139	--	5	2.0	--	--	--	--	38				
09/26/68	845	5050	54	--	--	2.04	--	0.00	2.28	--	0.14	0.03	--	--	--	--	0				
215/25E-19K02M	71	8.4	322	--	--	45	--	1	150	--	12	10.0	--	--	--	--	68				
09/25/68	1530	5050	54	--	--	1.96	--	0.03	2.46	--	0.34	0.16	--	--	--	--	0				
225/19E-18N03M	--	7.2	903	--	--	38	--	0	113	--	25	--	--	--	--	--	62				
04/09/68	1400	5050	16	--	--	1.90	--	0.00	1.85	--	0.70	--	--	--	--	--	0				
225/19E-18P02M	--	7.7	1130	--	--	37	7	196	--	0	123	--	44	--	--	--	123				
04/09/68	1400	5050	16	--	--	1.85	0.57	8.52	--	0.00	2.02	--	1.24	--	--	--	22				
225/21E-12H01M	88	7.5	977	--	--	155	--	0	259	--	168	1.0	--	--	--	--	100				
09/26/68	1000	5050	16	--	--	6.74	--	0.00	4.25	--	4.74	0.02	--	--	--	--	0				
225/23E-06A01M	73	8.3	1680	--	--	351	--	0	793	--	128	1.5	--	--	--	--	115				
09/26/68	1400	5050	54	--	--	15.27	--	0.00	13.00	--	3.61	0.02	--	--	--	--	0				
225/24E-11M01M	72	8.4	342	--	--	28	--	1	147	--	29	6.2	--	--	--	--	111				
09/25/68	1500	5050	54	--	--	1.22	--	0.03	2.41	--	0.82	0.10	--	--	--	--	0				
225/25E-17M02M	71	8.4	316	--	--	31	--	2	149	--	13	10.0	--	--	--	--	94				
09/25/68	1430	5050	54	--	--	1.35	--	0.07	2.44	--	0.37	0.16	--	--	--	--	0				
225/27E-12J01M	58	8.0	1180	--	--	91	--	0	318	--	74	148.0	--	--	--	--	392				
09/25/68	1400	5050	54	--	--	3.96	--	0.00	5.21	--	2.09	2.38	--	--	--	--	131				

TABLE E-1 (con't)  
MINERAL ANALYSES OF GROUND WATER

STATE WELL NO. DATE	TEMP TIME	PM LAH	EC COUNTY	SAMPLER	MILLIGRAMS PER LITER										MILLIGRAMS PER LITER					TDS 180C (*105C) SUM	TH MCM
					MINERAL CONSTITUENTS IN										MILLIEQUIVALENTS PER LITER, PERCENT REACTANCE VALUES						
					CA	MG	NA	K	CO3	HCO3	SO4	CL	NO3	F	B	SI02					
235/19E-11D01M 04/09/68	-- 1500	R.5 5050	13300 16	28 1.40	76 6.25	2960 128.76	-- --	38 1.26	948 15.55	-- --	3800 107.16	-- --	-- --	-- --	-- --	-- --	383 0				
235/19E-26J01M 04/10/68	-- 930	8.2 5050	H180 16	77 3.84	164 13.48	1410 61.33	-- --	0 0.00	344 5.64	-- --	2300 64.86	-- --	-- --	-- --	-- --	-- --	868 586				
245/19E-17P02M 04/10/68	-- 1000	8.2 5050	5430 16	256 12.77	156 12.82	766 33.32	-- --	0 0.00	261 4.28	-- --	270 7.61	-- --	-- --	-- --	-- --	-- --	1570 1356				
245/20E-35E01M 04/10/68	-- 5050	8.2 16	9060 16	239 11.93	248 20.38	1700 73.95	-- --	0 0.00	246 4.03	-- --	1090 30.74	-- --	-- --	-- --	-- --	-- --	1620 1418				
245/23E-04C01M 09/26/68	71 1340	8.0 5050	379 54	-- --	-- --	6R 2.96	-- --	0 0.00	194 3.18	-- --	9 0.25	9.8 0.16	-- --	-- --	-- --	-- --	38 0				
245/26E-35A01M 05/03/68	-- 5050	8.3 54	445 54	6 0.30	2 0.16	80 3.4R	1 0.02	0 0.00	99 1.62	65 1.35	29 0.82	13.0 0.21	0.3 0.10	0.10 --	-- --	-- --	256 245	23 0			
245/27E-31E01M 05/03/68	-- 5050	8.0 54	443 54	12 0.60	2 0.16	74 3.22	2 0.05	0 0.00	113 1.85	53 1.10	35 0.99	2.2 0.03	0.4 0.20	0.20 --	-- --	-- --	255 236	37 0			
245/27E-33R01M 05/03/68	-- 5050	8.2 54	483 54	27 1.35	2 0.16	63 2.74	4 0.10	0 0.00	115 1.89	66 1.37	37 1.04	2.0 0.03	0.2 0.10	0.10 --	-- --	-- --	296 258	77 0			
255/20E-04C01M 02/07/68	75 5050	8.1 15	4530 15	107 5.34	165 13.56	714 31.06	-- --	0 0.00	143 2.34	-- --	455 12.83	-- --	-- --	-- --	-- --	-- --	947 830				
255/20E-16F02M 05/01/68	76 1715	8.2 5050	3750 15	62 3.09	112 9.21	528 22.97	-- --	0 0.00	166 2.72	-- --	640 18.05	-- --	-- --	-- --	-- --	-- --	616 480				
255/20E-35R01M 04/10/68	-- 1100	7.6 5050	5410 15	134 6.69	77 6.33	928 40.37	-- --	0 0.00	283 4.64	-- --	1260 35.53	-- --	-- --	-- --	-- --	-- --	658 426				
255/22E-01N01M 09/25/68	71 1130	8.4 5050	253 15	-- --	-- --	46 2	-- --	2 0.07	79 1.29	-- --	14 0.39	1.0 0.02	-- --	-- --	-- --	-- --	14 0				
255/22E-28R01M 09/25/68	71 1045	8.4 5050	478 15	-- --	-- --	67 2.91	-- --	1 0.03	61 1	-- --	68 1.92	0.1 0.00	-- --	-- --	-- --	-- --	68 16				
255/26E-01K01M 05/03/68	-- 5050	8.4 15	652 15	45 2.24	4 0.33	78 3.39	5 0.13	2 0.07	145 2.38	74 1.54	48 1.35	39.0 0.63	0.1 0.10	0.10 --	-- --	-- --	376 366	130 8			
255/26E-01R01M 05/03/68	-- 5050	8.3 15	404 15	20 1.00	3 0.25	54 2.35	4 0.10	0 0.00	100 1.64	32 0.66	28 0.79	30.0 0.48	0.2 0.00	0.00 --	-- --	-- --	229 220	62 0			
255/27E-08H01M 05/03/68	-- 5050	8.4 15	529 15	8 0.40	1 0.08	98 4.26	3 0.0R	2 0.07	178 2.92	47 0.98	33 0.93	1.9 0.03	0.8 0.40	0.40 --	-- --	-- --	330 282	26 0			
255/27E-08H03M 05/03/68	-- 5050	8.1 15	713 15	46 2.29	7 0.57	84 3.65	10 0.25	0 0.00	161 2.64	155 3.22	28 0.79	1.4 0.02	0.2 0.10	0.10 --	-- --	-- --	462 411	143 11			
255/27E-11001M 05/03/68	-- 5050	8.3 15	500 15	31 1.55	5 0.41	61 2.65	3 0.0R	0 0.00	125 2.05	82 1.70	30 0.85	0.6 0.01	0.2 0.00	0.00 --	-- --	-- --	300 274	96 0			
255/27E-15P01M 05/03/68	-- 5050	8.0 15	547 15	34 1.70	4 0.33	65 2.83	6 0.15	0 0.00	135 2.21	60 1.25	52 1.47	0.4 0.01	0.2 0.10	0.10 --	-- --	-- --	328 288	101 0			
255/27E-19K01M 05/03/68	-- 5050	8.2 15	631 15	24 1.20	5 0.41	92 4.00	4 0.10	0 0.00	93 1.52	114 2.37	56 1.58	5.7 0.09	0.2 0.10	0.10 --	-- --	-- --	360 347	79 3			
255/27E-24M01M 05/03/68	-- 5050	8.4 15	501 15	34 1.70	4 0.33	59 2.57	5 0.13	1 0.03	177 2.90	53 1.10	23 0.65	0.6 0.01	0.2 0.10	0.10 --	-- --	-- --	296 267	101 0			
255/27E-26G01M 05/03/68	-- 5050	8.4 15	800 15	65 3.24	15 1.23	69 3.00	10 0.25	2 0.07	133 2.18	173 3.60	56 1.58	8.0 0.13	0.2 0.10	0.10 --	-- --	-- --	509 464	225 112			
255/27E-27G01M 05/03/68	-- 5050	8.4 15	533 15	28 1.40	4 0.33	70 3.04	5 0.13	2 0.07	131 2.15	58 1.21	48 1.35	5.0 0.08	0.3 0.10	0.10 --	-- --	-- --	349 285	86 0			
265/21E-22D01M 04/10/68	-- 5050	7.9 15	5680 15	316 15.77	112 9.21	832 36.19	-- --	0 0.00	84 1.38	-- --	850 23.97	-- --	-- --	-- --	-- --	-- --	1250 1181				
265/21E-27N02M 05/01/68	76 1800	8.0 5050	6480 15	364 18.16	170 13.97	936 40.71	-- --	0 0.00	137 2.25	-- --	1240 34.97	-- --	-- --	-- --	-- --	-- --	1610 1498				
265/23E-13H01M 09/25/68	78 746	8.7 5050	214 15	-- --	-- --	36 1.56	-- --	13 0.43	30 0.49	-- --	20 0.56	3.3 0.05	-- --	-- --	-- --	-- --	17 0				
265/23E-20F01M 09/26/68	75 927	8.6 5050	307 15	-- --	-- --	48 2.09	-- --	9 0.30	46 0.75	-- --	41 1.16	1.1 0.02	-- --	-- --	-- --	-- --	36 0				
265/23E-26A01M 09/25/68	76 843	8.6 5050	162 15	-- --	-- --	31 1.35	-- --	9 0.30	57 0.93	-- --	6 0.17	3.2 0.05	-- --	-- --	-- --	-- --	14 0				
275/23E-09C01M 09/24/68	78 1242	8.7 5050	467 15	-- --	-- --	84 3.65	-- --	11 0.37	83 1.36	-- --	28 0.79	2.2 0.03	-- --	-- --	-- --	-- --	29 0				
275/24E-24P02M 05/01/68	77 1300	8.0 5050	3480 15	146 7.28	14 1.15	571 24.84	-- --	0 0.00	146 2.39	-- --	292 8.23	-- --	-- --	-- --	-- --	-- --	423 303				
285/25E-13C01M 09/27/68	79 1340	7.7 5050	384 15	-- --	-- --	52 2.26	-- --	0 0.00	98 1.61	-- --	19 0.53	8.3 0.13	-- --	-- --	-- --	-- --	57 0				

TABLE E-1 (con't)  
MINERAL ANALYSES OF GROUND WATER

STATE WELL NO. DATE	TEMP TIME	PH LAB	EC COUNTY SAMPLER	MILLIGRAMS PER LITER IN MILLIEQUIVALENTS PER LITER, PERCENT REACTANCE VALUES										MILLIGRAMS PER LITER					TDS 180C (*105C) SUM	TH NCH
				MINERAL	CONSTITUENTS									CL	NO3	F	B	SI02		
					CA	MG	NA	K	CO3	HCO3	504	CL	NO3							
295/23E-02J01M 09/22/68	8n 955	7.6 5050	3940 15	--	--	581	--	0	65	--	1190	1.2	--	--	--	--	487			
				--	--	25.27	--	0.00	1.06	--	33.56	0.02	--	--	--	--	434			
295/23E-17P01M 02/05/68	6R 840	7.9 5050	4220 15	250	39	620	--	0	8R	--	829	--	--	--	--	--	787			
				12.47	3.20	26.97	--	0.00	1.44	--	23.38	--	--	--	--	--	715			
295/24E-35E01M 09/02/68	71 840	7.7 5050	308 15	--	--	45	--	0	50	--	40	1.5	--	--	--	--	43			
				--	--	1.96	--	0.00	0.82	--	1.13	0.02	--	--	--	--	2			
295/25E-15N01M 09/23/68	72 1255	7.8 5050	441 15	--	--	30	--	0	80	--	40	4.9	--	--	--	--	102			
				--	--	1.30	--	0.00	1.31	--	1.13	0.08	--	--	--	--	36			
295/26E-11L01M 09/27/68	79 1330	7.9 5050	527 15	--	--	66	--	0	123	--	25	12.0	--	--	--	--	104			
				--	--	2.87	--	0.00	2.02	--	0.70	0.19	--	--	--	--	3			
305/23E-01C01M 02/05/68	70 900	8.3 5050	674 15	10	1	112	--	0	29	--	153	--	--	--	--	--	28			
				0.50	0.08	4.87	--	0.00	0.47	--	4.31	--	--	--	--	--	4			
305/24E-08P01M 03/29/68	-- 5050	8.1 15	2220 15	89	12	344	--	0	122	--	451	--	--	--	--	--	271			
				4.44	0.99	14.96	--	0.00	3	--	12.72	--	--	--	--	--	171			
305/27E-19A01M 09/27/68	74 1305	8.0 5050	429 15	--	--	28	--	0	172	--	17	9.2	--	--	--	--	152			
				--	--	1.22	--	0.00	2.82	--	0.48	0.15	--	--	--	--	11			
305/27E-23C01M 09/19/68	66 1225	8.1 5050	398 15	--	--	25	--	0	161	--	15	6.8	--	--	--	--	138			
				--	--	1.09	--	0.00	2.64	--	0.42	0.11	--	--	--	--	6			
305/28E-18H01M 09/19/68	66 1310	7.8 5050	669 15	--	--	43	--	0	274	--	23	28.0	--	--	--	--	243			
				--	--	1.87	--	0.00	4.49	--	0.65	0.45	--	--	--	--	18			
315/24E-13P04M 04/17/68	72 1100	8.0 5050	13500 15	526	179	2660	--	0	136	--	2210	--	--	--	--	--	2050			
				26.25	14.71	115.71	--	0.00	2.23	--	62.32	--	--	--	--	--	1938			
315/24E-24N03M 04/17/68	70 1215	7.6 5050	43200 15	825	1400	8110	--	0	975	--	12900	--	--	--	--	--	7840			
				41.17	115.08	352.78	--	0.00	15.99	--	363.78	--	--	--	--	--	7040			
315/24E-24P02M 04/17/68	6R 1300	8.0 5050	11300 15	411	404	1960	--	0	787	--	1500	--	--	--	--	--	2690			
				20.51	33.21	85.26	--	0.00	12.91	--	42.30	--	--	--	--	--	2044			
315/24E-25E03M 04/17/68	-- 1530	7.8 5050	30200 15	414	793	7690	--	0	350	--	3820	--	--	--	--	--	4300			
				20.66	65.18	334.51	--	0.00	5.74	--	107.72	--	--	--	--	--	4013			
315/24E-25E04M 04/17/68	-- 1530	7.7 5050	33100 15	1320	1110	5410	--	0	565	--	11700	--	--	--	--	--	7860			
				65.87	91.24	235.33	--	0.00	9.26	--	329.94	--	--	--	--	--	7396			
315/24E-26L03M 04/18/68	74 1145	8.2 5050	6280 15	552	122	861	--	0	108	--	689	--	--	--	--	--	1880			
				27.54	10.03	37.45	--	0.00	1.77	--	19.43	--	--	--	--	--	1791			
315/24E-36D06M 04/17/68	70 1640	7.8 5050	19000 15	715	710	3020	--	0	724	--	5090	--	--	--	--	--	4710			
				35.68	58.36	131.37	--	0.00	11.87	--	143.54	--	--	--	--	--	4116			
315/24E-36D07M 04/17/68	70 1640	7.9 5050	17000 15	543	647	2930	--	0	989	--	3800	--	--	--	--	--	4020			
				27.09	53.18	127.45	--	0.00	16.22	--	107.16	--	--	--	--	--	3208			
315/24E-36D08M 04/17/68	6R 1640	7.5 5050	31300 15	843	1070	5760	--	0	1050	--	9980	--	--	--	--	--	6510			
				42.06	87.95	250.56	--	0.00	17.22	--	281.43	--	--	--	--	--	5648			
315/24E-36M04M 04/18/68	71 1045	8.0 5050	8490 15	676	168	1060	--	0	112	--	1810	--	--	--	--	--	2380			
				33.73	13.81	46.11	--	0.00	1.84	--	51.04	--	--	--	--	--	2288			
315/25E-03N01M 05/29/68	7R 5050	8.2 15	481 15	6	2	94	--	0	108	--	26	--	--	--	--	--	20			
				0.30	0.16	4.09	--	0.00	1.77	--	0.73	--	--	--	--	--	0			
315/25E-25H01M 09/16/68	74 1330	8.4 5050	482 15	--	--	77	--	1	107	--	7	0.7	--	--	--	--	56			
				--	--	3.35	--	0.03	1.75	--	0.20	0.01	--	--	--	--	0			
315/28E-26A01M 09/27/68	81 1115	7.8 5050	277 15	--	--	50	--	0	92	--	12	0.2	--	--	--	--	26			
				--	--	2.17	--	0.00	1.51	--	0.34	0.00	--	--	--	--	0			
315/29E-23R02M 09/27/68	80 1210	7.9 5050	382 15	--	--	44	--	0	134	--	20	22.0	--	--	--	--	88			
				--	--	1.91	--	0.00	2.20	--	0.56	0.35	--	--	--	--	0			
325/27E-06K01M 09/27/68	77 1020	7.9 5050	444 15	--	--	76	--	0	124	--	11	0.3	--	--	--	--	56			
				--	--	3.30	--	0.00	2.03	--	0.31	0.00	--	--	--	--	0			

TABLE E-1 (con't)  
MINERAL ANALYSES OF GROUND WATER

STATE WELL NO. DATE	TEMP TIME	PH LAB	EC COUNTY	SAMPLER	MILLIGRAMS PER LITER MINERAL CONSTITUENTS IN MILLIEQUIVALENTS PER LITER, PERCENT REACTANCE VALUES								MILLIGRAMS PER LITER					TDS 180C (*105C) SUM	TH NCH
					CA	MG	NA	K	CO3	HCO3	SO4	CL	NO3	F	B	SI02			
11N/19W-21F01S	76	8.0	651	--	--	--	39	--	0	242	--	23	7.6	--	--	--	--	235	
09/27/68	815	5050	15	--	--	--	1.70	--	0.00	3.97	--	0.65	0.12	--	--	--	--	36	
11N/20W-10C01S	81	7.9	839	--	--	--	86	--	0	149	--	26	3.2	--	--	--	--	224	
09/27/68	850	5050	15	--	--	--	3.74	--	0.00	2.44	--	0.73	0.05	--	--	--	--	102	
11N/20W-13M01S	--	8.2	953	--	67	21	99	7	0	166	276	27	4.5	0.7	0.50	--	619	254	
08/28/68	--	5050	15	--	3.34	1.73	4.31	0.18	0.00	2.72	5.74	0.76	0.07	--	--	--	583	118	
					35	18	45	?	0	29	62	8	1						
11N/20W-24E01S	--	8.2	1510	--	104	43	154	15	0	217	516	39	28.0	0.7	0.90	--	1050	436	
08/28/68	--	5050	15	--	5.19	3.53	6.70	0.38	0.00	3.56	10.73	1.10	0.45	--	--	--	1006	258	
					33	22	42	?	0	22	68	7	3						
11N/21W-04F01S	82	7.8	956	--	--	--	107	--	0	210	--	14	0.3	--	--	--	--	259	
09/27/68	910	5050	15	--	--	--	4.65	--	0.00	3.44	--	0.39	0.00	--	--	--	--	87	
11N/22W-04E01S	81	7.9	2160	--	--	--	189	--	0	128	--	70	9.0	--	--	--	--	802	
09/16/68	1235	5050	15	--	--	--	8.22	--	0.00	2.10	--	1.97	0.14	--	--	--	--	697	



TABLE E-2

This table presents trace mineral analyses performed by Department of Water Resources Laboratory. The following are definitions of chemical symbols used in this table:

Chemical Symbols

AL	Aluminum	GA	Gallium
AS	Arsenic	GE	Germanium
BE	Beryllium	LI	Lithium
BI	Bismuth	MN	Manganese
BR	Bromine	MO	Molybdenum
CD	Cadmium	NI	Nickel
CO	Cobalt	PB	Lead
CR	Chromium	TI	Titanium
CU	Copper	V	Vanadium
FE	Iron	ZN	Zinc

TABLE E-2

## TRACE MINERAL ANALYSES OF GROUND WATER

## TRACE MINERAL CONSTITUENTS IN MILLIGRAMS PER LITER

STATE WELL NO.	DATE	LAB	AL LI	AS MN	BE MO	BI NI	BR PB	CD TI	CO V	CR ZN	CU SR	FE	GA	GE
05N/15E-29L01 M	5-20-68	5050	--	0.02	--	--	--	--	--	--	--	0.02	--	--
05N/15E-29M01 M	5-20-68	5050	--	0.00	--	--	--	--	--	--	--	2.6	--	--
03N/17E-20Q01 M	5-20-68	5050	--	0.06	--	--	0.01	--	--	--	--	0.03	--	--
02N/14E-23M01 M	5-23-68	5050	--	0.01	--	--	0.02	--	--	--	--	0.02	--	--
01N/14E-03R01 M	5-23-68	5050	--	0.00	--	--	0.00	--	--	--	--	0.03	--	--
01N/14E-11Q01 M	5-23-68	5050	--	0.06	--	--	0.00	--	--	--	--	0.04	--	--
01N/15E-06B01 M	5-23-68	5050	--	0.00	--	--	0.00	--	--	--	--	2.9	--	--
02S/04E-09A01 M	4-30-68	5000	--	0.09	--	--	0.02	--	--	--	--	0.00	--	--
02S/04E-13M01 M	5-03-68	5000	--	0.06	--	--	--	--	--	--	--	0.07	--	--
02S/04E-25J01 M	4-30-68	5000	--	--	--	--	--	--	--	--	--	0.02	--	--
02S/05E-06F01 M	4-30-68	5000	--	--	--	--	--	--	--	--	--	2.81	--	--
02S/05E-10R01 M	5-03-68	5000	--	--	--	--	--	--	--	--	--	0.01	--	--
02S/05E-10R02 M	5-03-68	5000	--	--	--	--	--	--	--	--	--	0.00	--	--
02S/05E-24C01 M	4-30-68	5000	--	--	--	--	--	--	--	--	--	0.19	--	--
02S/06E-20J05 M	4-30-68	5000	--	--	--	--	--	--	--	--	--	0.06	--	--
03S/05E-04R01 M	4-30-68	5000	--	--	--	--	--	--	--	--	--	0.78	--	--
03S/05E-17B01 M	4-30-68	5000	--	--	--	--	--	--	--	--	--	0.35	--	--
03S/06E-04M01 M	5-02-68	5000	--	--	--	--	--	--	--	--	--	0.00	--	--
03S/06E-10B01 M	5-01-68	5000	--	--	--	--	--	--	--	--	--	0.00	--	--
03S/06E-18R01 M	5-03-68	5000	--	--	--	--	--	--	--	--	--	0.05	--	--
03S/06E-28M01 M	5-03-68	5000	--	--	--	--	--	--	--	--	--	0.05	--	--
04S/06E-15R01 M	5-03-68	5000	--	--	--	--	--	--	--	--	--	0.06	--	--
04S/07E-16B01 M	4-30-68	5000	--	--	--	--	--	--	--	--	--	0.01	--	--
04S/07E-30G01 M	5-03-68	5000	--	--	--	--	--	--	--	--	--	0.74	--	--
05S/07E-09J01 M	5-03-68	5000	--	--	--	--	--	--	--	--	--	0.31	--	--
05S/07E-12M01 M	5-02-68	5000	--	--	--	--	--	--	--	--	--	0.85	--	--
05S/07E-35A01 M	5-03-68	5000	--	--	--	--	--	--	--	--	--	0.01	--	--
05S/08E-09M01 M	5-01-68	5000	--	--	--	--	--	--	--	--	--	0.00	--	--
05S/08E-27M01 M	5-02-68	5000	--	--	--	--	--	--	--	--	--	0.62	--	--
05S/08E-30G02 M	5-03-68	5000	--	--	--	--	--	--	--	--	--	0.06	--	--
06S/08E-03J01 M	5-01-68	5000	--	--	--	--	--	--	--	--	--	0.01	--	--
06S/08E-05M02 M	5-03-68	5000	--	--	--	--	--	--	--	--	--	0.03	--	--
06S/08E-20D01 M	5-01-68	5000	--	--	--	--	--	--	--	--	--	0.16	--	--
06S/08E-24M01 M	5-01-68	5000	--	--	--	--	--	--	--	--	--	0.02	--	--
06S/08E-34R02 M	5-02-68	5000	--	--	--	--	--	--	--	--	--	0.02	--	--
06S/09E-21M01 M	5-01-68	5000	--	--	--	--	--	--	--	--	--	0.00	--	--
07S/08E-14B01 M	5-01-68	5000	--	--	--	--	--	--	--	--	--	0.00	--	--

TABLE E-2 (Continued)

## TRACE MINERAL ANALYSES OF GROUND WATER

## TRACE MINERAL CONSTITUENTS IN MILLIGRAMS PER LITER

STATE WELL NO.	DATE	LAB	AL LI	AS MN	BE MO	BI NI	BR PB	CD TI	CO V	CR ZN	CU SR	FE	GA	GE
07S/08E-36A01 M	5-02-68	5000	--	--	--	--	--	--	--	--	--	0.00	--	--
08S/09E-03M01 M	5-02-68	5000	--	--	--	--	--	--	--	--	--	0.19	--	--
08S/09E-08H01 M	5-02-68	5000	--	--	--	--	--	--	--	--	--	3.34	--	--
08S/09E-08N02 M	5-02-68	5000	--	--	--	--	--	--	--	--	--	0.01	--	--
08S/09E-21A01 M	5-01-68	5000	--	--	--	--	--	--	--	--	--	0.02	--	--
08S/09E-34K01 M	5-01-68	5000	--	--	--	--	--	--	--	--	--	0.61	--	--
09S/09E-13F01 M	5-02-68	5000	--	--	--	--	--	--	--	--	--	0.42	--	--
09S/09E-26B02 M	5-01-68	5000	--	--	--	--	--	--	--	--	--	0.04	--	--
09S/09E-27E01 M	5-02-68	5000	--	--	--	--	--	--	--	--	--	4.24	--	--
09S/10E-07K01 M	5-01-68	5000	--	--	--	--	--	--	--	--	--	0.00	--	--
09S/10E-34R01 M	5-01-68	5000	--	--	--	--	--	--	--	--	--	0.03	--	--
09S/12E-21R01 M	4-30-68	5000	--	--	--	--	--	--	--	--	--	1.52	--	--
09S/12E-32N01 M	4-30-68	5000	--	--	--	--	--	--	--	--	--	0.04	--	--
10S/09E-05C01 M	5-02-68	5000	--	--	--	--	--	--	--	--	--	0.00	--	--
10S/11E-18R02 M	5-01-68	5000	--	--	--	--	--	--	--	--	--	0.44	--	--
10S/11E-19D02 M	5-01-68	5000	--	--	--	--	--	--	--	--	--	0.31	--	--
10S/11E-26D01 M	4-30-68	5000	--	--	--	--	--	--	--	--	--	4.22	--	--
10S/12E-06F01 M	4-30-68	5000	--	--	--	--	--	--	--	--	--	0.21	--	--
10S/12E-13L01 M	4-30-68	5000	--	--	--	--	--	--	--	--	--	0.00	--	--
10S/13E-19F01 M	4-30-68	5000	--	--	--	--	--	--	--	--	--	0.37	--	--
11S/11E-02F01 M	4-30-68	5000	--	--	--	--	--	--	--	--	--	0.00	--	--
11S/10E-13M01 M	5-01-68	5000	--	--	--	--	--	--	--	--	--	0.06	--	--
11S/10E-22F01 M	5-01-68	5000	--	--	--	--	--	--	--	--	--	0.02	--	--
11S/10E-22H01 M	5-01-68	5000	--	--	--	--	--	--	--	--	--	1.05	--	--
11S/11E-05D01 M	5-01-68	5000	--	--	--	--	--	--	--	--	--	0.05	--	--
11S/11E-17M01 M	5-01-68	5000	--	--	--	--	--	--	--	--	--	4.18	--	--
11S/12E-19R01 M	4-30-68	5000	--	--	--	--	--	--	--	--	--	0.10	--	--
12S/11E-13D02 M	5-01-68	5000	--	--	--	--	--	--	--	--	--	0.03	--	--
20S/20E-32Q02 M	6-10-68	5050	0.05	0.00	--	--	--	0.00	--	--	0.00	0.03	--	--
20S/20E-05E02 M	6-10-68	5050	0.05	0.00	--	--	--	0.00	--	--	0.02	0.06	--	--
20S/20E-05J01 M	6-10-68	5050	0.05	0.01	--	--	--	0.00	--	--	0.29	--	--	--
20S/29E-14R01 M	2-09-68	5050	0.05	0.02	--	--	--	0.00	--	--	0.25	0.01	0.02	--
20S/29E-23F01 M	2-09-68	5050	0.02	0.01	--	--	--	0.02	--	--	--	0.05	0.00	--
20S/29E-26B01 M	2-09-68	5050	0.03	0.21	--	--	--	0.00	--	--	--	0.00	0.01	--
			--	0.00	--	--	0.01	--	--	--	0.06	--	--	--

TABLE E-2 (Continued)

## TRACE MINERAL ANALYSES OF GROUND WATER

TRACE MINERAL CONSTITUENTS IN MILLIGRAMS PER LITER

STATE WELL NO.	DATE	LAB	AL LI	AS MN	BE MO	BI NI	BR PB	CD TI	CO V	CR ZN	CU SR	FE	GA	GE
24S/24E-09K01 M	12-01-68	5050	--	0.14 --	--	--	--	--	--	--	--	--	--	--
24S/26E-35A01 M	05-03-68	5050	--	0.01 --	--	--	--	--	--	--	--	--	--	--
24S/27E-31E01 M	05-03-68	5050	--	0.01 --	--	--	--	--	--	--	--	--	--	--
24S/27E-33R01 M	05-03-68	5050	--	0.00 --	--	--	--	--	--	--	--	--	--	--
25S/26E-01K01 M	05-03-68	5050	--	0.00 --	--	--	--	--	--	--	--	--	--	--
25S/26E-01R01 M	05-03-68	5050	--	0.01 --	--	--	--	--	--	--	--	--	--	--
25S/27E-06H01 M	05-03-68	5050	--	0.01 --	--	--	--	--	--	--	--	--	--	--
25S/27E-06H03 M	05-03-68	5050	--	0.00 --	--	--	--	--	--	--	--	--	--	--
25S/27E-11Q01 M	05-03-68	5050	--	0.01 --	--	--	--	--	--	--	--	--	--	--
25S/27E-15P01 M	05-03-68	5050	--	0.01 --	--	--	--	--	--	--	--	--	--	--
25S/27E-19K01 M	05-03-68	5050	--	0.01 --	--	--	--	--	--	--	--	--	--	--
25S/27E-24M01 M	05-03-68	5050	--	0.04 --	--	--	--	--	--	--	--	--	--	--
25S/27E-27G01 M	05-03-68	5050	--	0.00 --	--	--	--	--	--	--	--	--	--	--
25S/27E-28G01 M	05-03-68	5050	--	0.02 --	--	--	--	--	--	--	--	--	--	--
11N/20W-13M01 S	08-28-68	5050	--	0.00 --	--	--	0.00	--	--	0.00	--	0.00	--	--
11N/20W-24E01 S	08-28-68	5050	--	0.01 --	--	--	0.02	--	--	0.00	--	0.01	--	--




TABLE E-2 (Continued)

## TRACE MINERAL ANALYSES OF GROUND WATER

## TRACE MINERAL CONSTITUENTS IN MILLIGRAMS PER LITER

STATE WELL NO.	DATE	LAB	AL LI	AS MN	BE MO	BI NI	BR PB	CD TI	CO V	CR ZN	CU SR	FE	GA	GE
24S/24E-09K01 M	12-01-68	5050	--	0.14 --	--	--	--	--	--	--	--	--	--	--
24S/26E-35A01 M	05-03-68	5050	--	0.01 --	--	--	--	--	--	--	--	--	--	--
24S/27E-31E01 M	05-03-68	5050	--	0.01 --	--	--	--	--	--	--	--	--	--	--
24S/27E-33R01 M	05-03-68	5050	--	0.00 --	--	--	--	--	--	--	--	--	--	--
25S/26E-01X01 M	05-03-68	5050	--	0.00 --	--	--	--	--	--	--	--	--	--	--
25S/26E-01R01 M	05-03-68	5050	--	0.01 --	--	--	--	--	--	--	--	--	--	--
25S/27E-08H01 M	05-03-68	5050	--	0.01 --	--	--	--	--	--	--	--	--	--	--
25S/27E-08H03 M	05-03-68	5050	--	0.00 --	--	--	--	--	--	--	--	--	--	--
25S/27E-11Q01 M	05-03-68	5050	--	0.01 --	--	--	--	--	--	--	--	--	--	--
25S/27E-15P01 M	05-03-68	5050	--	0.01 --	--	--	--	--	--	--	--	--	--	--
25S/27E-19K01 M	05-03-68	5050	--	0.01 --	--	--	--	--	--	--	--	--	--	--
25S/27E-24M01 M	05-03-68	5050	--	0.04 --	--	--	--	--	--	--	--	--	--	--
25S/27E-27G01 M	05-03-68	5050	--	0.00 --	--	--	--	--	--	--	--	--	--	--
25S/27E-28G01 M	05-03-68	5050	--	0.02 --	--	--	--	--	--	--	--	--	--	--
11R/20W-13M01 S	08-28-68	5050	--	0.00 --	--	--	--	--	--	0.00	--	0.00	--	--
11R/20W-24E01 S	08-28-68	5050	--	0.01 --	--	--	--	--	--	0.00	--	0.01	--	--
							0.02							



**LEGEND**

— DISTRICT OR AREA BOUNDARIES

5-22 00 NUMBERS INDICATE CODE CLASSIFICATION

— FOOTBALL LINE

— BEDROCK LINE

— CALIFORNIA ADVECTED AND TURNOUTS

WELLS MEASURED MONTHLY

WELLS MEASURED ANNUALLY AND SEMI-ANNUALLY

DISTRICTS OR AREAS WITH A GROUND WATER LEVEL CHANGE OF +5.0 FEET OR MORE IN THE UNCONFINED AND SEMICONFINED AQUIFERS FROM SPRING 1967 TO SPRING 1968


DISTRICTS OR AREAS WITH A GROUND WATER LEVEL CHANGE OF -5.0 FEET OR MORE IN THE UNCONFINED AND SEMICONFINED AQUIFERS FROM SPRING 1967 TO SPRING 1968

STATE OF CALIFORNIA  
 THE RESOURCES AGENCY  
 DEPARTMENT OF WATER RESOURCES  
 SAN JOAQUIN DISTRICT


HYDROLOGIC DATA 1968

GROUND WATER LEVEL CHANGES  
 UNCONFINED AND SEMICONFINED AQUIFERS  
 FROM  
 SELECTED OBSERVATION WELLS

MAR 1969







LEGEND

- DISTRICT OR AREA BOUNDARIES
- 5-22.00 NUMBERS INDICATE CODE CLASSIFICATION
- ~ FOOTHILL LINE
- BEDROCK LINE
- CALIFORNIA AQUEDUCT AND TURNOUTS
- ▨ AREAS OF COOPERATIVE GROUND WATER LEVEL MONITORING PROGRAMS

- DISTRICTS OR AREAS WITH A GROUND WATER LEVEL CHANGE OF +5.0 FEET OR MORE IN THE CONFINED AND SEMICONFINED AQUIFERS FROM SPRING 1967 TO SPRING 1968.
- DISTRICTS OR AREAS WITH A GROUND WATER LEVEL CHANGE OF -5.0 FEET OR MORE IN THE CONFINED AND SEMICONFINED AQUIFERS FROM SPRING 1967 TO SPRING 1968.

LOS BANOS SOIL CONSERVATION DISTRICT  
 POSO SOIL CONSERVATION DISTRICT  
 KINGS COUNTY WATER DISTRICT

KERN COUNTY

TEHACHAPI VALLEY

BRITE VALLEY

CUMMINGS VALLEY

CITY OF BAKERSFIELD  
5-22.39

BAKERSFIELD

EDISON

MARICOPA

WIND GAP PUMPING PLANT

TEHACHAPI PUMPING PLANT


DELTA AREA  
5-22.40

BUENA VISTA  
5-22.42

WHEELER RIDGE  
5-22.41

STATE OF CALIFORNIA  
 THE RESOURCES AGENCY  
 DEPARTMENT OF WATER RESOURCES  
 SAN JOAQUIN DISTRICT

HYDROLOGIC DATA 1968  
 GROUND WATER LEVEL CHANGES  
 CONFINED AND SEMICONFINED AQUIFERS  
 AND  
 COOPERATIVE PROGRAM AREAS








- LEGEND**
- DISTRICT OR AREA BOUNDARIES
  - 5-22-00 NUMBERS INDICATE CODE CLASSIFICATION
  - FOOTHILL LINE
  - BEDROCK LINE
  - CALIFORNIA AQUEDUCT AND TURNOUTS
  - ▨ AREAS OF COOPERATIVE GROUND WATER LEVEL MONITORING PROGRAMS
  - ▨ LOS BANOS SOIL CONSERVATION DISTRICT
  - ▨ FORD ISLAND CONSERVATION DISTRICT
  - ▨ KINGS COUNTY WATER DISTRICT
  - ▨ KERN COUNTY
  - DISTRICTS OR AREAS WITH A GROUND WATER LEVEL CHANGE OF +50 FEET OR MORE IN THE CONFINED AND SEMICONFINED AQUIFERS FROM SPRING 1967 TO SPRING 1968
  - DISTRICTS OR AREAS WITH A GROUND WATER LEVEL CHANGE OF -50 FEET OR MORE IN THE CONFINED AND SEMICONFINED AQUIFERS FROM SPRING 1967 TO SPRING 1968


STATE OF CALIFORNIA  
 THE RESOURCE AGENCY  
 DEPARTMENT OF WATER RESOURCES  
 SAN JOAQUIN DISTRICT  
 HYDROLOGIC DATA 1968  
 GROUND WATER LEVEL CHANGES  
 IN THE  
 CONFINED AND SEMICONFINED AQUIFERS  
 OF THE  
 COOPERATIVE PROGRAM AREAS  
 SCALE 1:50,000





HISTORIC DATA PRESENTED  
IN FIGURE C-1 FOR FOLLOWING AREAS

- 1 MADERA
- 2 FRESNO
- 3 CONSOLIDATED
- 4 CENTERVILLE BOTTOMS
- 5 ALTA
- 6 IVANHOE
- 7 OUTSIDE IVANHOE
- 8 MILL CREEK
- 9 TULARE
- 10 ELK BAYOU
- 11 LINGSAY-EXETER
- 12 TULE RIVER
- 13 LOWER OGER CREEK
- 14 MIDDLE OGER CREEK
- 15 DELANO - EARLIMART
- 16 Mc FARLANO - SHAFTER
- 17 ROSEDALE
- 18 ARVIN-EDISON



LEGEND


- GROUND WATER AREA BOUNDARIES
- GROUND WATER LEVEL FALL 1921
- GROUND WATER LEVEL FALL 1951
- GROUND WATER LEVEL SPRING 1968, UNCONFINED AQUIFER
- GROUND WATER LEVEL SPRING 1968, PRESSURE SURFACE
- GROUND WATER LEVEL PROFILE SECTION

STATE OF CALIFORNIA  
THE RESOURCES AGENCY  
DEPARTMENT OF WATER RESOURCES  
SAN JOAQUIN DISTRICT  
HYDROLOGIC DATA 1968

MAP OF SELECTED GROUND WATER AREAS  
IN THE SAN JOAQUIN VALLEY  
AND  
PROFILES ALONG SECTION A-A' SHOWING  
GROUND WATER LEVELS IN 1921, 1951 & 1968








HISTORIC DATA PRESENTED IN FIGURE C-1 FOR FOLLOWING AREAS

- 1 MADERA
- 2 FRESNO
- 3 CONSOLIDATED
- 4 CENTERVILLE BOTTOMS
- 5 ALTA
- 6 IVANHOE
- 7 OUTSIDE IVANHOE
- 8 MILL CREEK
- 9 TULARE
- 10 ELK RIVER
- 11 LINDSAY-EYETER
- 12 TULE RIVER
- 13 LOWER DEER CREEK
- 14 MIDDLE DEER CREEK
- 15 DELANO-EARLHART
- 16 McFARLAND-SHAFTER
- 17 ROSEDALE
- 18 ARVIN-EDISON



**LEGEND**

- GROUND WATER AREA BOUNDARIES
- GROUND WATER LEVEL FALL 1921
- GROUND WATER LEVEL FALL 1951
- GROUND WATER LEVEL SPRING 1968, UNCONFINED AQUIFER
- GROUND WATER LEVEL SPRING 1968, PRESSURE SURFACE
- GROUND WATER LEVEL PROFILE SECTION

STATE OF CALIFORNIA  
 THE RESOURCES AGENCY  
 DEPARTMENT OF WATER RESOURCES  
 SAN JOAQUIN DISTRICT  
 HYDROLOGIC DATA 1968

**MAP OF SELECTED GROUND WATER AREAS  
 IN THE SAN JOAQUIN VALLEY  
 AND  
 PROFILES ALONG SECTION A-A' SHOWING  
 GROUND WATER LEVELS IN 1921, 1951 & 1968**

SCALE OF MILES











EXPLANATION  
 200' Contour  
 Other contours  
 Canals  
 Rivers  
 Water bodies  
 Topographic contours  
 Boundaries  
 Other features

STATE OF CALIFORNIA  
 THE RESOURCES AGENCY  
 DEPARTMENT OF WATER RESOURCES  
 SAN JOAQUIN DISTRICT  
 HYDROLOGIC DATA 066  
 LINES OF EQUAL ELEVATION  
 OF WATER IN WELLS  
 SAN JOAQUIN VALLEY  
 SPRING 1968  
 SCALE IN MILES





THIS BOOK IS DUE ON THE LAST DATE  
STAMPED BELOW

RENEWED BOOKS ARE SUBJECT TO IMMEDIATE  
RECALL

NOV 17 1970

NOV 11 REC'D

NOV 2 1970

LIBRARY, UNIVERSITY OF CALIFORNIA, DAVIS

Book Slip-50m-9,'70 (N9877s8)458-A-31/5,6

Nº 744907

California. Dept. of  
Water Resources.  
Bulletin.

PHYSICAL  
SCIENCES  
LIBRARY

TC824  
C2  
A2  
no.130:  
68  
v.4  
c.2

LIBRARY  
UNIVERSITY OF CALIFORNIA  
DAVIS

<u>744907</u>	<b>Call Number:</b>
California. Dept. of Water Resources. Bulletin.	TC824 C2 A2 no.130:68 v.4 c.2



